

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	1/11/2021	20	144.1	473	
TMP-19	1/11/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/11/2021	60	194.4	433	
TMP-19	1/11/2021	80	199.9	413	
TMP-19	1/11/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/18/2021	20	142.8	473	
TMP-19	1/18/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/18/2021	60	193.7	433	
TMP-19	1/18/2021	80	199.6	413	
TMP-19	1/18/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2021	20	142.4	473	
TMP-19	1/26/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	1/26/2021	60	193.0	433	
TMP-19	1/26/2021	80	198.7	413	
TMP-19	1/26/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2021	20	142.8	473	
TMP-19	2/1/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/1/2021	60	193.1	433	
TMP-19	2/1/2021	80	198.9	413	
TMP-19	2/1/2021	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	2/8/2021	20	144.3	473	
TMP-19	2/8/2021	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	2/8/2021	60	194.2	433	
TMP-19	2/8/2021	80	200.0	413	
TMP-19	2/8/2021	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	1/11/2021	20	105.6	478	
TMP-20	1/11/2021	40	152.2	458	
TMP-20	1/11/2021	60	176.6	438	
TMP-20	1/11/2021	80	190.6	418	
TMP-20	1/11/2021	100	207.1	398	
TMP-20	1/11/2021	120	223.2	378	
TMP-20	1/11/2021	140	224.6	358	
TMP-20	1/18/2021	20	105.4	478	
TMP-20	1/18/2021	40	151.9	458	
TMP-20	1/18/2021	60	176.5	438	
TMP-20	1/18/2021	80	190.2	418	
TMP-20	1/18/2021	100	206.5	398	
TMP-20	1/18/2021	120	222.7	378	
TMP-20	1/18/2021	140	224.3	358	
TMP-20	1/26/2021	20	104.4	478	
TMP-20	1/26/2021	40	151.1	458	
TMP-20	1/26/2021	60	175.5	438	
TMP-20	1/26/2021	80	189.5	418	
TMP-20	1/26/2021	100	206.0	398	
TMP-20	1/26/2021	120	222.1	378	
TMP-20	1/26/2021	140	223.8	358	
TMP-20	2/1/2021	20	104.6	478	
TMP-20	2/1/2021	40	151.1	458	
TMP-20	2/1/2021	60	175.5	438	
TMP-20	2/1/2021	80	189.5	418	
TMP-20	2/1/2021	100	206.1	398	
TMP-20	2/1/2021	120	222.2	378	
TMP-20	2/1/2021	140	223.9	358	
TMP-20	2/8/2021	20	106.0	478	
TMP-20	2/8/2021	40	152.2	458	
TMP-20	2/8/2021	60	176.4	438	
TMP-20	2/8/2021	80	190.1	418	
TMP-20	2/8/2021	100	206.7	398	
TMP-20	2/8/2021	120	222.8	378	
TMP-20	2/8/2021	140	224.4	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	1/11/2021	20	109.1	475	
TMP-10-9N	1/11/2021	40	133.3	455	
TMP-10-9N	1/11/2021	60	128.8	435	
TMP-10-9N	1/11/2021	80	130.3	415	
TMP-10-9N	1/11/2021	100	140.2	395	
TMP-10-9N	1/18/2021	20	108.2	475	
TMP-10-9N	1/18/2021	40	132.6	455	
TMP-10-9N	1/18/2021	60	128.0	435	
TMP-10-9N	1/18/2021	80	129.7	415	
TMP-10-9N	1/18/2021	100	139.5	395	
TMP-10-9N	1/26/2021	20	108.1	475	
TMP-10-9N	1/26/2021	40	132.4	455	
TMP-10-9N	1/26/2021	60	127.6	435	
TMP-10-9N	1/26/2021	80	129.2	415	
TMP-10-9N	1/26/2021	100	139.0	395	
TMP-10-9N	2/1/2021	20	108.4	475	
TMP-10-9N	2/1/2021	40	132.7	455	
TMP-10-9N	2/1/2021	60	127.7	435	
TMP-10-9N	2/1/2021	80	129.4	415	
TMP-10-9N	2/1/2021	100	139.0	395	
TMP-10-9N	2/8/2021	20	109.4	475	
TMP-10-9N	2/8/2021	40	133.5	455	
TMP-10-9N	2/8/2021	60	128.3	435	
TMP-10-9N	2/8/2021	80	130.0	415	
TMP-10-9N	2/8/2021	100	139.6	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	1/11/2021	20	108.1	476	
TMP-10-9S	1/11/2021	40	147.3	456	
TMP-10-9S	1/11/2021	60	162.6	436	
TMP-10-9S	1/11/2021	80	171.3	416	
TMP-10-9S	1/11/2021	100	190.6	396	
TMP-10-9S	1/18/2021	20	107.9	476	
TMP-10-9S	1/18/2021	40	147.0	456	
TMP-10-9S	1/18/2021	60	162.4	436	
TMP-10-9S	1/18/2021	80	171.1	416	
TMP-10-9S	1/18/2021	100	190.4	396	
TMP-10-9S	1/26/2021	20	107.1	476	
TMP-10-9S	1/26/2021	40	146.0	456	
TMP-10-9S	1/26/2021	60	161.3	436	
TMP-10-9S	1/26/2021	80	169.9	416	
TMP-10-9S	1/26/2021	100	189.2	396	
TMP-10-9S	2/1/2021	20	107.1	476	
TMP-10-9S	2/1/2021	40	146.1	456	
TMP-10-9S	2/1/2021	60	161.3	436	
TMP-10-9S	2/1/2021	80	169.9	416	
TMP-10-9S	2/1/2021	100	189.3	396	
TMP-10-9S	2/8/2021	20	107.8	476	
TMP-10-9S	2/8/2021	40	146.6	456	
TMP-10-9S	2/8/2021	60	161.7	436	
TMP-10-9S	2/8/2021	80	170.2	416	
TMP-10-9S	2/8/2021	100	189.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	1/11/2021	20	96.2	478	
TMP-10-5N	1/11/2021	40	114.7	458	
TMP-10-5N	1/11/2021	60	95.4	438	
TMP-10-5N	1/11/2021	80	88.5	418	
TMP-10-5N	1/11/2021	100	84.4	398	
TMP-10-5N	1/18/2021	20	95.7	478	
TMP-10-5N	1/18/2021	40	114.5	458	
TMP-10-5N	1/18/2021	60	95.3	438	
TMP-10-5N	1/18/2021	80	88.8	418	
TMP-10-5N	1/18/2021	100	84.7	398	
TMP-10-5N	1/26/2021	20	95.1	478	
TMP-10-5N	1/26/2021	40	113.8	458	
TMP-10-5N	1/26/2021	60	94.5	438	
TMP-10-5N	1/26/2021	80	87.7	418	
TMP-10-5N	1/26/2021	100	83.6	398	
TMP-10-5N	2/1/2021	20	95.3	478	
TMP-10-5N	2/1/2021	40	114.1	458	
TMP-10-5N	2/1/2021	60	94.7	438	
TMP-10-5N	2/1/2021	80	88.1	418	
TMP-10-5N	2/1/2021	100	83.9	398	
TMP-10-5N	2/8/2021	20	96.0	478	
TMP-10-5N	2/8/2021	40	115.4	458	
TMP-10-5N	2/8/2021	60	96.7	438	
TMP-10-5N	2/8/2021	80	91.0	418	
TMP-10-5N	2/8/2021	100	86.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	1/11/2021	20	103.0	477	
TMP-10-5S	1/11/2021	40	138.9	457	
TMP-10-5S	1/11/2021	60	146.6	437	
TMP-10-5S	1/11/2021	80	157.9	417	
TMP-10-5S	1/11/2021	100	175.5	397	
TMP-10-5S	1/18/2021	20	102.3	477	
TMP-10-5S	1/18/2021	40	138.3	457	
TMP-10-5S	1/18/2021	60	146.1	437	
TMP-10-5S	1/18/2021	80	157.4	417	
TMP-10-5S	1/18/2021	100	175.0	397	
TMP-10-5S	1/26/2021	20	101.7	477	
TMP-10-5S	1/26/2021	40	137.7	457	
TMP-10-5S	1/26/2021	60	145.3	437	
TMP-10-5S	1/26/2021	80	156.5	417	
TMP-10-5S	1/26/2021	100	174.1	397	
TMP-10-5S	2/1/2021	20	101.8	477	
TMP-10-5S	2/1/2021	40	137.9	457	
TMP-10-5S	2/1/2021	60	145.3	437	
TMP-10-5S	2/1/2021	80	156.6	417	
TMP-10-5S	2/1/2021	100	174.2	397	
TMP-10-5S	2/8/2021	20	102.6	477	
TMP-10-5S	2/8/2021	40	138.5	457	
TMP-10-5S	2/8/2021	60	145.8	437	
TMP-10-5S	2/8/2021	80	156.9	417	
TMP-10-5S	2/8/2021	100	174.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	1/11/2021	20	99.7	476	
TMP-5-9N	1/11/2021	40	137.7	456	
TMP-5-9N	1/11/2021	60	142.6	436	
TMP-5-9N	1/11/2021	80	223.8	416	
TMP-5-9N	1/11/2021	100	247.0	396	
TMP-5-9N	1/18/2021	20	99.1	476	
TMP-5-9N	1/18/2021	40	137.4	456	
TMP-5-9N	1/18/2021	60	142.4	436	
TMP-5-9N	1/18/2021	80	223.5	416	
TMP-5-9N	1/18/2021	100	247.3	396	
TMP-5-9N	1/26/2021	20	98.4	476	
TMP-5-9N	1/26/2021	40	136.7	456	
TMP-5-9N	1/26/2021	60	141.9	436	
TMP-5-9N	1/26/2021	80	222.5	416	
TMP-5-9N	1/26/2021	100	246.4	396	
TMP-5-9N	2/1/2021	20	98.4	476	
TMP-5-9N	2/1/2021	40	136.7	456	
TMP-5-9N	2/1/2021	60	141.6	436	
TMP-5-9N	2/1/2021	80	222.4	416	
TMP-5-9N	2/1/2021	100	246.4	396	
TMP-5-9N	2/8/2021	20	98.6	476	
TMP-5-9N	2/8/2021	40	137.0	456	
TMP-5-9N	2/8/2021	60	141.9	436	
TMP-5-9N	2/8/2021	80	222.4	416	
TMP-5-9N	2/8/2021	100	246.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	1/11/2021	20	113.9	476	
TMP-5-9S	1/11/2021	40	171.7	456	
TMP-5-9S	1/11/2021	60	207.8	436	
TMP-5-9S	1/11/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/11/2021	100			No readings could be obtained
TMP-5-9S	1/18/2021	20	114.0	476	
TMP-5-9S	1/18/2021	40	171.7	456	
TMP-5-9S	1/18/2021	60	208.1	436	
TMP-5-9S	1/18/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/18/2021	100			No readings could be obtained
TMP-5-9S	1/26/2021	20	113.2	476	
TMP-5-9S	1/26/2021	40	170.7	456	
TMP-5-9S	1/26/2021	60	207.1	436	
TMP-5-9S	1/26/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	1/26/2021	100			No readings could be obtained
TMP-5-9S	2/1/2021	20	113.3	476	
TMP-5-9S	2/1/2021	40	171.0	456	
TMP-5-9S	2/1/2021	60	207.2	436	
TMP-5-9S	2/1/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/1/2021	100			No readings could be obtained
TMP-5-9S	2/8/2021	20	113.3	476	
TMP-5-9S	2/8/2021	40	171.1	456	
TMP-5-9S	2/8/2021	60	207.1	436	
TMP-5-9S	2/8/2021	80			No reliable reading able to be obtained since 8/29/16
TMP-5-9S	2/8/2021	100			No readings could be obtained

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	1/11/2021	20	93.3	475	
TMP-5-5N	1/11/2021	40	102.1	455	
TMP-5-5N	1/11/2021	60	87.8	435	
TMP-5-5N	1/11/2021	80	216.1	415	
TMP-5-5N	1/11/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/18/2021	20	93.7	475	
TMP-5-5N	1/18/2021	40	101.3	455	
TMP-5-5N	1/18/2021	60	88.7	435	
TMP-5-5N	1/18/2021	80	216.5	415	
TMP-5-5N	1/18/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	1/26/2021	20	92.4	475	
TMP-5-5N	1/26/2021	40	101.0	455	
TMP-5-5N	1/26/2021	60	89.1	435	
TMP-5-5N	1/26/2021	80	214.6	415	
TMP-5-5N	1/26/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/1/2021	20	92.4	475	
TMP-5-5N	2/1/2021	40	102.0	455	
TMP-5-5N	2/1/2021	60	88.9	435	
TMP-5-5N	2/1/2021	80	214.3	415	
TMP-5-5N	2/1/2021	100			No reliable reading able to be obtained since 11/29/16
TMP-5-5N	2/8/2021	20	92.9	475	
TMP-5-5N	2/8/2021	40	104.1	455	
TMP-5-5N	2/8/2021	60	92.5	435	
TMP-5-5N	2/8/2021	80	214.6	415	
TMP-5-5N	2/8/2021	100			No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	1/11/2021	20	112.9	474	
TMP-5-5S	1/11/2021	40	163.8	454	
TMP-5-5S	1/11/2021	60	195.0	434	
TMP-5-5S	1/11/2021	80	232.3	414	
TMP-5-5S	1/11/2021	100	237.3	394	
TMP-5-5S	1/18/2021	20	112.0	474	
TMP-5-5S	1/18/2021	40	163.4	454	
TMP-5-5S	1/18/2021	60	194.9	434	
TMP-5-5S	1/18/2021	80	232.3	414	
TMP-5-5S	1/18/2021	100	237.1	394	
TMP-5-5S	1/26/2021	20	111.9	474	
TMP-5-5S	1/26/2021	40	162.8	454	
TMP-5-5S	1/26/2021	60	194.2	434	
TMP-5-5S	1/26/2021	80	231.6	414	
TMP-5-5S	1/26/2021	100	236.6	394	
TMP-5-5S	2/1/2021	20	112.0	474	
TMP-5-5S	2/1/2021	40	163.0	454	
TMP-5-5S	2/1/2021	60	194.3	434	
TMP-5-5S	2/1/2021	80	231.7	414	
TMP-5-5S	2/1/2021	100	236.6	394	
TMP-5-5S	2/8/2021	20	112.0	474	
TMP-5-5S	2/8/2021	40	162.5	454	
TMP-5-5S	2/8/2021	60	193.4	434	
TMP-5-5S	2/8/2021	80	231.6	414	
TMP-5-5S	2/8/2021	100	236.6	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	1/11/2021	20	151.9	474	
TMP-31	1/11/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/11/2021	120	267.9	374	
TMP-31	1/18/2021	20	151.8	474	
TMP-31	1/18/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/18/2021	120	268.2	374	
TMP-31	1/26/2021	20	150.9	474	
TMP-31	1/26/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	1/26/2021	120	267.2	374	
TMP-31	2/1/2021	20	150.6	474	
TMP-31	2/1/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/1/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/1/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/1/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/1/2021	120	267.2	374	
TMP-31	2/8/2021	20	151.0	474	
TMP-31	2/8/2021	40			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/8/2021	60			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/8/2021	80			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/8/2021	100			fluctuating resistivity/no temperature reading could be obtained
TMP-31	2/8/2021	120	267.6	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	1/11/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	60	224.8	444	
TMP-32	1/11/2021	80	240.4	424	
TMP-32	1/11/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/11/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	60	225.5	444	
TMP-32	1/18/2021	80	241.3	424	
TMP-32	1/18/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/18/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	60	224.5	444	
TMP-32	1/26/2021	80	240.1	424	
TMP-32	1/26/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	1/26/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	60	224.5	444	
TMP-32	2/1/2021	80	240	424	
TMP-32	2/1/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/1/2021	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	60	225	444	
TMP-32	2/8/2021	80	240.4	424	
TMP-32	2/8/2021	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	2/8/2021	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	1/11/2021	20	135.5	473	
TMP-SPM1	1/11/2021	40	158.2	453	
TMP-SPM1	1/11/2021	60	173.2	433	
TMP-SPM1	1/11/2021	80	166.4	413	
TMP-SPM1	1/11/2021	100	167.3	393	
TMP-SPM1	1/11/2021	120	163.4	373	
TMP-SPM1	1/11/2021	140	153.7	353	
TMP-SPM1	1/11/2021	160	135.6	333	
TMP-SPM1	1/11/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/11/2021	200	107.2	293	
TMP-SPM1	1/11/2021	220	93.8	273	
TMP-SPM1	1/11/2021	240	90.6	253	
TMP-SPM1	1/18/2021	20	135.3	473	
TMP-SPM1	1/18/2021	40	158.2	453	
TMP-SPM1	1/18/2021	60	173.3	433	
TMP-SPM1	1/18/2021	80	166.8	413	
TMP-SPM1	1/18/2021	100	167.8	393	
TMP-SPM1	1/18/2021	120	164.0	373	
TMP-SPM1	1/18/2021	140	154.3	353	
TMP-SPM1	1/18/2021	160	136.1	333	
TMP-SPM1	1/18/2021	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/18/2021	200	107.4	293	
TMP-SPM1	1/18/2021	220	93.8	273	
TMP-SPM1	1/18/2021	240	90.8	253	
TMP-SPM1	1/26/2021	20	133.4	473	
TMP-SPM1	1/26/2021	40	156.0	453	
TMP-SPM1	1/26/2021	60	171.3	433	
TMP-SPM1	1/26/2021	80	164.7	413	
TMP-SPM1	1/26/2021	100	165.8	393	
TMP-SPM1	1/26/2021	120	162.0	373	
TMP-SPM1	1/26/2021	140	152.3	353	
TMP-SPM1	1/26/2021	160	134.4	333	
TMP-SPM1	1/26/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	1/26/2021	200	106.0	293	
TMP-SPM1	1/26/2021	220	92.7	273	
TMP-SPM1	1/26/2021	240	89.6	253	
TMP-SPM1	2/1/2021	20	134.1	473	
TMP-SPM1	2/1/2021	40	156.8	453	
TMP-SPM1	2/1/2021	60	171.9	433	
TMP-SPM1	2/1/2021	80	165.4	413	
TMP-SPM1	2/1/2021	100	166.4	393	
TMP-SPM1	2/1/2021	120	162.6	373	
TMP-SPM1	2/1/2021	140	153.0	353	
TMP-SPM1	2/1/2021	160	135.0	333	
TMP-SPM1	2/1/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/1/2021	200	106.6	293	
TMP-SPM1	2/1/2021	220	93.1	273	
TMP-SPM1	2/1/2021	240	90.1	253	
TMP-SPM1	2/8/2021	20	133.5	473	
TMP-SPM1	2/8/2021	40	156.1	453	
TMP-SPM1	2/8/2021	60	171.1	433	
TMP-SPM1	2/8/2021	80	164.8	413	
TMP-SPM1	2/8/2021	100	165.9	393	
TMP-SPM1	2/8/2021	120	162.1	373	
TMP-SPM1	2/8/2021	140	152.6	353	
TMP-SPM1	2/8/2021	160	134.6	333	
TMP-SPM1	2/8/2021	180			fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	2/8/2021	200	106.1	293	
TMP-SPM1	2/8/2021	220	92.8	273	
TMP-SPM1	2/8/2021	240	89.6	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	1/11/2021	20	124.6	475	
TMP-SPM2	1/11/2021	40	146.0	455	
TMP-SPM2	1/11/2021	60	141.3	435	
TMP-SPM2	1/11/2021	80	157.8	415	
TMP-SPM2	1/11/2021	100	177.2	395	
TMP-SPM2	1/11/2021	120	180.4	375	
TMP-SPM2	1/11/2021	140	185.1	355	
TMP-SPM2	1/11/2021	160	164.6	335	
TMP-SPM2	1/11/2021	172	149.7	323	
TMP-SPM2	1/18/2021	20	123.7	475	
TMP-SPM2	1/18/2021	40	144.8	455	
TMP-SPM2	1/18/2021	60	140.2	435	
TMP-SPM2	1/18/2021	80	156.9	415	
TMP-SPM2	1/18/2021	100	176.6	395	
TMP-SPM2	1/18/2021	120	180.0	375	
TMP-SPM2	1/18/2021	140	184.9	355	
TMP-SPM2	1/18/2021	160	164.6	335	
TMP-SPM2	1/18/2021	172	149.7	323	
TMP-SPM2	1/26/2021	20	123.5	475	
TMP-SPM2	1/26/2021	40	144.8	455	
TMP-SPM2	1/26/2021	60	140.2	435	
TMP-SPM2	1/26/2021	80	156.5	415	
TMP-SPM2	1/26/2021	100	175.9	395	
TMP-SPM2	1/26/2021	120	179.4	375	
TMP-SPM2	1/26/2021	140	184.3	355	
TMP-SPM2	1/26/2021	160	164.0	335	
TMP-SPM2	1/26/2021	172	149.2	323	
TMP-SPM2	2/1/2021	20	123.9	475	
TMP-SPM2	2/1/2021	40	145.2	455	
TMP-SPM2	2/1/2021	60	140.6	435	
TMP-SPM2	2/1/2021	80	156.7	415	
TMP-SPM2	2/1/2021	100	176.0	395	
TMP-SPM2	2/1/2021	120	179.6	375	
TMP-SPM2	2/1/2021	140	184.5	355	
TMP-SPM2	2/1/2021	160	164.4	335	
TMP-SPM2	2/1/2021	172	149.5	323	
TMP-SPM2	2/8/2021	20	123.7	475	
TMP-SPM2	2/8/2021	40	144.9	455	
TMP-SPM2	2/8/2021	60	140.5	435	
TMP-SPM2	2/8/2021	80	156.6	415	
TMP-SPM2	2/8/2021	100	175.9	395	
TMP-SPM2	2/8/2021	120	179.7	375	
TMP-SPM2	2/8/2021	140	184.7	355	
TMP-SPM2	2/8/2021	160	164.7	335	
TMP-SPM2	2/8/2021	172	149.9	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	1/11/2021	20	110.8	478	
TMP-SPM3	1/11/2021	40	109.2	458	
TMP-SPM3	1/11/2021	60	103.4	438	
TMP-SPM3	1/11/2021	80	108.2	418	
TMP-SPM3	1/11/2021	85	110.2	413	
TMP-SPM3	1/18/2021	20	109.5	478	
TMP-SPM3	1/18/2021	40	107.7	458	
TMP-SPM3	1/18/2021	60	101.9	438	
TMP-SPM3	1/18/2021	80	106.5	418	
TMP-SPM3	1/18/2021	85	108.6	413	
TMP-SPM3	1/26/2021	20	109.8	478	
TMP-SPM3	1/26/2021	40	108.5	458	
TMP-SPM3	1/26/2021	60	102.8	438	
TMP-SPM3	1/26/2021	80	107.5	418	
TMP-SPM3	1/26/2021	85	109.5	413	
TMP-SPM3	2/1/2021	20	109.5	478	
TMP-SPM3	2/1/2021	40	108.7	458	
TMP-SPM3	2/1/2021	60	103.2	438	
TMP-SPM3	2/1/2021	80	107.8	418	
TMP-SPM3	2/1/2021	85	109.8	413	
TMP-SPM3	2/8/2021	20	110.9	478	
TMP-SPM3	2/8/2021	40	109.7	458	
TMP-SPM3	2/8/2021	60	104.2	438	
TMP-SPM3	2/8/2021	80	108.9	418	
TMP-SPM3	2/8/2021	85	110.7	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	1/11/2021	20	114.4	475	
TMP-SPM4	1/11/2021	40	136.8	455	
TMP-SPM4	1/11/2021	60	138.6	435	
TMP-SPM4	1/11/2021	80	139.4	415	
TMP-SPM4	1/11/2021	100	135.2	395	
TMP-SPM4	1/11/2021	120	127.9	375	
TMP-SPM4	1/11/2021	140	123.1	355	
TMP-SPM4	1/11/2021	160	117.5	335	
TMP-SPM4	1/11/2021	180	113.7	315	
TMP-SPM4	1/11/2021	200	108.6	295	
TMP-SPM4	1/11/2021	220	97.1	275	
TMP-SPM4	1/11/2021	240	91.2	255	
TMP-SPM4	1/18/2021	20	114.1	475	
TMP-SPM4	1/18/2021	40	136.5	455	
TMP-SPM4	1/18/2021	60	138.4	435	
TMP-SPM4	1/18/2021	80	139.4	415	
TMP-SPM4	1/18/2021	100	135.1	395	
TMP-SPM4	1/18/2021	120	127.8	375	
TMP-SPM4	1/18/2021	140	123.0	355	
TMP-SPM4	1/18/2021	160	117.4	335	
TMP-SPM4	1/18/2021	180	113.4	315	
TMP-SPM4	1/18/2021	200	108.2	295	
TMP-SPM4	1/18/2021	220	96.6	275	
TMP-SPM4	1/18/2021	240	90.3	255	
TMP-SPM4	1/26/2021	20	113.6	475	
TMP-SPM4	1/26/2021	40	136.1	455	
TMP-SPM4	1/26/2021	60	138.0	435	
TMP-SPM4	1/26/2021	80	138.8	415	
TMP-SPM4	1/26/2021	100	134.5	395	
TMP-SPM4	1/26/2021	120	127.2	375	
TMP-SPM4	1/26/2021	140	122.5	355	
TMP-SPM4	1/26/2021	160	116.9	335	
TMP-SPM4	1/26/2021	180	113.1	315	
TMP-SPM4	1/26/2021	200	108.1	295	
TMP-SPM4	1/26/2021	220	96.8	275	
TMP-SPM4	1/26/2021	240	90.8	255	
TMP-SPM4	2/1/2021	20	114.0	475	
TMP-SPM4	2/1/2021	40	136.4	455	
TMP-SPM4	2/1/2021	60	138.2	435	
TMP-SPM4	2/1/2021	80	139.0	415	
TMP-SPM4	2/1/2021	100	134.6	395	
TMP-SPM4	2/1/2021	120	127.4	375	
TMP-SPM4	2/1/2021	140	122.6	355	
TMP-SPM4	2/1/2021	160	117.1	335	
TMP-SPM4	2/1/2021	180	113.3	315	
TMP-SPM4	2/1/2021	200	108.3	295	
TMP-SPM4	2/1/2021	220	97.0	275	
TMP-SPM4	2/1/2021	240	91.0	255	
TMP-SPM4	2/8/2021	20	115.2	475	
TMP-SPM4	2/8/2021	40	137.4	455	
TMP-SPM4	2/8/2021	60	139.2	435	
TMP-SPM4	2/8/2021	80	139.9	415	
TMP-SPM4	2/8/2021	100	135.6	395	
TMP-SPM4	2/8/2021	120	128.3	375	
TMP-SPM4	2/8/2021	140	123.6	355	
TMP-SPM4	2/8/2021	160	117.9	335	
TMP-SPM4	2/8/2021	180	114.2	315	
TMP-SPM4	2/8/2021	200	109.2	295	
TMP-SPM4	2/8/2021	220	97.9	275	
TMP-SPM4	2/8/2021	240	91.9	255	