

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|-----------------|-----------------|---------|-------------|---------------|---------------------------------------|--|
| 3/29/2018 12:00 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 3/29/2018 12:03 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 3/29/2018 12:07 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 3/29/2018 12:09 | M | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 3/29/2018 12:13 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 3/29/2018 12:20 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 3/29/2018 12:28 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 3/29/2018 12:33 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 3/29/2018 12:40 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 3/29/2018 12:45 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 3/30/2018 9:40 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 3/30/2018 9:45 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 3/30/2018 9:48 | B | 0.00305 | 0.00 | 2.00 | Faint Odor - chemical, unknown origin | Jimmy John's |
| 3/30/2018 9:51 | C | 0.00307 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 3/30/2018 9:55 | K | 0.00366 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 3/30/2018 9:57 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 3/30/2018 10:04 | I | 0.00329 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 3/30/2018 10:13 | | 0.00327 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 3/30/2018 10:17 | G | 0.00324 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 3/30/2018 10:19 | M | 0.00331 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 3/30/2018 10:23 | F | 0.00446 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 3/30/2018 10:33 | N | 0.00346 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 3/30/2018 10:37 | | 0.00309 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 3/30/2018 10:41 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 3/30/2018 11:15 | A | 0.00434 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 3/30/2018 11:17 | B | 0.00339 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 3/30/2018 11:21 | C | 0.00329 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 3/30/2018 11:24 | K | 0.00360 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 3/30/2018 11:26 | L | 0.00309 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 3/30/2018 11:30 | | 0.00327 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 3/30/2018 11:34 | G | 0.00329 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 3/30/2018 11:36 | M | 0.00342 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 3/30/2018 11:40 | F | 0.00339 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 3/30/2018 11:45 | | 0.00357 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 3/30/2018 11:53 | N | 0.00349 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 3/30/2018 11:57 | | 0.00342 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|-----------------|-----------------|---------|-------------|---------------|---|--|
| 3/30/2018 12:07 | I | 0.00376 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 3/30/2018 12:10 | J | 0.00389 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 3/31/2018 11:25 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 3/31/2018 10:30 | A | 0.00000 | 0.00 | 2.00 | Mild Bridgeton Landfill Odor | Metro Paving |
| 3/31/2018 10:33 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 3/31/2018 10:37 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 3/31/2018 11:04 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 3/31/2018 10:59 | G | 0.00000 | 0.00 | 2.00 | Mild Bridgeton Landfill Odor | Materialogic |
| 3/31/2018 10:55 | M | 0.00312 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 3/31/2018 10:51 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 3/31/2018 10:47 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 3/31/2018 10:44 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 3/31/2018 10:41 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 3/31/2018 10:24 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 3/31/2018 11:34 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 3/31/2018 11:12 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 3/31/2018 11:48 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 3/31/2018 12:32 | A | 0.00319 | 0.00 | 2.00 | Mild Bridgeton Landfill Odor | Metro Paving |
| 3/31/2018 12:35 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 3/31/2018 12:39 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 3/31/2018 12:01 | F | 0.00314 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 3/31/2018 12:07 | G | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Materialogic |
| 3/31/2018 12:10 | M | 0.00323 | 0.00 | 2.00 | No Landfill Odor | Forshaw Parking Lot |
| 3/31/2018 12:15 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 3/31/2018 12:21 | I | 0.00351 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 3/31/2018 12:23 | J | 0.00359 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 3/31/2018 12:30 | K | 0.00302 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 3/31/2018 12:27 | L | 0.00309 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 3/31/2018 11:43 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 3/31/2018 11:55 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/1/2018 8:45 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/1/2018 8:53 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/1/2018 8:56 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/1/2018 9:00 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/1/2018 9:04 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/1/2018 9:09 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/1/2018 9:12 | G | 0.00000 | 0.00 | 2.00 | Slight Landfill Odor-Bridgeton burnt chemical | Materialogic |

Bridgeton Sanitary Landfill
Daily Air Monitoring Results

| Date/Time | Sample Location | H2S ppm | Benzene ppm | Odor Dilution | Comments and Odor Desc | Site Name |
|----------------|-----------------|---------|-------------|---------------|--|--|
| 4/1/2018 9:17 | M | 0.00000 | 0.00 | 2.00 | Slight Landfill Odor-Bridgeton burnt chemical | Forshaw Parking Lot |
| 4/1/2018 9:22 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/1/2018 9:28 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/1/2018 9:36 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/1/2018 9:43 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Thomas Patrick & CCM Rd. |
| 4/1/2018 9:49 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 4/1/2018 9:53 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/1/2018 9:57 | A | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Metro Paving |
| 4/1/2018 10:00 | B | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Jimmy John's |
| 4/1/2018 10:04 | C | 0.00000 | 0.00 | 2.00 | No Landfill Odor | AAA Trucking |
| 4/1/2018 10:08 | K | 0.00000 | 0.00 | 2.00 | No Landfill Odor | NW Auto Body |
| 4/1/2018 10:11 | L | 0.00000 | 0.00 | 2.00 | No Landfill Odor | MDNR Trailer |
| 4/1/2018 10:28 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12800 Boenker Drive - Parking Lot |
| 4/1/2018 10:32 | G | 0.00000 | 0.00 | 2.00 | Faint Landfill Odor-Bridgeton burnt chemical | Materialogic |
| 4/1/2018 10:35 | M | 0.00000 | 0.00 | 2.00 | Slight Landfill Odor-Bridgeton burnt chemical | Forshaw Parking Lot |
| 4/1/2018 10:43 | F | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Ram's Area |
| 4/1/2018 10:47 | | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Pattonville Fire District House #3 |
| 4/1/2018 10:55 | N | 0.00000 | 0.00 | 2.00 | No Landfill Odor | Eise Park |
| 4/1/2018 10:59 | | 0.00000 | 0.00 | 2.00 | Faint Landfill Odor-Champ sweet burnt chemical | Thomas Patrick & CCM Rd. |
| 4/1/2018 11:07 | I | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 3715 Pennridge |
| 4/1/2018 11:12 | J | 0.00000 | 0.00 | 2.00 | No Landfill Odor | 12755 St Charles Rock Rd (in right-of-way) |
| 4/2/2018 10:15 | L | 0.00000 | 0.00 | 2.00 | NLFO | MDNR Trailer |
| 4/2/2018 10:21 | C | 0.00000 | 0.00 | 2.00 | NLFO | AAA Trucking |
| 4/2/2018 10:24 | B | 0.00000 | 0.00 | 2.00 | NLFO | Jimmy John's |
| 4/2/2018 10:26 | A | 0.00000 | 0.00 | 2.00 | NLFO | Metro Paving |
| 4/2/2018 10:28 | K | 0.00000 | 0.00 | 2.00 | NLFO | NW Auto Body |
| 4/2/2018 10:34 | J | 0.00000 | 0.00 | 2.00 | NLFO | 12755 St Charles Rock Rd (in right-of-way) |
| 4/2/2018 10:40 | I | 0.00314 | 0.00 | 2.00 | NLFO | 3715 Pennridge |
| 4/2/2018 10:45 | | 0.00337 | 0.00 | 2.00 | NLFO | 12800 Boenker Drive - Parking Lot |
| 4/2/2018 10:48 | G | 0.00000 | 0.00 | 2.00 | NLFO | Materialogic |
| 4/2/2018 10:50 | M | 0.00000 | 0.00 | 2.00 | NLFO | Forshaw Parking Lot |
| 4/2/2018 10:54 | F | 0.00000 | 0.00 | 2.00 | NLFO | Ram's Area |
| 4/2/2018 11:03 | | 0.00000 | 0.00 | 2.00 | NLFO | Thomas Patrick & CCM Rd. |
| 4/2/2018 11:06 | N | 0.00337 | 0.00 | 2.00 | NLFO | Eise Park |
| 4/2/2018 11:13 | | 0.00327 | 0.00 | 2.00 | NLFO | Pattonville Fire District House #3 |