

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	7/9/2018	20	127.0	475	
TMP-SPM4	7/9/2018	40	149.3	455	
TMP-SPM4	7/9/2018	60	153.9	435	
TMP-SPM4	7/9/2018	80	155.4	415	
TMP-SPM4	7/9/2018	100	152.4	395	
TMP-SPM4	7/9/2018	120	144.0	375	
TMP-SPM4	7/9/2018	140	138.2	355	
TMP-SPM4	7/9/2018	160	131.1	335	
TMP-SPM4	7/9/2018	180	124.5	315	
TMP-SPM4	7/9/2018	200	114.5	295	
TMP-SPM4	7/9/2018	220	98.7	275	
TMP-SPM4	7/9/2018	240	91.4	255	
TMP-SPM4	7/16/2018	20	127.2	475	
TMP-SPM4	7/16/2018	40	149.5	455	
TMP-SPM4	7/16/2018	60	154.1	435	
TMP-SPM4	7/16/2018	80	155.6	415	
TMP-SPM4	7/16/2018	100	152.6	395	
TMP-SPM4	7/16/2018	120	144.3	375	
TMP-SPM4	7/16/2018	140	138.5	355	
TMP-SPM4	7/16/2018	160	131.4	335	
TMP-SPM4	7/16/2018	180	124.7	315	
TMP-SPM4	7/16/2018	200	114.7	295	
TMP-SPM4	7/16/2018	220	98.7	275	
TMP-SPM4	7/16/2018	240	91.3	255	
TMP-SPM4	7/23/2018	20	127.3	475	
TMP-SPM4	7/23/2018	40	149.5	455	
TMP-SPM4	7/23/2018	60	154.0	435	
TMP-SPM4	7/23/2018	80	155.4	415	
TMP-SPM4	7/23/2018	100	152.3	395	
TMP-SPM4	7/23/2018	120	144.1	375	
TMP-SPM4	7/23/2018	140	138.2	355	
TMP-SPM4	7/23/2018	160	131.1	335	
TMP-SPM4	7/23/2018	180	124.6	315	
TMP-SPM4	7/23/2018	200	114.8	295	
TMP-SPM4	7/23/2018	220	99.0	275	
TMP-SPM4	7/23/2018	240	91.7	255	
TMP-SPM4	7/30/2018	20	125.4	475	
TMP-SPM4	7/30/2018	40	147.7	455	
TMP-SPM4	7/30/2018	60	152.1	435	
TMP-SPM4	7/30/2018	80	153.6	415	
TMP-SPM4	7/30/2018	100	150.5	395	
TMP-SPM4	7/30/2018	120	142.2	375	
TMP-SPM4	7/30/2018	140	136.4	355	
TMP-SPM4	7/30/2018	160	129.3	335	
TMP-SPM4	7/30/2018	180	122.9	315	
TMP-SPM4	7/30/2018	200	113.1	295	
TMP-SPM4	7/30/2018	220	97.4	275	
TMP-SPM4	7/30/2018	240	90.2	255	
TMP-SPM4	8/7/2018	20	126.1	475	
TMP-SPM4	8/7/2018	40	148.5	455	
TMP-SPM4	8/7/2018	60	152.9	435	
TMP-SPM4	8/7/2018	80	154.3	415	
TMP-SPM4	8/7/2018	100	151.2	395	
TMP-SPM4	8/7/2018	120	143.1	375	
TMP-SPM4	8/7/2018	140	137.3	355	
TMP-SPM4	8/7/2018	160	130.3	335	
TMP-SPM4	8/7/2018	180	123.7	315	
TMP-SPM4	8/7/2018	200	113.9	295	
TMP-SPM4	8/7/2018	220	98.2	275	
TMP-SPM4	8/7/2018	240	90.9	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	7/9/2018	20	160.6	473	
TMP-19	7/9/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/9/2018	60	222.5	433	
TMP-19	7/9/2018	80	227.2	413	
TMP-19	7/9/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/16/2018	20	159.9	473	
TMP-19	7/16/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/16/2018	60	222	433	
TMP-19	7/16/2018	80	226.8	413	
TMP-19	7/16/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/23/2018	20	161.3	473	
TMP-19	7/23/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/23/2018	60	222.7	433	
TMP-19	7/23/2018	80	227.4	413	
TMP-19	7/23/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/30/2018	20	160.4	473	
TMP-19	7/30/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/30/2018	60	222.9	433	
TMP-19	7/30/2018	80	227.7	413	
TMP-19	7/30/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	8/7/2018	20	159.7	473	
TMP-19	8/7/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	8/7/2018	60	222.7	433	
TMP-19	8/7/2018	80	227.1	413	
TMP-19	8/7/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	7/9/2018	20	121.8	478	
TMP-20	7/9/2018	40	181.4	458	
TMP-20	7/9/2018	60	223.7	438	
TMP-20	7/9/2018	80	235.6	418	
TMP-20	7/9/2018	100	247.5	398	
TMP-20	7/9/2018	120	259.6	378	
TMP-20	7/9/2018	140	255.5	358	
TMP-20	7/16/2018	20	121.1	478	
TMP-20	7/16/2018	40	181.5	458	
TMP-20	7/16/2018	60	223.5	438	
TMP-20	7/16/2018	80	235.4	418	
TMP-20	7/16/2018	100	247.3	398	
TMP-20	7/16/2018	120	259.4	378	
TMP-20	7/16/2018	140	255.1	358	
TMP-20	7/23/2018	20	122.0	478	
TMP-20	7/23/2018	40	182.0	458	
TMP-20	7/23/2018	60	223.5	438	
TMP-20	7/23/2018	80	235.6	418	
TMP-20	7/23/2018	100	247.6	398	
TMP-20	7/23/2018	120	259.9	378	
TMP-20	7/23/2018	140	255.5	358	
TMP-20	7/30/2018	20	121.8	478	
TMP-20	7/30/2018	40	181.1	458	
TMP-20	7/30/2018	60	223.2	438	
TMP-20	7/30/2018	80	235.3	418	
TMP-20	7/30/2018	100	247.4	398	
TMP-20	7/30/2018	120	259.8	378	
TMP-20	7/30/2018	140	255.4	358	
TMP-20	8/7/2018	20	121.7	478	
TMP-20	8/7/2018	40	179.7	458	
TMP-20	8/7/2018	60	222.5	438	
TMP-20	8/7/2018	80	234.6	418	
TMP-20	8/7/2018	100	246.7	398	
TMP-20	8/7/2018	120	259.1	378	
TMP-20	8/7/2018	140	254.6	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	7/9/2018	20	119.9	475	
TMP-10-9N	7/9/2018	40	141.8	455	
TMP-10-9N	7/9/2018	60	150.1	435	
TMP-10-9N	7/9/2018	80	148.2	415	
TMP-10-9N	7/9/2018	100	156.9	395	
TMP-10-9N	7/16/2018	20	118.9	475	
TMP-10-9N	7/16/2018	40	141.2	455	
TMP-10-9N	7/16/2018	60	150.0	435	
TMP-10-9N	7/16/2018	80	148.0	415	
TMP-10-9N	7/16/2018	100	156.7	395	
TMP-10-9N	7/23/2018	20	120.4	475	
TMP-10-9N	7/23/2018	40	142.2	455	
TMP-10-9N	7/23/2018	60	151.0	435	
TMP-10-9N	7/23/2018	80	148.8	415	
TMP-10-9N	7/23/2018	100	157.3	395	
TMP-10-9N	7/30/2018	20	121.3	475	
TMP-10-9N	7/30/2018	40	143.6	455	
TMP-10-9N	7/30/2018	60	152.7	435	
TMP-10-9N	7/30/2018	80	150.4	415	
TMP-10-9N	7/30/2018	100	158.9	395	
TMP-10-9N	8/7/2018	20	121.1	475	
TMP-10-9N	8/7/2018	40	143.1	455	
TMP-10-9N	8/7/2018	60	152.4	435	
TMP-10-9N	8/7/2018	80	150.0	415	
TMP-10-9N	8/7/2018	100	158.5	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	7/9/2018	20	118.1	476	
TMP-10-9S	7/9/2018	40	171.1	456	
TMP-10-9S	7/9/2018	60	191.9	436	
TMP-10-9S	7/9/2018	80	194.9	416	
TMP-10-9S	7/9/2018	100	209.7	396	
TMP-10-9S	7/16/2018	20	118.3	476	
TMP-10-9S	7/16/2018	40	170.9	456	
TMP-10-9S	7/16/2018	60	191.9	436	
TMP-10-9S	7/16/2018	80	194.9	416	
TMP-10-9S	7/16/2018	100	209.5	396	
TMP-10-9S	7/23/2018	20	118.0	476	
TMP-10-9S	7/23/2018	40	169.3	456	
TMP-10-9S	7/23/2018	60	191.6	436	
TMP-10-9S	7/23/2018	80	194.7	416	
TMP-10-9S	7/23/2018	100	209.3	396	
TMP-10-9S	7/30/2018	20	119.4	476	
TMP-10-9S	7/30/2018	40	170.5	456	
TMP-10-9S	7/30/2018	60	192.8	436	
TMP-10-9S	7/30/2018	80	195.7	416	
TMP-10-9S	7/30/2018	100	210.2	396	
TMP-10-9S	8/7/2018	20	119.2	476	
TMP-10-9S	8/7/2018	40	172.0	456	
TMP-10-9S	8/7/2018	60	193.0	436	
TMP-10-9S	8/7/2018	80	195.5	416	
TMP-10-9S	8/7/2018	100	209.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	7/9/2018	20	105.2	478	
TMP-10-5N	7/9/2018	40	116.5	458	
TMP-10-5N	7/9/2018	60	118.3	438	
TMP-10-5N	7/9/2018	80	109.6	418	
TMP-10-5N	7/9/2018	100	105.3	398	
TMP-10-5N	7/16/2018	20	104.4	478	
TMP-10-5N	7/16/2018	40	115.3	458	
TMP-10-5N	7/16/2018	60	117.7	438	
TMP-10-5N	7/16/2018	80	109.3	418	
TMP-10-5N	7/16/2018	100	105.7	398	
TMP-10-5N	7/23/2018	20	105.1	478	
TMP-10-5N	7/23/2018	40	115.2	458	
TMP-10-5N	7/23/2018	60	117.6	438	
TMP-10-5N	7/23/2018	80	108.5	418	
TMP-10-5N	7/23/2018	100	104.2	398	
TMP-10-5N	7/30/2018	20	106.8	478	
TMP-10-5N	7/30/2018	40	115.9	458	
TMP-10-5N	7/30/2018	60	117.9	438	
TMP-10-5N	7/30/2018	80	108.3	418	
TMP-10-5N	7/30/2018	100	103.7	398	
TMP-10-5N	8/7/2018	20	106.5	478	
TMP-10-5N	8/7/2018	40	115.7	458	
TMP-10-5N	8/7/2018	60	118.1	438	
TMP-10-5N	8/7/2018	80	109.5	418	
TMP-10-5N	8/7/2018	100	105.7	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	7/9/2018	20	110.5	477	
TMP-10-5S	7/9/2018	40	143.7	457	
TMP-10-5S	7/9/2018	60	169.6	437	
TMP-10-5S	7/9/2018	80	179.2	417	
TMP-10-5S	7/9/2018	100	192.2	397	
TMP-10-5S	7/16/2018	20	110.7	477	
TMP-10-5S	7/16/2018	40	143.7	457	
TMP-10-5S	7/16/2018	60	169.8	437	
TMP-10-5S	7/16/2018	80	179.4	417	
TMP-10-5S	7/16/2018	100	192.4	397	
TMP-10-5S	7/23/2018	20	111.2	477	
TMP-10-5S	7/23/2018	40	143.9	457	
TMP-10-5S	7/23/2018	60	170.1	437	
TMP-10-5S	7/23/2018	80	179.6	417	
TMP-10-5S	7/23/2018	100	192.4	397	
TMP-10-5S	7/30/2018	20	112.1	477	
TMP-10-5S	7/30/2018	40	145.5	457	
TMP-10-5S	7/30/2018	60	171.7	437	
TMP-10-5S	7/30/2018	80	180.9	417	
TMP-10-5S	7/30/2018	100	193.9	397	
TMP-10-5S	8/7/2018	20	112.0	477	
TMP-10-5S	8/7/2018	40	145.4	457	
TMP-10-5S	8/7/2018	60	171.6	437	
TMP-10-5S	8/7/2018	80	180.7	417	
TMP-10-5S	8/7/2018	100	193.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	7/9/2018	20	108.1	476	
TMP-5-9N	7/9/2018	40	152.4	456	
TMP-5-9N	7/9/2018	60	158.8	436	
TMP-5-9N	7/9/2018	80	249.1	416	
TMP-5-9N	7/9/2018	100	259.0	396	
TMP-5-9N	7/16/2018	20	108.7	476	
TMP-5-9N	7/16/2018	40	153.1	456	
TMP-5-9N	7/16/2018	60	159.0	436	
TMP-5-9N	7/16/2018	80	249.2	416	
TMP-5-9N	7/16/2018	100	259.1	396	
TMP-5-9N	7/23/2018	20	109.4	476	
TMP-5-9N	7/23/2018	40	153.7	456	
TMP-5-9N	7/23/2018	60	159.3	436	
TMP-5-9N	7/23/2018	80	249.3	416	
TMP-5-9N	7/23/2018	100	259.3	396	
TMP-5-9N	7/30/2018	20	109.0	476	
TMP-5-9N	7/30/2018	40	153.3	456	
TMP-5-9N	7/30/2018	60	159.4	436	
TMP-5-9N	7/30/2018	80	249.9	416	
TMP-5-9N	7/30/2018	100	259.7	396	
TMP-5-9N	8/7/2018	20	109.3	476	
TMP-5-9N	8/7/2018	40	153.6	456	
TMP-5-9N	8/7/2018	60	159.0	436	
TMP-5-9N	8/7/2018	80	249.6	416	
TMP-5-9N	8/7/2018	100	259.6	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	7/9/2018	20	127.4	476	
TMP-5-9S	7/9/2018	40	204.7	456	
TMP-5-9S	7/9/2018	60	231.0	436	
TMP-5-9S	7/9/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/9/2018	100	261.0	396	
TMP-5-9S	7/16/2018	20	126.9	476	
TMP-5-9S	7/16/2018	40	205.3	456	
TMP-5-9S	7/16/2018	60	230.5	436	
TMP-5-9S	7/16/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/16/2018	100	260.9	396	
TMP-5-9S	7/23/2018	20	127.3	476	
TMP-5-9S	7/23/2018	40	204.6	456	
TMP-5-9S	7/23/2018	60	231.3	436	
TMP-5-9S	7/23/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/23/2018	100	261.1	396	
TMP-5-9S	7/30/2018	20	128.1	476	
TMP-5-9S	7/30/2018	40	204.4	456	
TMP-5-9S	7/30/2018	60	232.2	436	
TMP-5-9S	7/30/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/30/2018	100	261.9	396	
TMP-5-9S	8/7/2018	20	127.8	476	
TMP-5-9S	8/7/2018	40	205.9	456	
TMP-5-9S	8/7/2018	60	231.2	436	
TMP-5-9S	8/7/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	8/7/2018	100	261.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	7/9/2018	20	105.1	475	
TMP-5-5N	7/9/2018	40	109.9	455	
TMP-5-5N	7/9/2018	60	104.2	435	
TMP-5-5N	7/9/2018	80	247.8	415	
TMP-5-5N	7/9/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/16/2018	20	105.2	475	
TMP-5-5N	7/16/2018	40	111.5	455	
TMP-5-5N	7/16/2018	60	107.1	435	
TMP-5-5N	7/16/2018	80	248.0	415	
TMP-5-5N	7/16/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/23/2018	20	105.3	475	
TMP-5-5N	7/23/2018	40	109.6	455	
TMP-5-5N	7/23/2018	60	104.3	435	
TMP-5-5N	7/23/2018	80	248.1	415	
TMP-5-5N	7/23/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/30/2018	20	105.7	475	
TMP-5-5N	7/30/2018	40	109.0	455	
TMP-5-5N	7/30/2018	60	101.6	435	
TMP-5-5N	7/30/2018	80	248.6	415	
TMP-5-5N	7/30/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	8/7/2018	20	105.9	475	
TMP-5-5N	8/7/2018	40	111.3	455	
TMP-5-5N	8/7/2018	60	103.5	435	
TMP-5-5N	8/7/2018	80	248.5	415	
TMP-5-5N	8/7/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	7/9/2018	20	125.8	474	
TMP-5-5S	7/9/2018	40	197.9	454	
TMP-5-5S	7/9/2018	60	226.1	434	
TMP-5-5S	7/9/2018	80	249.4	414	
TMP-5-5S	7/9/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/16/2018	20	125.4	474	
TMP-5-5S	7/16/2018	40	198.2	454	
TMP-5-5S	7/16/2018	60	225.7	434	
TMP-5-5S	7/16/2018	80	249.2	414	
TMP-5-5S	7/16/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/23/2018	20	125.9	474	
TMP-5-5S	7/23/2018	40	199.6	454	
TMP-5-5S	7/23/2018	60	225.9	434	
TMP-5-5S	7/23/2018	80	249.5	414	
TMP-5-5N	7/23/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/30/2018	20	126.3	474	
TMP-5-5S	7/30/2018	40	198.7	454	
TMP-5-5S	7/30/2018	60	226.7	434	
TMP-5-5S	7/30/2018	80	250.2	414	
TMP-5-5S	7/30/2018	100	253.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	8/7/2018	20	126.2	474	
TMP-5-5S	8/7/2018	40	198.5	454	
TMP-5-5S	8/7/2018	60	226.3	434	
TMP-5-5S	8/7/2018	80	249.9	414	
TMP-5-5S	8/7/2018	100	252.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	7/9/2018	20	195.2	474	
TMP-31	7/9/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	60	234.9	434	
TMP-31	7/9/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	120	273.5	374	
TMP-31	7/16/2018	20	195.1	474	
TMP-31	7/16/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	60	234.3	434	
TMP-31	7/16/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	120	273.0	374	
TMP-31	7/23/2018	20	185.5	474	
TMP-31	7/23/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	60	235.0	434	
TMP-31	7/23/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	120	273.6	374	
TMP-31	7/30/2018	20	185.3	474	
TMP-31	7/30/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/30/2018	60	235.5	434	
TMP-31	7/30/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/30/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/30/2018	120	274.1	374	
TMP-31	8/7/2018	20	182.8	474	
TMP-31	8/7/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/7/2018	60	235.1	434	
TMP-31	8/7/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/7/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	8/7/2018	120	273.9	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	7/9/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	60	236.2	444	
TMP-32	7/9/2018	80	252.4	424	
TMP-32	7/9/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	60	236.8	444	
TMP-32	7/16/2018	80	252.7	424	
TMP-32	7/16/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	60	236.4	444	
TMP-32	7/23/2018	80	253.0	424	
TMP-32	7/23/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	60	238.3	444	
TMP-32	7/30/2018	80	251.7	424	
TMP-32	7/30/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/30/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	60	237.9	444	
TMP-32	8/7/2018	80	251.5	424	
TMP-32	8/7/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	8/7/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	7/9/2018	20	161.2	473	
TMP-SPM1	7/9/2018	40	196.5	453	
TMP-SPM1	7/9/2018	60	198.3	433	
TMP-SPM1	7/9/2018	80	191.5	413	
TMP-SPM1	7/9/2018	100	180.6	393	
TMP-SPM1	7/9/2018	120	169.0	373	
TMP-SPM1	7/9/2018	140	158.8	353	
TMP-SPM1	7/9/2018	160	141.3	333	
TMP-SPM1	7/9/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/9/2018	200	107.7	293	
TMP-SPM1	7/9/2018	220	92.4	273	
TMP-SPM1	7/9/2018	240	89.3	253	
TMP-SPM1	7/16/2018	20	160.8	473	
TMP-SPM1	7/16/2018	40	196.6	453	
TMP-SPM1	7/16/2018	60	198.7	433	
TMP-SPM1	7/16/2018	80	191.7	413	
TMP-SPM1	7/16/2018	100	181.1	393	
TMP-SPM1	7/16/2018	120	169.6	373	
TMP-SPM1	7/16/2018	140	159.4	353	
TMP-SPM1	7/16/2018	160	141.8	333	
TMP-SPM1	7/16/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/16/2018	200	108.2	293	
TMP-SPM1	7/16/2018	220	92.7	273	
TMP-SPM1	7/16/2018	240	89.2	253	
TMP-SPM1	7/23/2018	20	160.7	473	
TMP-SPM1	7/23/2018	40	196.7	453	
TMP-SPM1	7/23/2018	60	198.6	433	
TMP-SPM1	7/23/2018	80	191.3	413	
TMP-SPM1	7/23/2018	100	180.9	393	
TMP-SPM1	7/23/2018	120	169.2	373	
TMP-SPM1	7/23/2018	140	159.1	353	
TMP-SPM1	7/23/2018	160	141.4	333	
TMP-SPM1	7/23/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/23/2018	200	107.9	293	
TMP-SPM1	7/23/2018	220	92.5	273	
TMP-SPM1	7/23/2018	240	89.1	253	
TMP-SPM1	7/30/2018	20	160.6	473	
TMP-SPM1	7/30/2018	40	195.7	453	
TMP-SPM1	7/30/2018	60	197.5	433	
TMP-SPM1	7/30/2018	80	190.0	413	
TMP-SPM1	7/30/2018	100	179.6	393	
TMP-SPM1	7/30/2018	120	168.0	373	
TMP-SPM1	7/30/2018	140	157.7	353	
TMP-SPM1	7/30/2018	160	140.0	333	
TMP-SPM1	7/30/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/30/2018	200	106.7	293	
TMP-SPM1	7/30/2018	220	91.3	273	
TMP-SPM1	7/30/2018	240	87.9	253	
TMP-SPM1	8/7/2018	20	161.5	473	
TMP-SPM1	8/7/2018	40	195.4	453	
TMP-SPM1	8/7/2018	60	197.6	433	
TMP-SPM1	8/7/2018	80	189.9	413	
TMP-SPM1	8/7/2018	100	179.8	393	
TMP-SPM1	8/7/2018	120	168.4	373	
TMP-SPM1	8/7/2018	140	158.2	353	
TMP-SPM1	8/7/2018	160	140.7	333	
TMP-SPM1	8/7/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	8/7/2018	200	107.1	293	
TMP-SPM1	8/7/2018	220	91.7	273	
TMP-SPM1	8/7/2018	240	88.3	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	7/9/2018	20	151.8	475	
TMP-SPM2	7/9/2018	40	184.6	455	
TMP-SPM2	7/9/2018	60	184.6	435	
TMP-SPM2	7/9/2018	80	185.7	415	
TMP-SPM2	7/9/2018	100	204.2	395	
TMP-SPM2	7/9/2018	120	194.7	375	
TMP-SPM2	7/9/2018	140	182.2	355	
TMP-SPM2	7/9/2018	160	158.3	335	
TMP-SPM2	7/9/2018	172	140.7	323	
TMP-SPM2	7/16/2018	20	149.9	475	
TMP-SPM2	7/16/2018	40	183.6	455	
TMP-SPM2	7/16/2018	60	183.2	435	
TMP-SPM2	7/16/2018	80	184.8	415	
TMP-SPM2	7/16/2018	100	203.3	395	
TMP-SPM2	7/16/2018	120	193.9	375	
TMP-SPM2	7/16/2018	140	181.3	355	
TMP-SPM2	7/16/2018	160	157.0	335	
TMP-SPM2	7/16/2018	172	139.2	323	
TMP-SPM2	7/23/2018	20	150.6	475	
TMP-SPM2	7/23/2018	40	183.8	455	
TMP-SPM2	7/23/2018	60	183.5	435	
TMP-SPM2	7/23/2018	80	185.5	415	
TMP-SPM2	7/23/2018	100	204.0	395	
TMP-SPM2	7/23/2018	120	194.7	375	
TMP-SPM2	7/23/2018	140	182.3	355	
TMP-SPM2	7/23/2018	160	158.0	335	
TMP-SPM2	7/23/2018	172	140.3	323	
TMP-SPM2	7/30/2018	20	151.0	475	
TMP-SPM2	7/30/2018	40	184.4	455	
TMP-SPM2	7/30/2018	60	184.3	435	
TMP-SPM2	7/30/2018	80	186.7	415	
TMP-SPM2	7/30/2018	100	205.2	395	
TMP-SPM2	7/30/2018	120	196.1	375	
TMP-SPM2	7/30/2018	140	183.6	355	
TMP-SPM2	7/30/2018	160	159.3	335	
TMP-SPM2	7/30/2018	172	141.7	323	
TMP-SPM2	8/7/2018	20	150.0	475	
TMP-SPM2	8/7/2018	40	183.1	455	
TMP-SPM2	8/7/2018	60	182.7	435	
TMP-SPM2	8/7/2018	80	185.5	415	
TMP-SPM2	8/7/2018	100	204.1	395	
TMP-SPM2	8/7/2018	120	194.9	375	
TMP-SPM2	8/7/2018	140	182.4	355	
TMP-SPM2	8/7/2018	160	157.9	335	
TMP-SPM2	8/7/2018	172	140.1	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	7/9/2018	20	120.8	478	
TMP-SPM3	7/9/2018	40	125.4	458	
TMP-SPM3	7/9/2018	60	121.3	438	
TMP-SPM3	7/9/2018	80	123.1	418	
TMP-SPM3	7/9/2018	85	123.8	413	
TMP-SPM3	7/16/2018	20	119.9	478	
TMP-SPM3	7/16/2018	40	124.8	458	
TMP-SPM3	7/16/2018	60	120.5	438	
TMP-SPM3	7/16/2018	80	122.4	418	
TMP-SPM3	7/16/2018	85	123.0	413	
TMP-SPM3	7/23/2018	20	120.5	478	
TMP-SPM3	7/23/2018	40	125.3	458	
TMP-SPM3	7/23/2018	60	121.0	438	
TMP-SPM3	7/23/2018	80	122.8	418	
TMP-SPM3	7/23/2018	85	123.5	413	
TMP-SPM3	7/30/2018	20	121.0	478	
TMP-SPM3	7/30/2018	40	126.4	458	
TMP-SPM3	7/30/2018	60	122.0	438	
TMP-SPM3	7/30/2018	80	124.2	418	
TMP-SPM3	7/30/2018	85	124.6	413	
TMP-SPM3	8/7/2018	20	120.6	478	
TMP-SPM3	8/7/2018	40	126.3	458	
TMP-SPM3	8/7/2018	60	122.0	438	
TMP-SPM3	8/7/2018	80	124.2	418	
TMP-SPM3	8/7/2018	85	125.0	413	