

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/4/2018	20	109.6	476	
TMP-5-9N	9/4/2018	40	153.9	456	
TMP-5-9N	9/4/2018	60	158.9	436	
TMP-5-9N	9/4/2018	80	248.5	416	
TMP-5-9N	9/4/2018	100	258.4	396	
TMP-5-9N	9/10/2018	20	111.3	476	
TMP-5-9N	9/10/2018	40	155.4	456	
TMP-5-9N	9/10/2018	60	160.7	436	
TMP-5-9N	9/10/2018	80	249.7	416	
TMP-5-9N	9/10/2018	100	259.5	396	
TMP-5-9N	9/17/2018	20	110.6	476	
TMP-5-9N	9/17/2018	40	154.5	456	
TMP-5-9N	9/17/2018	60	159.2	436	
TMP-5-9N	9/17/2018	80	248.7	416	
TMP-5-9N	9/17/2018	100	258.5	396	
TMP-5-9N	9/24/2018	20	110.6	476	
TMP-5-9N	9/24/2018	40	155.2	456	
TMP-5-9N	9/24/2018	60	160.0	436	
TMP-5-9N	9/24/2018	80	249.3	416	
TMP-5-9N	9/24/2018	100	259.1	396	
TMP-5-9N	10/1/2018	20	111.1	476	
TMP-5-9N	10/1/2018	40	155.2	456	
TMP-5-9N	10/1/2018	60	159.7	436	
TMP-5-9N	10/1/2018	80	249.4	416	
TMP-5-9N	10/1/2018	100	259.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/4/2018	20	157.4	473	
TMP-19	9/4/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/4/2018	60	221.4	433	
TMP-19	9/4/2018	80	226.1	413	
TMP-19	9/4/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/10/2018	20	158.3	473	
TMP-19	9/10/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/10/2018	60	221.1	433	
TMP-19	9/10/2018	80	227.0	413	
TMP-19	9/10/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/17/2018	20	157.5	473	
TMP-19	9/17/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/17/2018	60	220.7	433	
TMP-19	9/17/2018	80	225.6	413	
TMP-19	9/17/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/24/2018	20	157.8	473	
TMP-19	9/24/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/24/2018	60	221.2	433	
TMP-19	9/24/2018	80	225.9	413	
TMP-19	9/24/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/1/2018	20	156.5	473	
TMP-19	10/1/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/1/2018	60	220.7	433	
TMP-19	10/1/2018	80	225.4	413	
TMP-19	10/1/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/4/2018	20	120.8	478	
TMP-20	9/4/2018	40	179.9	458	
TMP-20	9/4/2018	60	221.3	438	
TMP-20	9/4/2018	80	233.3	418	
TMP-20	9/4/2018	100	245.2	398	
TMP-20	9/4/2018	120	257.8	378	
TMP-20	9/4/2018	140	253.2	358	
TMP-20	9/10/2018	20	121.4	478	
TMP-20	9/10/2018	40	180.2	458	
TMP-20	9/10/2018	60	222.2	438	
TMP-20	9/10/2018	80	234.1	418	
TMP-20	9/10/2018	100	246.2	398	
TMP-20	9/10/2018	120	258.8	378	
TMP-20	9/10/2018	140	253.9	358	
TMP-20	9/17/2018	20	120.6	478	
TMP-20	9/17/2018	40	178.3	458	
TMP-20	9/17/2018	60	220.5	438	
TMP-20	9/17/2018	80	232.5	418	
TMP-20	9/17/2018	100	244.6	398	
TMP-20	9/17/2018	120	257.2	378	
TMP-20	9/17/2018	140	252.4	358	
TMP-20	9/24/2018	20	121.1	478	
TMP-20	9/24/2018	40	178.3	458	
TMP-20	9/24/2018	60	220.5	438	
TMP-20	9/24/2018	80	232.7	418	
TMP-20	9/24/2018	100	244.8	398	
TMP-20	9/24/2018	120	257.6	378	
TMP-20	9/24/2018	140	253.0	358	
TMP-20	10/1/2018	20	120.8	478	
TMP-20	10/1/2018	40	178.8	458	
TMP-20	10/1/2018	60	220.3	438	
TMP-20	10/1/2018	80	232.2	418	
TMP-20	10/1/2018	100	244.4	398	
TMP-20	10/1/2018	120	257.2	378	
TMP-20	10/1/2018	140	252.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/4/2018	20	119.9	475	
TMP-10-9N	9/4/2018	40	141.3	455	
TMP-10-9N	9/4/2018	60	151.2	435	
TMP-10-9N	9/4/2018	80	148.9	415	
TMP-10-9N	9/4/2018	100	157.4	395	
TMP-10-9N	9/10/2018	20	118.6	475	
TMP-10-9N	9/10/2018	40	139.9	455	
TMP-10-9N	9/10/2018	60	149.9	435	
TMP-10-9N	9/10/2018	80	147.6	415	
TMP-10-9N	9/10/2018	100	156.2	395	
TMP-10-9N	9/17/2018	20	118.6	475	
TMP-10-9N	9/17/2018	40	140.3	455	
TMP-10-9N	9/17/2018	60	150.7	435	
TMP-10-9N	9/17/2018	80	148.3	415	
TMP-10-9N	9/17/2018	100	157.0	395	
TMP-10-9N	9/24/2018	20	120.5	475	
TMP-10-9N	9/24/2018	40	141.8	455	
TMP-10-9N	9/24/2018	60	152.4	435	
TMP-10-9N	9/24/2018	80	150.0	415	
TMP-10-9N	9/24/2018	100	158.4	395	
TMP-10-9N	10/1/2018	20	120.0	475	
TMP-10-9N	10/1/2018	40	141.6	455	
TMP-10-9N	10/1/2018	60	152.1	435	
TMP-10-9N	10/1/2018	80	149.5	415	
TMP-10-9N	10/1/2018	100	157.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/4/2018	20	117.3	476	
TMP-10-9S	9/4/2018	40	171.7	456	
TMP-10-9S	9/4/2018	60	191.1	436	
TMP-10-9S	9/4/2018	80	194.0	416	
TMP-10-9S	9/4/2018	100	208.3	396	
TMP-10-9S	9/10/2018	20	118.5	476	
TMP-10-9S	9/10/2018	40	172.4	456	
TMP-10-9S	9/10/2018	60	192.1	436	
TMP-10-9S	9/10/2018	80	195.1	416	
TMP-10-9S	9/10/2018	100	209.4	396	
TMP-10-9S	9/17/2018	20	117.1	476	
TMP-10-9S	9/17/2018	40	170.3	456	
TMP-10-9S	9/17/2018	60	190.3	436	
TMP-10-9S	9/17/2018	80	193.6	416	
TMP-10-9S	9/17/2018	100	208.0	396	
TMP-10-9S	9/24/2018	20	118.9	476	
TMP-10-9S	9/24/2018	40	170.2	456	
TMP-10-9S	9/24/2018	60	191.7	436	
TMP-10-9S	9/24/2018	80	195.0	416	
TMP-10-9S	9/24/2018	100	209.3	396	
TMP-10-9S	10/1/2018	20	118.4	476	
TMP-10-9S	10/1/2018	40	170.9	456	
TMP-10-9S	10/1/2018	60	191.4	436	
TMP-10-9S	10/1/2018	80	194.5	416	
TMP-10-9S	10/1/2018	100	208.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/4/2018	20	105.6	478	
TMP-10-5N	9/4/2018	40	115.1	458	
TMP-10-5N	9/4/2018	60	118.3	438	
TMP-10-5N	9/4/2018	80	109.7	418	
TMP-10-5N	9/4/2018	100	105.9	398	
TMP-10-5N	9/10/2018	20	104.4	478	
TMP-10-5N	9/10/2018	40	112.8	458	
TMP-10-5N	9/10/2018	60	116.7	438	
TMP-10-5N	9/10/2018	80	107.8	418	
TMP-10-5N	9/10/2018	100	103.9	398	
TMP-10-5N	9/17/2018	20	105.3	478	
TMP-10-5N	9/17/2018	40	113.5	458	
TMP-10-5N	9/17/2018	60	116.8	438	
TMP-10-5N	9/17/2018	80	107.7	418	
TMP-10-5N	9/17/2018	100	103.7	398	
TMP-10-5N	9/24/2018	20	107.0	478	
TMP-10-5N	9/24/2018	40	114.8	458	
TMP-10-5N	9/24/2018	60	117.8	438	
TMP-10-5N	9/24/2018	80	108.2	418	
TMP-10-5N	9/24/2018	100	103.7	398	
TMP-10-5N	10/1/2018	20	106.8	478	
TMP-10-5N	10/1/2018	40	113.3	458	
TMP-10-5N	10/1/2018	60	115.9	438	
TMP-10-5N	10/1/2018	80	105.2	418	
TMP-10-5N	10/1/2018	100	100.4	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/4/2018	20	111.0	477	
TMP-10-5S	9/4/2018	40	144.0	457	
TMP-10-5S	9/4/2018	60	170.1	437	
TMP-10-5S	9/4/2018	80	179.3	417	
TMP-10-5S	9/4/2018	100	192.1	397	
TMP-10-5S	9/10/2018	20	111.7	477	
TMP-10-5S	9/10/2018	40	144.5	457	
TMP-10-5S	9/10/2018	60	170.7	437	
TMP-10-5S	9/10/2018	80	180.2	417	
TMP-10-5S	9/10/2018	100	193.1	397	
TMP-10-5S	9/17/2018	20	111.2	477	
TMP-10-5S	9/17/2018	40	144.2	457	
TMP-10-5S	9/17/2018	60	169.8	437	
TMP-10-5S	9/17/2018	80	179.0	417	
TMP-10-5S	9/17/2018	100	191.8	397	
TMP-10-5S	9/24/2018	20	112.7	477	
TMP-10-5S	9/24/2018	40	146.3	457	
TMP-10-5S	9/24/2018	60	171.5	437	
TMP-10-5S	9/24/2018	80	180.6	417	
TMP-10-5S	9/24/2018	100	193.5	397	
TMP-10-5S	10/1/2018	20	112.5	477	
TMP-10-5S	10/1/2018	40	146.1	457	
TMP-10-5S	10/1/2018	60	171.0	437	
TMP-10-5S	10/1/2018	80	180.2	417	
TMP-10-5S	10/1/2018	100	193.0	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/4/2018	20	126.9	476	
TMP-5-9S	9/4/2018	40	202.5	456	
TMP-5-9S	9/4/2018	60	229.7	436	
TMP-5-9S	9/4/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/4/2018	100	260.4	396	
TMP-5-9S	9/10/2018	20	128.1	476	
TMP-5-9S	9/10/2018	40	203.8	456	
TMP-5-9S	9/10/2018	60	231.0	436	
TMP-5-9S	9/10/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/10/2018	100	261.4	396	
TMP-5-9S	9/17/2018	20	127.3	476	
TMP-5-9S	9/17/2018	40	202.9	456	
TMP-5-9S	9/17/2018	60	230.2	436	
TMP-5-9S	9/17/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/17/2018	100	260.6	396	
TMP-5-9S	9/24/2018	20	128.6	476	
TMP-5-9S	9/24/2018	40	203.8	456	
TMP-5-9S	9/24/2018	60	231.2	436	
TMP-5-9S	9/24/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/24/2018	100	261.4	396	
TMP-5-9S	10/1/2018	20	128.3	476	
TMP-5-9S	10/1/2018	40	203.4	456	
TMP-5-9S	10/1/2018	60	230.7	436	
TMP-5-9S	10/1/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/1/2018	100	261.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/4/2018	20	105.8	475	
TMP-5-5N	9/4/2018	40	111.4	455	
TMP-5-5N	9/4/2018	60	106.6	435	
TMP-5-5N	9/4/2018	80	247.2	415	
TMP-5-5N	9/4/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/10/2018	20	107.2	475	
TMP-5-5N	9/10/2018	40	110.0	455	
TMP-5-5N	9/10/2018	60	103.9	435	
TMP-5-5N	9/10/2018	80	248.4	415	
TMP-5-5N	9/10/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/17/2018	20	105.9	475	
TMP-5-5N	9/17/2018	40	110.2	455	
TMP-5-5N	9/17/2018	60	104.6	435	
TMP-5-5N	9/17/2018	80	247.3	415	
TMP-5-5N	9/17/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/24/2018	20	106.7	475	
TMP-5-5N	9/24/2018	40	109.9	455	
TMP-5-5N	9/24/2018	60	102.3	435	
TMP-5-5N	9/24/2018	80	247.9	415	
TMP-5-5N	9/24/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/1/2018	20	106.3	475	
TMP-5-5N	10/1/2018	40	108.4	455	
TMP-5-5N	10/1/2018	60	100.9	435	
TMP-5-5N	10/1/2018	80	247.9	415	
TMP-5-5N	10/1/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/4/2018	20	125.9	474	
TMP-5-5S	9/4/2018	40	199.0	454	
TMP-5-5S	9/4/2018	60	224.9	434	
TMP-5-5S	9/4/2018	80	248.8	414	
TMP-5-5S	9/4/2018	100	251.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	9/10/2018	20	126.5	474	
TMP-5-5S	9/10/2018	40	198.9	454	
TMP-5-5S	9/10/2018	60	225.4	434	
TMP-5-5S	9/10/2018	80	249.6	414	
TMP-5-5S	9/10/2018	100	252.7	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	9/17/2018	20	126.4	474	
TMP-5-5S	9/17/2018	40	198.2	454	
TMP-5-5S	9/17/2018	60	224.8	434	
TMP-5-5S	9/17/2018	80	248.9	414	
TMP-5-5S	9/17/2018	100	252.0	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	9/24/2018	20	126.9	474	
TMP-5-5S	9/24/2018	40	199.1	454	
TMP-5-5S	9/24/2018	60	225.6	434	
TMP-5-5S	9/24/2018	80	249.9	414	
TMP-5-5S	9/24/2018	100	252.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/1/2018	20	126.8	474	
TMP-5-5S	10/1/2018	40	198.6	454	
TMP-5-5S	10/1/2018	60	225.1	434	
TMP-5-5S	10/1/2018	80	249.4	414	
TMP-5-5S	10/1/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/4/2018	20	178.0	474	
TMP-31	9/4/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/4/2018	60	233.7	434	
TMP-31	9/4/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/4/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/4/2018	120	272.6	374	
TMP-31	9/10/2018	20	179.6	474	
TMP-31	9/10/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/10/2018	60	234.9	434	
TMP-31	9/10/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/10/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/10/2018	120	274.0	374	
TMP-31	9/17/2018	20	179.4	474	
TMP-31	9/17/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/17/2018	60	234.4	434	
TMP-31	9/17/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/17/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/17/2018	120	273.3	374	
TMP-31	9/24/2018	20	179.2	474	
TMP-31	9/24/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	60	235.0	434	
TMP-31	9/24/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	120	273.8	374	
TMP-31	10/1/2018	20	179.7	474	
TMP-31	10/1/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	60	234.6	434	
TMP-31	10/1/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	120	273.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/4/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	60	237.3	444	
TMP-32	9/4/2018	80	251.4	424	
TMP-32	9/4/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/4/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	60	236.5	444	
TMP-32	9/10/2018	80	250.7	424	
TMP-32	9/10/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/10/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	60	237.4	444	
TMP-32	9/17/2018	80	251.5	424	
TMP-32	9/17/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/17/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	60	236.5	444	
TMP-32	9/24/2018	80	251.2	424	
TMP-32	9/24/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	60	237.6	444	
TMP-32	10/1/2018	80	251.4	424	
TMP-32	10/1/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	9/4/2018	20	163.6	473	
TMP-SPM1	9/4/2018	40	194.8	453	
TMP-SPM1	9/4/2018	60	197.2	433	
TMP-SPM1	9/4/2018	80	189.3	413	
TMP-SPM1	9/4/2018	100	179.5	393	
TMP-SPM1	9/4/2018	120	168.2	373	
TMP-SPM1	9/4/2018	140	158.1	353	
TMP-SPM1	9/4/2018	160	140.4	333	
TMP-SPM1	9/4/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/4/2018	200	107.3	293	
TMP-SPM1	9/4/2018	220	92.1	273	
TMP-SPM1	9/4/2018	240	88.6	253	
TMP-SPM1	9/10/2018	20	164.4	473	
TMP-SPM1	9/10/2018	40	195.9	453	
TMP-SPM1	9/10/2018	60	198.7	433	
TMP-SPM1	9/10/2018	80	190.5	413	
TMP-SPM1	9/10/2018	100	180.8	393	
TMP-SPM1	9/10/2018	120	169.4	373	
TMP-SPM1	9/10/2018	140	159.3	353	
TMP-SPM1	9/10/2018	160	141.6	333	
TMP-SPM1	9/10/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/10/2018	200	108.4	293	
TMP-SPM1	9/10/2018	220	93.1	273	
TMP-SPM1	9/10/2018	240	89.6	253	
TMP-SPM1	9/17/2018	20	163.5	473	
TMP-SPM1	9/17/2018	40	194.6	453	
TMP-SPM1	9/17/2018	60	197.7	433	
TMP-SPM1	9/17/2018	80	189.3	413	
TMP-SPM1	9/17/2018	100	179.7	393	
TMP-SPM1	9/17/2018	120	168.5	373	
TMP-SPM1	9/17/2018	140	158.3	353	
TMP-SPM1	9/17/2018	160	140.5	333	
TMP-SPM1	9/17/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/17/2018	200	107.3	293	
TMP-SPM1	9/17/2018	220	92.2	273	
TMP-SPM1	9/17/2018	240	88.8	253	
TMP-SPM1	9/24/2018	20	162.4	473	
TMP-SPM1	9/24/2018	40	193.9	453	
TMP-SPM1	9/24/2018	60	196.8	433	
TMP-SPM1	9/24/2018	80	188.2	413	
TMP-SPM1	9/24/2018	100	178.7	393	
TMP-SPM1	9/24/2018	120	167.5	373	
TMP-SPM1	9/24/2018	140	157.3	353	
TMP-SPM1	9/24/2018	160	139.6	333	
TMP-SPM1	9/24/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/24/2018	200	106.6	293	
TMP-SPM1	9/24/2018	220	91.4	273	
TMP-SPM1	9/24/2018	240	88.0	253	
TMP-SPM1	10/1/2018	20	162.8	473	
TMP-SPM1	10/1/2018	40	194.0	453	
TMP-SPM1	10/1/2018	60	197.1	433	
TMP-SPM1	10/1/2018	80	188.4	413	
TMP-SPM1	10/1/2018	100	179.2	393	
TMP-SPM1	10/1/2018	120	167.9	373	
TMP-SPM1	10/1/2018	140	157.8	353	
TMP-SPM1	10/1/2018	160	140.0	333	
TMP-SPM1	10/1/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/1/2018	200	107.1	293	
TMP-SPM1	10/1/2018	220	91.9	273	
TMP-SPM1	10/1/2018	240	88.4	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	9/4/2018	20	148.7	475	
TMP-SPM2	9/4/2018	40	181.8	455	
TMP-SPM2	9/4/2018	60	181.7	435	
TMP-SPM2	9/4/2018	80	185.5	415	
TMP-SPM2	9/4/2018	100	204.5	395	
TMP-SPM2	9/4/2018	120	195.8	375	
TMP-SPM2	9/4/2018	140	183.3	355	
TMP-SPM2	9/4/2018	160	158.6	335	
TMP-SPM2	9/4/2018	172	140.8	323	
TMP-SPM2	9/10/2018	40	181.8	455	
TMP-SPM2	9/10/2018	60	181.8	435	
TMP-SPM2	9/10/2018	80	186.3	415	
TMP-SPM2	9/10/2018	100	205.4	395	
TMP-SPM2	9/10/2018	120	196.9	375	
TMP-SPM2	9/10/2018	140	184.8	355	
TMP-SPM2	9/10/2018	160	160.0	335	
TMP-SPM2	9/10/2018	172	142.5	323	
TMP-SPM2	9/17/2018	20	148.3	475	
TMP-SPM2	9/17/2018	40	181.4	455	
TMP-SPM2	9/17/2018	60	181.3	435	
TMP-SPM2	9/17/2018	80	185.8	415	
TMP-SPM2	9/17/2018	100	204.8	395	
TMP-SPM2	9/17/2018	120	196.3	375	
TMP-SPM2	9/17/2018	140	184.0	355	
TMP-SPM2	9/17/2018	160	159.0	335	
TMP-SPM2	9/17/2018	172	141.1	323	
TMP-SPM2	9/24/2018	20	149.0	475	
TMP-SPM2	9/24/2018	40	181.9	455	
TMP-SPM2	9/24/2018	60	181.8	435	
TMP-SPM2	9/24/2018	80	186.8	415	
TMP-SPM2	9/24/2018	100	205.7	395	
TMP-SPM2	9/24/2018	120	197.3	375	
TMP-SPM2	9/24/2018	140	185.0	355	
TMP-SPM2	9/24/2018	160	160.0	335	
TMP-SPM2	9/24/2018	172	142.3	323	
TMP-SPM2	10/1/2018	20	148.1	475	
TMP-SPM2	10/1/2018	40	181.1	455	
TMP-SPM2	10/1/2018	60	180.9	435	
TMP-SPM2	10/1/2018	80	186.2	415	
TMP-SPM2	10/1/2018	100	205.3	395	
TMP-SPM2	10/1/2018	120	197.0	375	
TMP-SPM2	10/1/2018	140	184.8	355	
TMP-SPM2	10/1/2018	160	159.6	335	
TMP-SPM2	10/1/2018	172	141.8	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	9/4/2018	20	118.3	478	
TMP-SPM3	9/4/2018	40	124.4	458	
TMP-SPM3	9/4/2018	60	119.5	438	
TMP-SPM3	9/4/2018	80	122.1	418	
TMP-SPM3	9/4/2018	85	122.8	413	
TMP-SPM3	9/10/2018	20	118.2	478	
TMP-SPM3	9/10/2018	40	124.6	458	
TMP-SPM3	9/10/2018	60	119.7	438	
TMP-SPM3	9/10/2018	80	122.6	418	
TMP-SPM3	9/10/2018	85	123.4	413	
TMP-SPM3	9/17/2018	20	118.0	478	
TMP-SPM3	9/17/2018	40	124.1	458	
TMP-SPM3	9/17/2018	60	119.0	438	
TMP-SPM3	9/17/2018	80	121.8	418	
TMP-SPM3	9/17/2018	85	122.5	413	
TMP-SPM3	9/24/2018	20	119.2	478	
TMP-SPM3	9/24/2018	40	125.3	458	
TMP-SPM3	9/24/2018	60	120.3	438	
TMP-SPM3	9/24/2018	80	123.3	418	
TMP-SPM3	9/24/2018	85	124.0	413	
TMP-SPM3	10/1/2018	20	118.2	478	
TMP-SPM3	10/1/2018	40	124.2	458	
TMP-SPM3	10/1/2018	60	119.0	438	
TMP-SPM3	10/1/2018	80	122.1	418	
TMP-SPM3	10/1/2018	85	122.7	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	9/4/2018	20	125.3	475	
TMP-SPM4	9/4/2018	40	147.6	455	
TMP-SPM4	9/4/2018	60	151.9	435	
TMP-SPM4	9/4/2018	80	153.1	415	
TMP-SPM4	9/4/2018	100	150.1	395	
TMP-SPM4	9/4/2018	120	142.1	375	
TMP-SPM4	9/4/2018	140	136.4	355	
TMP-SPM4	9/4/2018	160	129.5	335	
TMP-SPM4	9/4/2018	180	123.1	315	
TMP-SPM4	9/4/2018	200	113.5	295	
TMP-SPM4	9/4/2018	220	97.9	275	
TMP-SPM4	9/4/2018	240	90.6	255	
TMP-SPM4	9/10/2018	20	126.2	475	
TMP-SPM4	9/10/2018	40	148.7	455	
TMP-SPM4	9/10/2018	60	153.0	435	
TMP-SPM4	9/10/2018	80	154.3	415	
TMP-SPM4	9/10/2018	100	151.3	395	
TMP-SPM4	9/10/2018	120	143.3	375	
TMP-SPM4	9/10/2018	140	137.5	355	
TMP-SPM4	9/10/2018	160	130.5	335	
TMP-SPM4	9/10/2018	180	124.1	315	
TMP-SPM4	9/10/2018	200	114.4	295	
TMP-SPM4	9/10/2018	220	98.8	275	
TMP-SPM4	9/10/2018	240	91.5	255	
TMP-SPM4	9/17/2018	20	125.3	475	
TMP-SPM4	9/17/2018	40	147.7	455	
TMP-SPM4	9/17/2018	60	152.0	435	
TMP-SPM4	9/17/2018	80	153.2	415	
TMP-SPM4	9/17/2018	100	150.2	395	
TMP-SPM4	9/17/2018	120	142.2	375	
TMP-SPM4	9/17/2018	140	136.5	355	
TMP-SPM4	9/17/2018	160	129.6	335	
TMP-SPM4	9/17/2018	180	123.3	315	
TMP-SPM4	9/17/2018	200	113.7	295	
TMP-SPM4	9/17/2018	220	98.2	275	
TMP-SPM4	9/17/2018	240	90.9	255	
TMP-SPM4	9/24/2018	20	124.1	475	
TMP-SPM4	9/24/2018	40	146.4	455	
TMP-SPM4	9/24/2018	60	150.7	435	
TMP-SPM4	9/24/2018	80	151.9	415	
TMP-SPM4	9/24/2018	100	148.8	395	
TMP-SPM4	9/24/2018	120	140.9	375	
TMP-SPM4	9/24/2018	140	135.2	355	
TMP-SPM4	9/24/2018	160	128.4	335	
TMP-SPM4	9/24/2018	180	122.1	315	
TMP-SPM4	9/24/2018	200	112.7	295	
TMP-SPM4	9/24/2018	220	97.4	275	
TMP-SPM4	9/24/2018	240	90.2	255	
TMP-SPM4	10/1/2018	20	124.5	475	
TMP-SPM4	10/1/2018	40	146.9	455	
TMP-SPM4	10/1/2018	60	151.2	435	
TMP-SPM4	10/1/2018	80	152.3	415	
TMP-SPM4	10/1/2018	100	149.3	395	
TMP-SPM4	10/1/2018	120	141.5	375	
TMP-SPM4	10/1/2018	140	135.8	355	
TMP-SPM4	10/1/2018	160	129.0	335	
TMP-SPM4	10/1/2018	180	122.6	315	
TMP-SPM4	10/1/2018	200	113.2	295	
TMP-SPM4	10/1/2018	220	97.8	275	
TMP-SPM4	10/1/2018	240	90.5	255	