

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/5/2017	20	171.6	473	
TMP-19	9/5/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/5/2017	60	233.4	433	
TMP-19	9/5/2017	80	239.6	413	
TMP-19	9/5/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/11/2017	20	165.3	473	
TMP-19	9/11/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/11/2017	60	231.9	433	
TMP-19	9/11/2017	80	238.5	413	
TMP-19	9/11/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/18/2017	20	165.3	473	
TMP-19	9/18/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/18/2017	60	231.8	433	
TMP-19	9/18/2017	80	238.3	413	
TMP-19	9/18/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	9/25/2017	20	162.9	473	
TMP-19	9/25/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/25/2017	60	231.1	433	
TMP-19	9/25/2017	80	237.2	413	
TMP-19	9/25/2017	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/2/2017	20	173.6	473	
TMP-19	10/2/2017	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/2/2017	60	232.0	433	
TMP-19	10/2/2017	80	238.0	413	
TMP-19	10/2/2017	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/5/2017	20	134.2	478	
TMP-20	9/5/2017	40	202.0	458	
TMP-20	9/5/2017	60	236.2	438	
TMP-20	9/5/2017	80	247.7	418	
TMP-20	9/5/2017	100	259.1	398	
TMP-20	9/5/2017	120	269.0	378	
TMP-20	9/5/2017	140	268.0	358	
TMP-20	9/11/2017	20	132.4	478	
TMP-20	9/11/2017	40	200.0	458	
TMP-20	9/11/2017	60	234.8	438	
TMP-20	9/11/2017	80	246.1	418	
TMP-20	9/11/2017	100	257.7	398	
TMP-20	9/11/2017	120	267.6	378	
TMP-20	9/11/2017	140	266.5	358	
TMP-20	9/18/2017	20	132.6	478	
TMP-20	9/18/2017	40	199.1	458	
TMP-20	9/18/2017	60	234.4	438	
TMP-20	9/18/2017	80	245.7	418	
TMP-20	9/18/2017	100	257.1	398	
TMP-20	9/18/2017	120	267.0	378	
TMP-20	9/18/2017	140	265.9	358	
TMP-20	9/25/2017	20	132.0	478	
TMP-20	9/25/2017	40	198.3	458	
TMP-20	9/25/2017	60	233.8	438	
TMP-20	9/25/2017	80	245.3	418	
TMP-20	9/25/2017	100	256.8	398	
TMP-20	9/25/2017	120	266.9	378	
TMP-20	9/25/2017	140	265.6	358	
TMP-20	10/2/2017	20	133.3	478	
TMP-20	10/2/2017	40	199.3	458	
TMP-20	10/2/2017	60	235.0	438	
TMP-20	10/2/2017	80	246.1	418	
TMP-20	10/2/2017	100	257.4	398	
TMP-20	10/2/2017	120	267.5	378	
TMP-20	10/2/2017	140	266.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/5/2017	20	128.3	475	
TMP-10-9N	9/5/2017	40	151.1	455	
TMP-10-9N	9/5/2017	60	157.2	435	
TMP-10-9N	9/5/2017	80	157.8	415	
TMP-10-9N	9/5/2017	100	165.8	395	
TMP-10-9N	9/11/2017	20	127.0	475	
TMP-10-9N	9/11/2017	40	149.2	455	
TMP-10-9N	9/11/2017	60	156.1	435	
TMP-10-9N	9/11/2017	80	156.6	415	
TMP-10-9N	9/11/2017	100	164.4	395	
TMP-10-9N	9/18/2017	20	125.9	475	
TMP-10-9N	9/18/2017	40	147.7	455	
TMP-10-9N	9/18/2017	60	155.9	435	
TMP-10-9N	9/18/2017	80	156.2	415	
TMP-10-9N	9/18/2017	100	163.7	395	
TMP-10-9N	9/25/2017	20	126.8	475	
TMP-10-9N	9/25/2017	40	147.9	455	
TMP-10-9N	9/25/2017	60	156.8	435	
TMP-10-9N	9/25/2017	80	156.9	415	
TMP-10-9N	9/25/2017	100	163.8	395	
TMP-10-9N	10/2/2017	20	127.6	475	
TMP-10-9N	10/2/2017	40	149.0	455	
TMP-10-9N	10/2/2017	60	158.8	435	
TMP-10-9N	10/2/2017	80	158.9	415	
TMP-10-9N	10/2/2017	100	165.4	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/5/2017	20	129.8	476	
TMP-10-9S	9/5/2017	40	187.0	456	
TMP-10-9S	9/5/2017	60	204.4	436	
TMP-10-9S	9/5/2017	80	206.9	416	
TMP-10-9S	9/5/2017	100	221.2	396	
TMP-10-9S	9/11/2017	20	129.1	476	
TMP-10-9S	9/11/2017	40	188.1	456	
TMP-10-9S	9/11/2017	60	204.3	436	
TMP-10-9S	9/11/2017	80	206.4	416	
TMP-10-9S	9/11/2017	100	220.7	396	
TMP-10-9S	9/18/2017	20	128.2	476	
TMP-10-9S	9/18/2017	40	187.1	456	
TMP-10-9S	9/18/2017	60	203.6	436	
TMP-10-9S	9/18/2017	80	205.4	416	
TMP-10-9S	9/18/2017	100	219.8	396	
TMP-10-9S	9/25/2017	20	127.7	476	
TMP-10-9S	9/25/2017	40	186.4	456	
TMP-10-9S	9/25/2017	60	203.4	436	
TMP-10-9S	9/25/2017	80	205.2	416	
TMP-10-9S	9/25/2017	100	219.7	396	
TMP-10-9S	10/2/2017	20	129.2	476	
TMP-10-9S	10/2/2017	40	188.6	456	
TMP-10-9S	10/2/2017	60	205.1	436	
TMP-10-9S	10/2/2017	80	206.3	416	
TMP-10-9S	10/2/2017	100	220.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/5/2017	20	112.8	478	
TMP-10-5N	9/5/2017	40	118.7	458	
TMP-10-5N	9/5/2017	60	118.7	438	
TMP-10-5N	9/5/2017	80	109.4	418	
TMP-10-5N	9/5/2017	100	104.8	398	
TMP-10-5N	9/11/2017	20	111.3	478	
TMP-10-5N	9/11/2017	40	115.8	458	
TMP-10-5N	9/11/2017	60	116.8	438	
TMP-10-5N	9/11/2017	80	106.7	418	
TMP-10-5N	9/11/2017	100	102.0	398	
TMP-10-5N	9/18/2017	20	111.1	478	
TMP-10-5N	9/18/2017	40	114.7	458	
TMP-10-5N	9/18/2017	60	118.1	438	
TMP-10-5N	9/18/2017	80	108.5	418	
TMP-10-5N	9/18/2017	100	104.2	398	
TMP-10-5N	9/25/2017	20	111.3	478	
TMP-10-5N	9/25/2017	40	116.0	458	
TMP-10-5N	9/25/2017	60	119.8	438	
TMP-10-5N	9/25/2017	80	109.9	418	
TMP-10-5N	9/25/2017	100	105.3	398	
TMP-10-5N	10/2/2017	20	112.8	478	
TMP-10-5N	10/2/2017	40	115.1	458	
TMP-10-5N	10/2/2017	60	119.0	438	
TMP-10-5N	10/2/2017	80	107.2	418	
TMP-10-5N	10/2/2017	100	102.0	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/5/2017	20	120.6	477	
TMP-10-5S	9/5/2017	40	159.8	457	
TMP-10-5S	9/5/2017	60	180.7	437	
TMP-10-5S	9/5/2017	80	191.1	417	
TMP-10-5S	9/5/2017	100	204.2	397	
TMP-10-5S	9/11/2017	20	119.9	477	
TMP-10-5S	9/11/2017	40	157.3	457	
TMP-10-5S	9/11/2017	60	179.9	437	
TMP-10-5S	9/11/2017	80	190.3	417	
TMP-10-5S	9/11/2017	100	203.6	397	
TMP-10-5S	9/18/2017	20	119.8	477	
TMP-10-5S	9/18/2017	40	154.4	457	
TMP-10-5S	9/18/2017	60	179.5	437	
TMP-10-5S	9/18/2017	80	189.8	417	
TMP-10-5S	9/18/2017	100	202.9	397	
TMP-10-5S	9/25/2017	20	119.7	477	
TMP-10-5S	9/25/2017	40	151.9	457	
TMP-10-5S	9/25/2017	60	179.2	437	
TMP-10-5S	9/25/2017	80	189.5	417	
TMP-10-5S	9/25/2017	100	202.7	397	
TMP-10-5S	10/2/2017	20	120.5	477	
TMP-10-5S	10/2/2017	40	151.3	457	
TMP-10-5S	10/2/2017	60	180.5	437	
TMP-10-5S	10/2/2017	80	190.7	417	
TMP-10-5S	10/2/2017	100	204.1	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/5/2017	20	114.2	476	
TMP-5-9N	9/5/2017	40	156.7	456	
TMP-5-9N	9/5/2017	60	162.5	436	
TMP-5-9N	9/5/2017	80	253.9	416	
TMP-5-9N	9/5/2017	100	262.8	396	
TMP-5-9N	9/11/2017	20	113.9	476	
TMP-5-9N	9/11/2017	40	156.7	456	
TMP-5-9N	9/11/2017	60	161.9	436	
TMP-5-9N	9/11/2017	80	253.2	416	
TMP-5-9N	9/11/2017	100	262.1	396	
TMP-5-9N	9/18/2017	20	113.5	476	
TMP-5-9N	9/18/2017	40	157.2	456	
TMP-5-9N	9/18/2017	60	161.4	436	
TMP-5-9N	9/18/2017	80	252.9	416	
TMP-5-9N	9/18/2017	100	261.9	396	
TMP-5-9N	9/25/2017	20	113.7	476	
TMP-5-9N	9/25/2017	40	158.3	456	
TMP-5-9N	9/25/2017	60	161.6	436	
TMP-5-9N	9/25/2017	80	252.5	416	
TMP-5-9N	9/25/2017	100	261.5	396	
TMP-5-9N	10/2/2017	20	114.9	476	
TMP-5-9N	10/2/2017	40	160.0	456	
TMP-5-9N	10/2/2017	60	161.8	436	
TMP-5-9N	10/2/2017	80	253.1	416	
TMP-5-9N	10/2/2017	100	262.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/5/2017	20	138.0	476	
TMP-5-9S	9/5/2017	40	213.7	456	
TMP-5-9S	9/5/2017	60	236.1	436	
TMP-5-9S	9/5/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/5/2017	100	264.7	396	
TMP-5-9S	9/11/2017	20	136.5	476	
TMP-5-9S	9/11/2017	40	212.4	456	
TMP-5-9S	9/11/2017	60	235.0	436	
TMP-5-9S	9/11/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/11/2017	100	264.1	396	
TMP-5-9S	9/18/2017	20	136.6	476	
TMP-5-9S	9/18/2017	40	212.0	456	
TMP-5-9S	9/18/2017	60	234.6	436	
TMP-5-9S	9/18/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/18/2017	100	264.1	396	
TMP-5-9S	9/25/2017	20	136.1	476	
TMP-5-9S	9/25/2017	40	211.2	456	
TMP-5-9S	9/25/2017	60	233.7	436	
TMP-5-9S	9/25/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/25/2017	100	263.0	396	
TMP-5-9S	10/2/2017	20	138.6	476	
TMP-5-9S	10/2/2017	40	213.6	456	
TMP-5-9S	10/2/2017	60	235.8	436	
TMP-5-9S	10/2/2017	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/2/2017	100	264.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/5/2017	20	107.2	475	
TMP-5-5N	9/5/2017	40	107.1	455	
TMP-5-5N	9/5/2017	60	101.9	435	
TMP-5-5N	9/5/2017	80	252.7	415	
TMP-5-5N	9/5/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/11/2017	20	106.6	475	
TMP-5-5N	9/11/2017	40	104.4	455	
TMP-5-5N	9/11/2017	60	98.2	435	
TMP-5-5N	9/11/2017	80	251.6	415	
TMP-5-5N	9/11/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/18/2017	20	107.5	475	
TMP-5-5N	9/18/2017	40	106.2	455	
TMP-5-5N	9/18/2017	60	100.7	435	
TMP-5-5N	9/18/2017	80	251.7	415	
TMP-5-5N	9/18/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	9/25/2017	20	108.4	475	
TMP-5-5N	9/25/2017	40	108.5	455	
TMP-5-5N	9/25/2017	60	102.9	435	
TMP-5-5N	9/25/2017	80	251.5	415	
TMP-5-5N	9/25/2017	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/2/2017	20	108.5	475	
TMP-5-5N	10/2/2017	40	105.9	455	
TMP-5-5N	10/2/2017	60	99.6	435	
TMP-5-5N	10/2/2017	80	251.8	415	
TMP-5-5N	10/2/2017	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/5/2017	20	135.6	474	
TMP-5-5S	9/5/2017	40	204.4	454	
TMP-5-5S	9/5/2017	60	232.1	434	
TMP-5-5S	9/5/2017	80	253.9	414	
TMP-5-5S	9/5/2017	100	256.6	394	
TMP-5-5S	9/11/2017	20	134.8	474	
TMP-5-5S	9/11/2017	40	202.7	454	
TMP-5-5S	9/11/2017	60	230.6	434	
TMP-5-5S	9/11/2017	80	252.4	414	
TMP-5-5S	9/11/2017	100	255.2	394	
TMP-5-5S	9/18/2017	20	134.2	474	
TMP-5-5S	9/18/2017	40	203.7	454	
TMP-5-5S	9/18/2017	60	230.1	434	
TMP-5-5S	9/18/2017	80	252.2	414	
TMP-5-5S	9/18/2017	100	254.9	394	
TMP-5-5S	9/25/2017	20	134.5	474	
TMP-5-5S	9/25/2017	40	202.6	454	
TMP-5-5S	9/25/2017	60	229.9	434	
TMP-5-5S	9/25/2017	80	251.7	414	
TMP-5-5S	9/25/2017	100	254.3	394	
TMP-5-5S	10/2/2017	20	135.7	474	
TMP-5-5S	10/2/2017	40	204.5	454	
TMP-5-5S	10/2/2017	60	232.1	434	
TMP-5-5S	10/2/2017	80	253.8	414	
TMP-5-5S	10/2/2017	100	256.4	394	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/5/2017	20	196.9	474	
TMP-31	9/5/2017	40	228.9	454	
TMP-31	9/5/2017	60	244.5	434	
TMP-31	9/5/2017	80	260.7	414	
TMP-31	9/5/2017	100	270.0	394	
TMP-31	9/5/2017	120	277.2	374	
TMP-31	9/5/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	9/11/2017	20	195.7	474	
TMP-31	9/11/2017	40	228.3	454	
TMP-31	9/11/2017	60	244.1	434	
TMP-31	9/11/2017	80	260.4	414	
TMP-31	9/11/2017	100	269.7	394	
TMP-31	9/11/2017	120	276.8	374	
TMP-31	9/11/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	9/18/2017	20	192.8	474	
TMP-31	9/18/2017	40	226.9	454	
TMP-31	9/18/2017	60	242.8	434	
TMP-31	9/18/2017	80	259.4	414	
TMP-31	9/18/2017	100	268.7	394	
TMP-31	9/18/2017	120	276	374	
TMP-31	9/18/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	9/25/2017	20	192.3	474	
TMP-31	9/25/2017	40	226.6	454	
TMP-31	9/25/2017	60	242.4	434	
TMP-31	9/25/2017	80	258.9	414	
TMP-31	9/25/2017	100	268.2	394	
TMP-31	9/25/2017	120	275.4	374	
TMP-31	9/25/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16
TMP-31	10/2/2017	20	190.8	474	
TMP-31	10/2/2017	40	227.5	454	
TMP-31	10/2/2017	60	243.6	434	
TMP-31	10/2/2017	80	260.4	414	
TMP-31	10/2/2017	100	269.8	394	
TMP-31	10/2/2017	120	277.1	374	
TMP-31	10/2/2017	140		354	previously no stable reading, current low resistivity, unreliable since 07/18/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/5/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	60	242.3	444	
TMP-32	9/5/2017	80	256.1	424	
TMP-32	9/5/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/5/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	60	243.3	444	
TMP-32	9/11/2017	80	257.2	424	
TMP-32	9/11/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/11/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	60	241.7	444	
TMP-32	9/18/2017	80	255.6	424	
TMP-32	9/18/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/18/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	60	241.6	444	
TMP-32	9/25/2017	80	255.6	424	
TMP-32	9/25/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/25/2017	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	60	241.6	444	
TMP-32	10/2/2017	80	255.3	424	
TMP-32	10/2/2017	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/2/2017	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	9/5/2017	20	169.4	473	
TMP-SPM1	9/5/2017	40	200.8	453	
TMP-SPM1	9/5/2017	60	199.0	433	
TMP-SPM1	9/5/2017	80	194.4	413	
TMP-SPM1	9/5/2017	100	181.8	393	
TMP-SPM1	9/5/2017	120	169.4	373	
TMP-SPM1	9/5/2017	140	158.9	353	
TMP-SPM1	9/5/2017	160	142.2	333	
TMP-SPM1	9/5/2017	180	127.1	313	
TMP-SPM1	9/5/2017	200	106.4	293	
TMP-SPM1	9/5/2017	220	90.1	273	
TMP-SPM1	9/5/2017	240	86.9	253	
TMP-SPM1	9/11/2017	20	170.7	473	
TMP-SPM1	9/11/2017	40	201.7	453	
TMP-SPM1	9/11/2017	60	200.1	433	
TMP-SPM1	9/11/2017	80	195.4	413	
TMP-SPM1	9/11/2017	100	182.8	393	
TMP-SPM1	9/11/2017	120	170.3	373	
TMP-SPM1	9/11/2017	140	159.9	353	
TMP-SPM1	9/11/2017	160	143.3	333	
TMP-SPM1	9/11/2017	180	128.3	313	
TMP-SPM1	9/11/2017	200	107.7	293	
TMP-SPM1	9/11/2017	220	91.5	273	
TMP-SPM1	9/11/2017	240	88.3	253	
TMP-SPM1	9/18/2017	20	169.3	473	
TMP-SPM1	9/18/2017	40	200.6	453	
TMP-SPM1	9/18/2017	60	199.3	433	
TMP-SPM1	9/18/2017	80	194.6	413	
TMP-SPM1	9/18/2017	100	182.1	393	
TMP-SPM1	9/18/2017	120	169.6	373	
TMP-SPM1	9/18/2017	140	159.1	353	
TMP-SPM1	9/18/2017	160	142.4	333	
TMP-SPM1	9/18/2017	180	127.3	313	
TMP-SPM1	9/18/2017	200	106.5	293	
TMP-SPM1	9/18/2017	220	90.2	273	
TMP-SPM1	9/18/2017	240	86.8	253	
TMP-SPM1	9/25/2017	20	168.8	473	resistivity higher than acceptable limit, possible unreliable temperature
TMP-SPM1	9/25/2017	40	200.3	453	resistivity higher than acceptable limit, possible unreliable temperature
TMP-SPM1	9/25/2017	60	198.5	433	resistivity higher than acceptable limit, possible unreliable temperature
TMP-SPM1	9/25/2017	80	194.3	413	resistivity higher than acceptable limit, possible unreliable temperature
TMP-SPM1	9/25/2017	100	181.7	393	
TMP-SPM1	9/25/2017	120	169.2	373	
TMP-SPM1	9/25/2017	140	158.8	353	
TMP-SPM1	9/25/2017	160	142.0	333	
TMP-SPM1	9/25/2017	180	127.0	313	
TMP-SPM1	9/25/2017	200	106.3	293	
TMP-SPM1	9/25/2017	220	90.2	273	
TMP-SPM1	9/25/2017	240	86.8	253	
TMP-SPM1	10/2/2017	20	169.0	473	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	40	201.1	453	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	60	199.6	433	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	80	194.9	413	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	100	182.5	393	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	120	170.4	373	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	140	159.9	353	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	160	143.0	333	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	180	128.3	313	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	200	107.5	293	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	220	91.4	273	measurement wire and dial replaced 10/4/2017
TMP-SPM1	10/2/2017	240	88.1	253	measurement wire and dial replaced 10/4/2017

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	9/5/2017	20	164.4	475	
TMP-SPM2	9/5/2017	40	197.0	455	
TMP-SPM2	9/5/2017	60	192.6	435	
TMP-SPM2	9/5/2017	80	181.0	415	
TMP-SPM2	9/5/2017	100	190.1	395	
TMP-SPM2	9/5/2017	120	184.0	375	
TMP-SPM2	9/5/2017	140	170.9	355	
TMP-SPM2	9/5/2017	160	151.3	335	
TMP-SPM2	9/5/2017	172	137.6	323	
TMP-SPM2	9/11/2017	20	165.0	475	
TMP-SPM2	9/11/2017	40	197.1	455	
TMP-SPM2	9/11/2017	60	192.8	435	
TMP-SPM2	9/11/2017	80	181.5	415	
TMP-SPM2	9/11/2017	100	190.9	395	
TMP-SPM2	9/11/2017	120	184.4	375	
TMP-SPM2	9/11/2017	140	171.4	355	
TMP-SPM2	9/11/2017	160	151.6	335	
TMP-SPM2	9/11/2017	172	138.0	323	
TMP-SPM2	9/18/2017	20	163.8	475	
TMP-SPM2	9/18/2017	40	196.0	455	
TMP-SPM2	9/18/2017	60	191.7	435	
TMP-SPM2	9/18/2017	80	180.9	415	
TMP-SPM2	9/18/2017	100	190.6	395	
TMP-SPM2	9/18/2017	120	184.3	375	
TMP-SPM2	9/18/2017	140	171.2	355	
TMP-SPM2	9/18/2017	160	151.4	335	
TMP-SPM2	9/18/2017	172	137.8	323	
TMP-SPM2	9/25/2017	20	163.4	475	
TMP-SPM2	9/25/2017	40	195.3	455	
TMP-SPM2	9/25/2017	60	191.2	435	
TMP-SPM2	9/25/2017	80	180.7	415	
TMP-SPM2	9/25/2017	100	190.6	395	
TMP-SPM2	9/25/2017	120	184.0	375	
TMP-SPM2	9/25/2017	140	171.0	355	
TMP-SPM2	9/25/2017	160	150.9	335	
TMP-SPM2	9/25/2017	172	137.2	323	
TMP-SPM2	10/2/2017	20	163.5	475	
TMP-SPM2	10/2/2017	40	195.4	455	
TMP-SPM2	10/2/2017	60	191.7	435	
TMP-SPM2	10/2/2017	80	181.8	415	
TMP-SPM2	10/2/2017	100	192.1	395	
TMP-SPM2	10/2/2017	120	185.7	375	
TMP-SPM2	10/2/2017	140	172.8	355	
TMP-SPM2	10/2/2017	160	152.8	335	
TMP-SPM2	10/2/2017	172	139.1	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	9/5/2017	20	126.0	478	
TMP-SPM3	9/5/2017	40	135.5	458	
TMP-SPM3	9/5/2017	60	128.4	438	
TMP-SPM3	9/5/2017	80	128.3	418	
TMP-SPM3	9/5/2017	85	128.2	413	
TMP-SPM3	9/11/2017	20	126.2	478	
TMP-SPM3	9/11/2017	40	135.8	458	
TMP-SPM3	9/11/2017	60	128.8	438	
TMP-SPM3	9/11/2017	80	128.8	418	
TMP-SPM3	9/11/2017	85	128.6	413	
TMP-SPM3	9/18/2017	20	125.1	478	
TMP-SPM3	9/18/2017	40	135.2	458	
TMP-SPM3	9/18/2017	60	128.5	438	
TMP-SPM3	9/18/2017	80	128.5	418	
TMP-SPM3	9/18/2017	85	128.4	413	
TMP-SPM3	9/25/2017	20	124.9	478	
TMP-SPM3	9/25/2017	40	134.7	458	
TMP-SPM3	9/25/2017	60	128.1	438	
TMP-SPM3	9/25/2017	80	128.0	418	
TMP-SPM3	9/25/2017	85	127.7	413	
TMP-SPM3	10/2/2017	20	124.5	478	
TMP-SPM3	10/2/2017	40	134.9	458	
TMP-SPM3	10/2/2017	60	128.8	438	
TMP-SPM3	10/2/2017	80	128.8	418	
TMP-SPM3	10/2/2017	85	128.9	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	9/5/2017	20	135.4	475	
TMP-SPM4	9/5/2017	40	159.0	455	
TMP-SPM4	9/5/2017	60	164.0	435	
TMP-SPM4	9/5/2017	80	166.9	415	
TMP-SPM4	9/5/2017	100	163.5	395	
TMP-SPM4	9/5/2017	120	154.1	375	
TMP-SPM4	9/5/2017	140	146.7	355	
TMP-SPM4	9/5/2017	160	138.6	335	
TMP-SPM4	9/5/2017	180	129.3	315	
TMP-SPM4	9/5/2017	200	115.1	295	
TMP-SPM4	9/5/2017	220	97.6	275	
TMP-SPM4	9/5/2017	240	90.0	255	
TMP-SPM4	9/11/2017	20	136.0	475	
TMP-SPM4	9/11/2017	40	159.6	455	
TMP-SPM4	9/11/2017	60	164.8	435	
TMP-SPM4	9/11/2017	80	167.6	415	
TMP-SPM4	9/11/2017	100	164.2	395	
TMP-SPM4	9/11/2017	120	154.8	375	
TMP-SPM4	9/11/2017	140	147.5	355	
TMP-SPM4	9/11/2017	160	139.3	335	
TMP-SPM4	9/11/2017	180	130.0	315	
TMP-SPM4	9/11/2017	200	115.9	295	
TMP-SPM4	9/11/2017	220	98.3	275	
TMP-SPM4	9/11/2017	240	90.7	255	
TMP-SPM4	9/18/2017	20	134.3	475	
TMP-SPM4	9/18/2017	40	158.0	455	
TMP-SPM4	9/18/2017	60	163.1	435	
TMP-SPM4	9/18/2017	80	165.8	415	
TMP-SPM4	9/18/2017	100	162.6	395	
TMP-SPM4	9/18/2017	120	153.3	375	
TMP-SPM4	9/18/2017	140	146.0	355	
TMP-SPM4	9/18/2017	160	137.9	335	
TMP-SPM4	9/18/2017	180	128.9	315	
TMP-SPM4	9/18/2017	200	114.9	295	
TMP-SPM4	9/18/2017	220	97.6	275	
TMP-SPM4	9/18/2017	240	90.3	255	
TMP-SPM4	9/25/2017	20	134.2	475	
TMP-SPM4	9/25/2017	40	157.7	455	
TMP-SPM4	9/25/2017	60	162.8	435	
TMP-SPM4	9/25/2017	80	165.5	415	
TMP-SPM4	9/25/2017	100	162.1	395	
TMP-SPM4	9/25/2017	120	152.8	375	
TMP-SPM4	9/25/2017	140	145.6	355	
TMP-SPM4	9/25/2017	160	137.5	335	
TMP-SPM4	9/25/2017	180	128.4	315	
TMP-SPM4	9/25/2017	200	114.6	295	
TMP-SPM4	9/25/2017	220	97.1	275	
TMP-SPM4	9/25/2017	240	89.5	255	
TMP-SPM4	10/2/2017	20	134.6	475	
TMP-SPM4	10/2/2017	40	158.3	455	
TMP-SPM4	10/2/2017	60	163.5	435	
TMP-SPM4	10/2/2017	80	166.0	415	
TMP-SPM4	10/2/2017	100	162.7	395	
TMP-SPM4	10/2/2017	120	153.3	375	
TMP-SPM4	10/2/2017	140	146.1	355	
TMP-SPM4	10/2/2017	160	138.0	335	
TMP-SPM4	10/2/2017	180	129.0	315	
TMP-SPM4	10/2/2017	200	115.1	295	
TMP-SPM4	10/2/2017	220	97.7	275	
TMP-SPM4	10/2/2017	240	90.3	255	