

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	9/24/2018	20	162.4	473	
TMP-SPM1	9/24/2018	40	193.9	453	
TMP-SPM1	9/24/2018	60	196.8	433	
TMP-SPM1	9/24/2018	80	188.2	413	
TMP-SPM1	9/24/2018	100	178.7	393	
TMP-SPM1	9/24/2018	120	167.5	373	
TMP-SPM1	9/24/2018	140	157.3	353	
TMP-SPM1	9/24/2018	160	139.6	333	
TMP-SPM1	9/24/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	9/24/2018	200	106.6	293	
TMP-SPM1	9/24/2018	220	91.4	273	
TMP-SPM1	9/24/2018	240	88.0	253	
TMP-SPM1	10/1/2018	20	162.8	473	
TMP-SPM1	10/1/2018	40	194.0	453	
TMP-SPM1	10/1/2018	60	197.1	433	
TMP-SPM1	10/1/2018	80	188.4	413	
TMP-SPM1	10/1/2018	100	179.2	393	
TMP-SPM1	10/1/2018	120	167.9	373	
TMP-SPM1	10/1/2018	140	157.8	353	
TMP-SPM1	10/1/2018	160	140.0	333	
TMP-SPM1	10/1/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/1/2018	200	107.1	293	
TMP-SPM1	10/1/2018	220	91.9	273	
TMP-SPM1	10/1/2018	240	88.4	253	
TMP-SPM1	10/8/2018	20	162.1	473	
TMP-SPM1	10/8/2018	40	194.0	453	
TMP-SPM1	10/8/2018	60	197.2	433	
TMP-SPM1	10/8/2018	80	188.6	413	
TMP-SPM1	10/8/2018	100	179.3	393	
TMP-SPM1	10/8/2018	120	168.3	373	
TMP-SPM1	10/8/2018	140	158.1	353	
TMP-SPM1	10/8/2018	160	140.2	333	
TMP-SPM1	10/8/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/8/2018	200	107.3	293	
TMP-SPM1	10/8/2018	220	92.2	273	
TMP-SPM1	10/8/2018	240	88.8	253	
TMP-SPM1	10/15/2018	20	162.1	473	
TMP-SPM1	10/15/2018	40	193.9	453	
TMP-SPM1	10/15/2018	60	197.0	433	
TMP-SPM1	10/15/2018	80	188.2	413	
TMP-SPM1	10/15/2018	100	179.0	393	
TMP-SPM1	10/15/2018	120	167.9	373	
TMP-SPM1	10/15/2018	140	157.7	353	
TMP-SPM1	10/15/2018	160	139.9	333	
TMP-SPM1	10/15/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/15/2018	200	107.1	293	
TMP-SPM1	10/15/2018	220	92.1	273	
TMP-SPM1	10/15/2018	240	88.5	253	
TMP-SPM1	10/22/2018	20	162.5	473	
TMP-SPM1	10/22/2018	40	194.3	453	
TMP-SPM1	10/22/2018	60	197.6	433	
TMP-SPM1	10/22/2018	80	188.8	413	
TMP-SPM1	10/22/2018	100	179.7	393	
TMP-SPM1	10/22/2018	120	168.6	373	
TMP-SPM1	10/22/2018	140	158.5	353	
TMP-SPM1	10/22/2018	160	140.6	333	
TMP-SPM1	10/22/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/22/2018	200	107.7	293	
TMP-SPM1	10/22/2018	220	92.7	273	
TMP-SPM1	10/22/2018	240	89.0	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	9/24/2018	20	157.8	473	
TMP-19	9/24/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	9/24/2018	60	221.2	433	
TMP-19	9/24/2018	80	225.9	413	
TMP-19	9/24/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/1/2018	20	156.5	473	
TMP-19	10/1/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/1/2018	60	220.7	433	
TMP-19	10/1/2018	80	225.4	413	
TMP-19	10/1/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/8/2018	20	156.4	473	
TMP-19	10/8/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/8/2018	60	221.1	433	
TMP-19	10/8/2018	80	226.4	413	
TMP-19	10/8/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/15/2018	20	156.5	473	
TMP-19	10/15/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/15/2018	60	221.3	433	
TMP-19	10/15/2018	80	225.8	413	
TMP-19	10/15/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/22/2018	20	156.1	473	
TMP-19	10/22/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/22/2018	60	220.7	433	
TMP-19	10/22/2018	80	225.3	413	
TMP-19	10/22/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	9/24/2018	20	121.1	478	
TMP-20	9/24/2018	40	178.3	458	
TMP-20	9/24/2018	60	220.5	438	
TMP-20	9/24/2018	80	232.7	418	
TMP-20	9/24/2018	100	244.8	398	
TMP-20	9/24/2018	120	257.6	378	
TMP-20	9/24/2018	140	253.0	358	
TMP-20	10/1/2018	20	120.8	478	
TMP-20	10/1/2018	40	178.8	458	
TMP-20	10/1/2018	60	220.3	438	
TMP-20	10/1/2018	80	232.2	418	
TMP-20	10/1/2018	100	244.4	398	
TMP-20	10/1/2018	120	257.2	378	
TMP-20	10/1/2018	140	252.5	358	
TMP-20	10/8/2018	20	121.4	478	
TMP-20	10/8/2018	40	179.1	458	
TMP-20	10/8/2018	60	220.7	438	
TMP-20	10/8/2018	80	232.8	418	
TMP-20	10/8/2018	100	245.0	398	
TMP-20	10/8/2018	120	258.0	378	
TMP-20	10/8/2018	140	253.0	358	
TMP-20	10/15/2018	20	121.4	478	
TMP-20	10/15/2018	40	179.0	458	
TMP-20	10/15/2018	60	220.5	438	
TMP-20	10/15/2018	80	232.5	418	
TMP-20	10/15/2018	100	244.8	398	
TMP-20	10/15/2018	120	257.8	378	
TMP-20	10/15/2018	140	253.0	358	
TMP-20	10/22/2018	20	121.0	478	
TMP-20	10/22/2018	40	177.6	458	
TMP-20	10/22/2018	60	219.3	438	
TMP-20	10/22/2018	80	231.2	418	
TMP-20	10/22/2018	100	243.3	398	
TMP-20	10/22/2018	120	256.1	378	
TMP-20	10/22/2018	140	251.0	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	9/24/2018	20	120.5	475	
TMP-10-9N	9/24/2018	40	141.8	455	
TMP-10-9N	9/24/2018	60	152.4	435	
TMP-10-9N	9/24/2018	80	150.0	415	
TMP-10-9N	9/24/2018	100	158.4	395	
TMP-10-9N	10/1/2018	20	120.0	475	
TMP-10-9N	10/1/2018	40	141.6	455	
TMP-10-9N	10/1/2018	60	152.1	435	
TMP-10-9N	10/1/2018	80	149.5	415	
TMP-10-9N	10/1/2018	100	157.9	395	
TMP-10-9N	10/8/2018	20	119.5	475	
TMP-10-9N	10/8/2018	40	140.6	455	
TMP-10-9N	10/8/2018	60	151.1	435	
TMP-10-9N	10/8/2018	80	148.4	415	
TMP-10-9N	10/8/2018	100	156.9	395	
TMP-10-9N	10/15/2018	20	120.3	475	
TMP-10-9N	10/15/2018	40	141.1	455	
TMP-10-9N	10/15/2018	60	151.8	435	
TMP-10-9N	10/15/2018	80	148.8	415	
TMP-10-9N	10/15/2018	100	157.3	395	
TMP-10-9N	10/22/2018	20	119.6	475	
TMP-10-9N	10/22/2018	40	140.1	455	
TMP-10-9N	10/22/2018	60	150.9	435	
TMP-10-9N	10/22/2018	80	147.6	415	
TMP-10-9N	10/22/2018	100	156.1	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	9/24/2018	20	118.9	476	
TMP-10-9S	9/24/2018	40	170.2	456	
TMP-10-9S	9/24/2018	60	191.7	436	
TMP-10-9S	9/24/2018	80	195.0	416	
TMP-10-9S	9/24/2018	100	209.3	396	
TMP-10-9S	10/1/2018	20	118.4	476	
TMP-10-9S	10/1/2018	40	170.9	456	
TMP-10-9S	10/1/2018	60	191.4	436	
TMP-10-9S	10/1/2018	80	194.5	416	
TMP-10-9S	10/1/2018	100	208.9	396	
TMP-10-9S	10/8/2018	20	117.9	476	
TMP-10-9S	10/8/2018	40	171.5	456	
TMP-10-9S	10/8/2018	60	191.1	436	
TMP-10-9S	10/8/2018	80	194.1	416	
TMP-10-9S	10/8/2018	100	208.5	396	
TMP-10-9S	10/15/2018	20	119.3	476	
TMP-10-9S	10/15/2018	40	172.1	456	
TMP-10-9S	10/15/2018	60	192.3	436	
TMP-10-9S	10/15/2018	80	195.0	416	
TMP-10-9S	10/15/2018	100	209.5	396	
TMP-10-9S	10/22/2018	20	117.4	476	
TMP-10-9S	10/22/2018	40	171.0	456	
TMP-10-9S	10/22/2018	60	190.5	436	
TMP-10-9S	10/22/2018	80	193.4	416	
TMP-10-9S	10/22/2018	100	208.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	9/24/2018	20	107.0	478	
TMP-10-5N	9/24/2018	40	114.8	458	
TMP-10-5N	9/24/2018	60	117.8	438	
TMP-10-5N	9/24/2018	80	108.2	418	
TMP-10-5N	9/24/2018	100	103.7	398	
TMP-10-5N	10/1/2018	20	106.8	478	
TMP-10-5N	10/1/2018	40	113.3	458	
TMP-10-5N	10/1/2018	60	115.9	438	
TMP-10-5N	10/1/2018	80	105.2	418	
TMP-10-5N	10/1/2018	100	100.4	398	
TMP-10-5N	10/8/2018	20	106.0	478	
TMP-10-5N	10/8/2018	40	113.4	458	
TMP-10-5N	10/8/2018	60	116.9	438	
TMP-10-5N	10/8/2018	80	107.5	418	
TMP-10-5N	10/8/2018	100	103.1	398	
TMP-10-5N	10/15/2018	20	106.5	478	
TMP-10-5N	10/15/2018	40	111.3	458	
TMP-10-5N	10/15/2018	60	113.8	438	
TMP-10-5N	10/15/2018	80	101.7	418	
TMP-10-5N	10/15/2018	100	95.0	398	
TMP-10-5N	10/22/2018	20	105.8	478	
TMP-10-5N	10/22/2018	40	108.7	458	
TMP-10-5N	10/22/2018	60	111.1	438	
TMP-10-5N	10/22/2018	80	98.8	418	
TMP-10-5N	10/22/2018	100	92.3	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	9/24/2018	20	112.7	477	
TMP-10-5S	9/24/2018	40	146.3	457	
TMP-10-5S	9/24/2018	60	171.5	437	
TMP-10-5S	9/24/2018	80	180.6	417	
TMP-10-5S	9/24/2018	100	193.5	397	
TMP-10-5S	10/1/2018	20	112.5	477	
TMP-10-5S	10/1/2018	40	146.1	457	
TMP-10-5S	10/1/2018	60	171.0	437	
TMP-10-5S	10/1/2018	80	180.2	417	
TMP-10-5S	10/1/2018	100	193.0	397	
TMP-10-5S	10/8/2018	20	112.1	477	
TMP-10-5S	10/8/2018	40	145.3	457	
TMP-10-5S	10/8/2018	60	170.4	437	
TMP-10-5S	10/8/2018	80	179.9	417	
TMP-10-5S	10/8/2018	100	192.5	397	
TMP-10-5S	10/15/2018	20	113.3	477	
TMP-10-5S	10/15/2018	40	146.8	457	
TMP-10-5S	10/15/2018	60	171.7	437	
TMP-10-5S	10/15/2018	80	180.8	417	
TMP-10-5S	10/15/2018	100	193.8	397	
TMP-10-5S	10/22/2018	20	112.0	477	
TMP-10-5S	10/22/2018	40	145.0	457	
TMP-10-5S	10/22/2018	60	169.7	437	
TMP-10-5S	10/22/2018	80	178.8	417	
TMP-10-5S	10/22/2018	100	191.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	9/24/2018	20	110.6	476	
TMP-5-9N	9/24/2018	40	155.2	456	
TMP-5-9N	9/24/2018	60	160.0	436	
TMP-5-9N	9/24/2018	80	249.3	416	
TMP-5-9N	9/24/2018	100	259.1	396	
TMP-5-9N	10/1/2018	20	111.1	476	
TMP-5-9N	10/1/2018	40	155.2	456	
TMP-5-9N	10/1/2018	60	159.7	436	
TMP-5-9N	10/1/2018	80	249.4	416	
TMP-5-9N	10/1/2018	100	259.3	396	
TMP-5-9N	10/8/2018	20	111.3	476	
TMP-5-9N	10/8/2018	40	155.4	456	
TMP-5-9N	10/8/2018	60	160.3	436	
TMP-5-9N	10/8/2018	80	250.0	416	
TMP-5-9N	10/8/2018	100	259.9	396	
TMP-5-9N	10/15/2018	20	111.5	476	
TMP-5-9N	10/15/2018	40	154.7	456	
TMP-5-9N	10/15/2018	60	159.8	436	
TMP-5-9N	10/15/2018	80	249.7	416	
TMP-5-9N	10/15/2018	100	259.6	396	
TMP-5-9N	10/22/2018	20	111.5	476	
TMP-5-9N	10/22/2018	40	153.5	456	
TMP-5-9N	10/22/2018	60	157.5	436	
TMP-5-9N	10/22/2018	80	248.9	416	
TMP-5-9N	10/22/2018	100	258.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	9/24/2018	20	128.6	476	
TMP-5-9S	9/24/2018	40	203.8	456	
TMP-5-9S	9/24/2018	60	231.2	436	
TMP-5-9S	9/24/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	9/24/2018	100	261.4	396	
TMP-5-9S	10/1/2018	20	128.3	476	
TMP-5-9S	10/1/2018	40	203.4	456	
TMP-5-9S	10/1/2018	60	230.7	436	
TMP-5-9S	10/1/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/1/2018	100	261.0	396	
TMP-5-9S	10/8/2018	20	128.0	476	
TMP-5-9S	10/8/2018	40	202.8	456	
TMP-5-9S	10/8/2018	60	230.3	436	
TMP-5-9S	10/8/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/8/2018	100	260.9	396	
TMP-5-9S	10/15/2018	20	129.1	476	
TMP-5-9S	10/15/2018	40	203.0	456	
TMP-5-9S	10/15/2018	60	231.6	436	
TMP-5-9S	10/15/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/15/2018	100	261.4	396	
TMP-5-9S	10/22/2018	20	128.5	476	
TMP-5-9S	10/22/2018	40	202.4	456	
TMP-5-9S	10/22/2018	60	230.4	436	
TMP-5-9S	10/22/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/22/2018	100	260.8	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	9/24/2018	20	106.7	475	
TMP-5-5N	9/24/2018	40	109.9	455	
TMP-5-5N	9/24/2018	60	102.3	435	
TMP-5-5N	9/24/2018	80	247.9	415	
TMP-5-5N	9/24/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/1/2018	20	106.3	475	
TMP-5-5N	10/1/2018	40	108.4	455	
TMP-5-5N	10/1/2018	60	100.9	435	
TMP-5-5N	10/1/2018	80	247.9	415	
TMP-5-5N	10/1/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/8/2018	20	107.8	475	
TMP-5-5N	10/8/2018	40	110.5	455	
TMP-5-5N	10/8/2018	60	103.2	435	
TMP-5-5N	10/8/2018	80	247.6	415	
TMP-5-5N	10/8/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/15/2018	20	106.0	475	
TMP-5-5N	10/15/2018	40	109.4	455	
TMP-5-5N	10/15/2018	60	101.5	435	
TMP-5-5N	10/15/2018	80	248.1	415	
TMP-5-5N	10/15/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/22/2018	20	105.7	475	
TMP-5-5N	10/22/2018	40	107.0	455	
TMP-5-5N	10/22/2018	60	98.6	435	
TMP-5-5N	10/22/2018	80	250.2	415	
TMP-5-5N	10/22/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	9/24/2018	20	126.9	474	
TMP-5-5S	9/24/2018	40	199.1	454	
TMP-5-5S	9/24/2018	60	225.6	434	
TMP-5-5S	9/24/2018	80	249.9	414	
TMP-5-5S	9/24/2018	100	252.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/1/2018	20	126.8	474	
TMP-5-5S	10/1/2018	40	198.6	454	
TMP-5-5S	10/1/2018	60	225.1	434	
TMP-5-5S	10/1/2018	80	249.4	414	
TMP-5-5S	10/1/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/8/2018	20	126.2	474	
TMP-5-5S	10/8/2018	40	197.4	454	
TMP-5-5S	10/8/2018	60	224.6	434	
TMP-5-5S	10/8/2018	80	249.0	414	
TMP-5-5S	10/8/2018	100	252.1	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/15/2018	20	127.3	474	
TMP-5-5S	10/15/2018	40	197.8	454	
TMP-5-5S	10/15/2018	60	225.8	434	
TMP-5-5S	10/15/2018	80	249.9	414	
TMP-5-5S	10/15/2018	100	253.1	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/22/2018	20	127.6	474	
TMP-5-5S	10/22/2018	40	195.9	454	
TMP-5-5S	10/22/2018	60	224.9	434	
TMP-5-5S	10/22/2018	80	249.3	414	
TMP-5-5S	10/22/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	9/24/2018	20	179.2	474	
TMP-31	9/24/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	60	235	434	
TMP-31	9/24/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	9/24/2018	120	273.8	374	
TMP-31	10/1/2018	20	179.7	474	
TMP-31	10/1/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	60	234.6	434	
TMP-31	10/1/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/1/2018	120	273.5	374	
TMP-31	10/8/2018	20	178.1	474	
TMP-31	10/8/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/8/2018	60	234.2	434	
TMP-31	10/8/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/8/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/8/2018	120	273.4	374	
TMP-31	10/15/2018	20	178.7	474	
TMP-31	10/15/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	60	234.9	434	
TMP-31	10/15/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	120	274	374	
TMP-31	10/22/2018	20	178.9	474	
TMP-31	10/22/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	60	234.6	434	
TMP-31	10/22/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	120	273.6	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	9/24/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	60	236.5	444	
TMP-32	9/24/2018	80	251.2	424	
TMP-32	9/24/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	9/24/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	60	237.6	444	
TMP-32	10/1/2018	80	251.4	424	
TMP-32	10/1/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/1/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	60	237.7	444	
TMP-32	10/8/2018	80	251.5	424	
TMP-32	10/8/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/8/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	60	237.6	444	
TMP-32	10/15/2018	80	251.3	424	
TMP-32	10/15/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/15/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	60	237.5	444	
TMP-32	10/22/2018	80	251.9	424	
TMP-32	10/22/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	9/24/2018	20	149.0	475	
TMP-SPM2	9/24/2018	40	181.9	455	
TMP-SPM2	9/24/2018	60	181.8	435	
TMP-SPM2	9/24/2018	80	186.8	415	
TMP-SPM2	9/24/2018	100	205.7	395	
TMP-SPM2	9/24/2018	120	197.3	375	
TMP-SPM2	9/24/2018	140	185.0	355	
TMP-SPM2	9/24/2018	160	160.0	335	
TMP-SPM2	9/24/2018	172	142.3	323	
TMP-SPM2	10/1/2018	20	148.1	475	
TMP-SPM2	10/1/2018	40	181.1	455	
TMP-SPM2	10/1/2018	60	180.9	435	
TMP-SPM2	10/1/2018	80	186.2	415	
TMP-SPM2	10/1/2018	100	205.3	395	
TMP-SPM2	10/1/2018	120	197.0	375	
TMP-SPM2	10/1/2018	140	184.8	355	
TMP-SPM2	10/1/2018	160	159.6	335	
TMP-SPM2	10/1/2018	172	141.8	323	
TMP-SPM2	10/8/2018	20	147.2	475	
TMP-SPM2	10/8/2018	40	180.2	455	
TMP-SPM2	10/8/2018	60	180.2	435	
TMP-SPM2	10/8/2018	80	186.0	415	
TMP-SPM2	10/8/2018	100	205.2	395	
TMP-SPM2	10/8/2018	120	197.4	375	
TMP-SPM2	10/8/2018	140	185.6	355	
TMP-SPM2	10/8/2018	160	160.5	335	
TMP-SPM2	10/8/2018	172	142.8	323	
TMP-SPM2	10/15/2018	20	148.0	475	
TMP-SPM2	10/15/2018	40	180.8	455	
TMP-SPM2	10/15/2018	60	180.8	435	
TMP-SPM2	10/15/2018	80	186.9	415	
TMP-SPM2	10/15/2018	100	205.8	395	
TMP-SPM2	10/15/2018	120	197.8	375	
TMP-SPM2	10/15/2018	140	185.7	355	
TMP-SPM2	10/15/2018	160	160.4	335	
TMP-SPM2	10/15/2018	172	142.5	323	
TMP-SPM2	10/22/2018	20	146.9	475	
TMP-SPM2	10/22/2018	40	179.6	455	
TMP-SPM2	10/22/2018	60	179.7	435	
TMP-SPM2	10/22/2018	80	186.2	415	
TMP-SPM2	10/22/2018	100	205.3	395	
TMP-SPM2	10/22/2018	120	197.6	375	
TMP-SPM2	10/22/2018	140	185.6	355	
TMP-SPM2	10/22/2018	160	160.3	335	
TMP-SPM2	10/22/2018	172	142.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	9/24/2018	20	119.2	478	
TMP-SPM3	9/24/2018	40	125.3	458	
TMP-SPM3	9/24/2018	60	120.3	438	
TMP-SPM3	9/24/2018	80	123.3	418	
TMP-SPM3	9/24/2018	85	124.0	413	
TMP-SPM3	10/1/2018	20	118.2	478	
TMP-SPM3	10/1/2018	40	124.2	458	
TMP-SPM3	10/1/2018	60	119.0	438	
TMP-SPM3	10/1/2018	80	122.1	418	
TMP-SPM3	10/1/2018	85	122.7	413	
TMP-SPM3	10/8/2018	20	118.2	478	
TMP-SPM3	10/8/2018	40	124.2	458	
TMP-SPM3	10/8/2018	60	119.1	438	
TMP-SPM3	10/8/2018	80	122.3	418	
TMP-SPM3	10/8/2018	85	123.2	413	
TMP-SPM3	10/15/2018	20	118.0	478	
TMP-SPM3	10/15/2018	40	123.8	458	
TMP-SPM3	10/15/2018	60	118.6	438	
TMP-SPM3	10/15/2018	80	122.1	418	
TMP-SPM3	10/15/2018	85	122.6	413	
TMP-SPM3	10/22/2018	20	118.6	478	
TMP-SPM3	10/22/2018	40	124.0	458	
TMP-SPM3	10/22/2018	60	118.6	438	
TMP-SPM3	10/22/2018	80	122.1	418	
TMP-SPM3	10/22/2018	85	122.9	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	9/24/2018	20	124.1	475	
TMP-SPM4	9/24/2018	40	146.4	455	
TMP-SPM4	9/24/2018	60	150.7	435	
TMP-SPM4	9/24/2018	80	151.9	415	
TMP-SPM4	9/24/2018	100	148.8	395	
TMP-SPM4	9/24/2018	120	140.9	375	
TMP-SPM4	9/24/2018	140	135.2	355	
TMP-SPM4	9/24/2018	160	128.4	335	
TMP-SPM4	9/24/2018	180	122.1	315	
TMP-SPM4	9/24/2018	200	112.7	295	
TMP-SPM4	9/24/2018	220	97.4	275	
TMP-SPM4	9/24/2018	240	90.2	255	
TMP-SPM4	10/1/2018	20	124.5	475	
TMP-SPM4	10/1/2018	40	146.9	455	
TMP-SPM4	10/1/2018	60	151.2	435	
TMP-SPM4	10/1/2018	80	152.3	415	
TMP-SPM4	10/1/2018	100	149.3	395	
TMP-SPM4	10/1/2018	120	141.5	375	
TMP-SPM4	10/1/2018	140	135.8	355	
TMP-SPM4	10/1/2018	160	129.0	335	
TMP-SPM4	10/1/2018	180	122.6	315	
TMP-SPM4	10/1/2018	200	113.2	295	
TMP-SPM4	10/1/2018	220	97.8	275	
TMP-SPM4	10/1/2018	240	90.5	255	
TMP-SPM4	10/8/2018	20	124.8	475	
TMP-SPM4	10/8/2018	40	147.3	455	
TMP-SPM4	10/8/2018	60	151.6	435	
TMP-SPM4	10/8/2018	80	152.6	415	
TMP-SPM4	10/8/2018	100	149.8	395	
TMP-SPM4	10/8/2018	120	141.9	375	
TMP-SPM4	10/8/2018	140	136.2	355	
TMP-SPM4	10/8/2018	160	129.3	335	
TMP-SPM4	10/8/2018	180	123.0	315	
TMP-SPM4	10/8/2018	200	113.6	295	
TMP-SPM4	10/8/2018	220	98.1	275	
TMP-SPM4	10/8/2018	240	90.9	255	
TMP-SPM4	10/15/2018	20	124.6	475	
TMP-SPM4	10/15/2018	40	146.8	455	
TMP-SPM4	10/15/2018	60	151.1	435	
TMP-SPM4	10/15/2018	80	152.4	415	
TMP-SPM4	10/15/2018	100	149.3	395	
TMP-SPM4	10/15/2018	120	141.5	375	
TMP-SPM4	10/15/2018	140	135.9	355	
TMP-SPM4	10/15/2018	160	129.0	335	
TMP-SPM4	10/15/2018	180	122.7	315	
TMP-SPM4	10/15/2018	200	113.3	295	
TMP-SPM4	10/15/2018	220	97.8	275	
TMP-SPM4	10/15/2018	240	90.4	255	
TMP-SPM4	10/22/2018	20	125.2	475	
TMP-SPM4	10/22/2018	40	147.5	455	
TMP-SPM4	10/22/2018	60	151.6	435	
TMP-SPM4	10/22/2018	80	152.7	415	
TMP-SPM4	10/22/2018	100	149.7	395	
TMP-SPM4	10/22/2018	120	141.9	375	
TMP-SPM4	10/22/2018	140	136.3	355	
TMP-SPM4	10/22/2018	160	129.5	335	
TMP-SPM4	10/22/2018	180	123.3	315	
TMP-SPM4	10/22/2018	200	113.9	295	
TMP-SPM4	10/22/2018	220	98.5	275	
TMP-SPM4	10/22/2018	240	91.4	255	