

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	10/22/2018	20	125.2	475	
TMP-SPM4	10/22/2018	40	147.5	455	
TMP-SPM4	10/22/2018	60	151.6	435	
TMP-SPM4	10/22/2018	80	152.7	415	
TMP-SPM4	10/22/2018	100	149.7	395	
TMP-SPM4	10/22/2018	120	141.9	375	
TMP-SPM4	10/22/2018	140	136.3	355	
TMP-SPM4	10/22/2018	160	129.5	335	
TMP-SPM4	10/22/2018	180	123.3	315	
TMP-SPM4	10/22/2018	200	113.9	295	
TMP-SPM4	10/22/2018	220	98.5	275	
TMP-SPM4	10/22/2018	240	91.4	255	
TMP-SPM4	10/29/2018	20	125.5	475	
TMP-SPM4	10/29/2018	40	147.9	455	
TMP-SPM4	10/29/2018	60	152.0	435	
TMP-SPM4	10/29/2018	80	153.2	415	
TMP-SPM4	10/29/2018	100	150.2	395	
TMP-SPM4	10/29/2018	120	142.4	375	
TMP-SPM4	10/29/2018	140	136.9	355	
TMP-SPM4	10/29/2018	160	130.0	335	
TMP-SPM4	10/29/2018	180	123.8	315	
TMP-SPM4	10/29/2018	200	114.4	295	
TMP-SPM4	10/29/2018	220	99.0	275	
TMP-SPM4	10/29/2018	240	91.8	255	
TMP-SPM4	11/6/2018	20	124.2	475	
TMP-SPM4	11/6/2018	40	146.3	455	
TMP-SPM4	11/6/2018	60	150.1	435	
TMP-SPM4	11/6/2018	80	151.2	415	
TMP-SPM4	11/6/2018	100	148.0	395	
TMP-SPM4	11/6/2018	120	140.3	375	
TMP-SPM4	11/6/2018	140	134.8	355	
TMP-SPM4	11/6/2018	160	128.0	335	
TMP-SPM4	11/6/2018	180	122.1	315	
TMP-SPM4	11/6/2018	200	112.9	295	
TMP-SPM4	11/6/2018	220	97.9	275	
TMP-SPM4	11/6/2018	240	90.9	255	
TMP-SPM4	11/12/2018	20	123.6	475	
TMP-SPM4	11/12/2018	40	145.9	455	
TMP-SPM4	11/12/2018	60	149.9	435	
TMP-SPM4	11/12/2018	80	151.1	415	
TMP-SPM4	11/12/2018	100	147.9	395	
TMP-SPM4	11/12/2018	120	140.4	375	
TMP-SPM4	11/12/2018	140	134.8	355	
TMP-SPM4	11/12/2018	160	128.1	335	
TMP-SPM4	11/12/2018	180	122.1	315	
TMP-SPM4	11/12/2018	200	113.0	295	
TMP-SPM4	11/12/2018	220	98.0	275	
TMP-SPM4	11/12/2018	240	91.0	255	
TMP-SPM4	11/19/2018	20	124.6	475	
TMP-SPM4	11/19/2018	40	146.4	455	
TMP-SPM4	11/19/2018	60	150.3	435	
TMP-SPM4	11/19/2018	80	151.4	415	
TMP-SPM4	11/19/2018	100	148.3	395	
TMP-SPM4	11/19/2018	120	140.7	375	
TMP-SPM4	11/19/2018	140	135.2	355	
TMP-SPM4	11/19/2018	160	128.4	335	
TMP-SPM4	11/19/2018	180	122.4	315	
TMP-SPM4	11/19/2018	200	113.4	295	
TMP-SPM4	11/19/2018	220	98.4	275	
TMP-SPM4	11/19/2018	240	91.3	255	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	10/22/2018	20	156.1	473	
TMP-19	10/22/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/22/2018	60	220.7	433	
TMP-19	10/22/2018	80	225.3	413	
TMP-19	10/22/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	10/29/2018	20	156.7	473	
TMP-19	10/29/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	10/29/2018	60	221.1	433	
TMP-19	10/29/2018	80	225.6	413	
TMP-19	10/29/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/5/2018	20	157.4	473	
TMP-19	11/5/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/5/2018	60	221.4	433	
TMP-19	11/5/2018	80	225.6	413	
TMP-19	11/5/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/12/2018	20	157.3	473	
TMP-19	11/12/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/12/2018	60	221.8	433	
TMP-19	11/12/2018	80	226.1	413	
TMP-19	11/12/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/19/2018	20	157.6	473	
TMP-19	11/19/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/19/2018	60	221.5	433	
TMP-19	11/19/2018	80	225.7	413	
TMP-19	11/19/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	10/22/2018	20	121.0	478	
TMP-20	10/22/2018	40	177.6	458	
TMP-20	10/22/2018	60	219.3	438	
TMP-20	10/22/2018	80	231.2	418	
TMP-20	10/22/2018	100	243.3	398	
TMP-20	10/22/2018	120	256.1	378	
TMP-20	10/22/2018	140	251.0	358	
TMP-20	10/29/2018	20	121.2	478	
TMP-20	10/29/2018	40	177.2	458	
TMP-20	10/29/2018	60	219.1	438	
TMP-20	10/29/2018	80	231.0	418	
TMP-20	10/29/2018	100	243.0	398	
TMP-20	10/29/2018	120	255.8	378	
TMP-20	10/29/2018	140	250.7	358	
TMP-20	11/5/2018	20	122.6	478	
TMP-20	11/5/2018	40	178.2	458	
TMP-20	11/5/2018	60	220.1	438	
TMP-20	11/5/2018	80	232.0	418	
TMP-20	11/5/2018	100	244.6	398	
TMP-20	11/5/2018	120	257.7	378	
TMP-20	11/5/2018	140	252.6	358	
TMP-20	11/12/2018	20	122.1	478	
TMP-20	11/12/2018	40	178.3	458	
TMP-20	11/12/2018	60	219.9	438	
TMP-20	11/12/2018	80	231.9	418	
TMP-20	11/12/2018	100	244.2	398	
TMP-20	11/12/2018	120	257.4	378	
TMP-20	11/12/2018	140	252.4	358	
TMP-20	11/19/2018	20	123.0	478	
TMP-20	11/19/2018	40	177.8	458	
TMP-20	11/19/2018	60	219.6	438	
TMP-20	11/19/2018	80	231.6	418	
TMP-20	11/19/2018	100	244.0	398	
TMP-20	11/19/2018	120	257.2	378	
TMP-20	11/19/2018	140	252.1	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	10/22/2018	20	119.6	475	
TMP-10-9N	10/22/2018	40	140.1	455	
TMP-10-9N	10/22/2018	60	150.9	435	
TMP-10-9N	10/22/2018	80	147.6	415	
TMP-10-9N	10/22/2018	100	156.1	395	
TMP-10-9N	10/29/2018	20	120.1	475	
TMP-10-9N	10/29/2018	40	139.4	455	
TMP-10-9N	10/29/2018	60	150.3	435	
TMP-10-9N	10/29/2018	80	146.7	415	
TMP-10-9N	10/29/2018	100	155.1	395	
TMP-10-9N	11/5/2018	20	122.2	475	
TMP-10-9N	11/5/2018	40	140.9	455	
TMP-10-9N	11/5/2018	60	152.0	435	
TMP-10-9N	11/5/2018	80	148.3	415	
TMP-10-9N	11/5/2018	100	156.6	395	
TMP-10-9N	11/12/2018	20	121.8	475	
TMP-10-9N	11/12/2018	40	140.7	455	
TMP-10-9N	11/12/2018	60	151.9	435	
TMP-10-9N	11/12/2018	80	148.1	415	
TMP-10-9N	11/12/2018	100	156.3	395	
TMP-10-9N	11/19/2018	20	122.1	475	
TMP-10-9N	11/19/2018	40	139.9	455	
TMP-10-9N	11/19/2018	60	151.2	435	
TMP-10-9N	11/19/2018	80	147.3	415	
TMP-10-9N	11/19/2018	100	155.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	10/22/2018	20	117.4	476	
TMP-10-9S	10/22/2018	40	171.0	456	
TMP-10-9S	10/22/2018	60	190.5	436	
TMP-10-9S	10/22/2018	80	193.4	416	
TMP-10-9S	10/22/2018	100	208.0	396	
TMP-10-9S	10/29/2018	20	117.6	476	
TMP-10-9S	10/29/2018	40	170.8	456	
TMP-10-9S	10/29/2018	60	190.4	436	
TMP-10-9S	10/29/2018	80	193.5	416	
TMP-10-9S	10/29/2018	100	208.0	396	
TMP-10-9S	11/5/2018	20	119.5	476	
TMP-10-9S	11/5/2018	40	171.9	456	
TMP-10-9S	11/5/2018	60	191.9	436	
TMP-10-9S	11/5/2018	80	194.8	416	
TMP-10-9S	11/5/2018	100	209.4	396	
TMP-10-9S	11/12/2018	20	120.2	476	
TMP-10-9S	11/12/2018	40	171.2	456	
TMP-10-9S	11/12/2018	60	191.9	436	
TMP-10-9S	11/12/2018	80	195.0	416	
TMP-10-9S	11/12/2018	100	209.6	396	
TMP-10-9S	11/19/2018	20	120.1	476	
TMP-10-9S	11/19/2018	40	170.4	456	
TMP-10-9S	11/19/2018	60	191.7	436	
TMP-10-9S	11/19/2018	80	194.9	416	
TMP-10-9S	11/19/2018	100	209.5	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	10/22/2018	20	105.8	478	
TMP-10-5N	10/22/2018	40	108.7	458	
TMP-10-5N	10/22/2018	60	111.1	438	
TMP-10-5N	10/22/2018	80	98.8	418	
TMP-10-5N	10/22/2018	100	92.3	398	
TMP-10-5N	10/29/2018	20	105.3	478	
TMP-10-5N	10/29/2018	40	107.3	458	
TMP-10-5N	10/29/2018	60	110.0	438	
TMP-10-5N	10/29/2018	80	98.5	418	
TMP-10-5N	10/29/2018	100	92.4	398	
TMP-10-5N	11/5/2018	20	107.4	478	
TMP-10-5N	11/5/2018	40	109.0	458	
TMP-10-5N	11/5/2018	60	111.7	438	
TMP-10-5N	11/5/2018	80	100.1	418	
TMP-10-5N	11/5/2018	100	94.0	398	
TMP-10-5N	11/12/2018	20	107.7	478	
TMP-10-5N	11/12/2018	40	107.4	458	
TMP-10-5N	11/12/2018	60	109.5	438	
TMP-10-5N	11/12/2018	80	97.6	418	
TMP-10-5N	11/12/2018	100	91.9	398	
TMP-10-5N	11/19/2018	20	107.4	478	
TMP-10-5N	11/19/2018	40	105.7	458	
TMP-10-5N	11/19/2018	60	107.8	438	
TMP-10-5N	11/19/2018	80	95.2	418	
TMP-10-5N	11/19/2018	100	88.1	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	10/22/2018	20	112.0	477	
TMP-10-5S	10/22/2018	40	145.0	457	
TMP-10-5S	10/22/2018	60	169.7	437	
TMP-10-5S	10/22/2018	80	178.8	417	
TMP-10-5S	10/22/2018	100	191.7	397	
TMP-10-5S	10/29/2018	20	112.2	477	
TMP-10-5S	10/29/2018	40	144.6	457	
TMP-10-5S	10/29/2018	60	169.4	437	
TMP-10-5S	10/29/2018	80	178.7	417	
TMP-10-5S	10/29/2018	100	191.7	397	
TMP-10-5S	11/5/2018	20	114.2	477	
TMP-10-5S	11/5/2018	40	146.6	457	
TMP-10-5S	11/5/2018	60	171.2	437	
TMP-10-5S	11/5/2018	80	180.4	417	
TMP-10-5S	11/5/2018	100	193.5	397	
TMP-10-5S	11/12/2018	20	114.4	477	
TMP-10-5S	11/12/2018	40	147.0	457	
TMP-10-5S	11/12/2018	60	171.4	437	
TMP-10-5S	11/12/2018	80	180.7	417	
TMP-10-5S	11/12/2018	100	193.9	397	
TMP-10-5S	11/19/2018	20	114.6	477	
TMP-10-5S	11/19/2018	40	147.0	457	
TMP-10-5S	11/19/2018	60	171.1	437	
TMP-10-5S	11/19/2018	80	180.4	417	
TMP-10-5S	11/19/2018	100	193.7	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	10/22/2018	20	111.5	476	
TMP-5-9N	10/22/2018	40	153.5	456	
TMP-5-9N	10/22/2018	60	157.5	436	
TMP-5-9N	10/22/2018	80	248.9	416	
TMP-5-9N	10/22/2018	100	258.8	396	
TMP-5-9N	10/29/2018	20	110.4	476	
TMP-5-9N	10/29/2018	40	152.3	456	
TMP-5-9N	10/29/2018	60	156.0	436	
TMP-5-9N	10/29/2018	80	248.6	416	
TMP-5-9N	10/29/2018	100	258.6	396	
TMP-5-9N	11/5/2018	20	111.2	476	
TMP-5-9N	11/5/2018	40	153.0	456	
TMP-5-9N	11/5/2018	60	156.4	436	
TMP-5-9N	11/5/2018	80	249.6	416	
TMP-5-9N	11/5/2018	100	259.6	396	
TMP-5-9N	11/12/2018	20	111.6	476	
TMP-5-9N	11/12/2018	40	152.8	456	
TMP-5-9N	11/12/2018	60	155.8	436	
TMP-5-9N	11/12/2018	80	249.7	416	
TMP-5-9N	11/12/2018	100	259.7	396	
TMP-5-9N	11/19/2018	20	111.8	476	
TMP-5-9N	11/19/2018	40	152.1	456	
TMP-5-9N	11/19/2018	60	154.9	436	
TMP-5-9N	11/19/2018	80	249.9	416	
TMP-5-9N	11/19/2018	100	259.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	10/22/2018	20	128.5	476	
TMP-5-9S	10/22/2018	40	202.4	456	
TMP-5-9S	10/22/2018	60	230.4	436	
TMP-5-9S	10/22/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/22/2018	100	260.8	396	
TMP-5-9S	10/29/2018	20	128.9	476	
TMP-5-9S	10/29/2018	40	202.3	456	
TMP-5-9S	10/29/2018	60	230.7	436	
TMP-5-9S	10/29/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	10/29/2018	100	261.1	396	
TMP-5-9S	11/5/2018	20	129.2	476	
TMP-5-9S	11/5/2018	40	202.1	456	
TMP-5-9S	11/5/2018	60	231.0	436	
TMP-5-9S	11/5/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/5/2018	100	261.3	396	
TMP-5-9S	11/12/2018	20	129.6	476	
TMP-5-9S	11/12/2018	40	201.2	456	
TMP-5-9S	11/12/2018	60	231.5	436	
TMP-5-9S	11/12/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/12/2018	100	261.4	396	
TMP-5-9S	11/19/2018	20	129.7	476	
TMP-5-9S	11/19/2018	40	202.0	456	
TMP-5-9S	11/19/2018	60	231.5	436	
TMP-5-9S	11/19/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/19/2018	100	261.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	10/22/2018	20	105.7	475	
TMP-5-5N	10/22/2018	40	107.0	455	
TMP-5-5N	10/22/2018	60	98.6	435	
TMP-5-5N	10/22/2018	80	250.2	415	
TMP-5-5N	10/22/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	10/29/2018	20	104.1	475	
TMP-5-5N	10/29/2018	40	101.3	455	
TMP-5-5N	10/29/2018	60	92.2	435	
TMP-5-5N	10/29/2018	80	247.7	415	
TMP-5-5N	10/29/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/5/2018	20	104.6	475	
TMP-5-5N	11/5/2018	40	101.5	455	
TMP-5-5N	11/5/2018	60	91.7	435	
TMP-5-5N	11/5/2018	80	248.0	415	
TMP-5-5N	11/5/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/12/2018	20	103.7	475	
TMP-5-5N	11/12/2018	40	97.2	455	
TMP-5-5N	11/12/2018	60	86.3	435	
TMP-5-5N	11/12/2018	80	248.1	415	
TMP-5-5N	11/12/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/19/2018	20	103.1	475	
TMP-5-5N	11/19/2018	40	96.4	455	
TMP-5-5N	11/19/2018	60	85.1	435	
TMP-5-5N	11/19/2018	80	248.0	415	
TMP-5-5N	11/19/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	10/22/2018	20	127.6	474	
TMP-5-5S	10/22/2018	40	195.9	454	
TMP-5-5S	10/22/2018	60	224.9	434	
TMP-5-5S	10/22/2018	80	249.3	414	
TMP-5-5S	10/22/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	10/29/2018	20	126.4	474	
TMP-5-5S	10/29/2018	40	189.9	454	
TMP-5-5S	10/29/2018	60	224.6	434	
TMP-5-5S	10/29/2018	80	249.3	414	
TMP-5-5S	10/29/2018	100	252.7	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	11/5/2018	20	127.2	474	
TMP-5-5S	11/5/2018	40	190.0	454	
TMP-5-5S	11/5/2018	60	225.0	434	
TMP-5-5S	11/5/2018	80	249.8	414	
TMP-5-5S	11/5/2018	100	252.8	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	11/12/2018	20	127.7	474	
TMP-5-5S	11/12/2018	40	190.5	454	
TMP-5-5S	11/12/2018	60	225.1	434	
TMP-5-5S	11/12/2018	80	250.0	414	
TMP-5-5S	11/12/2018	100	253.1	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	11/19/2018	20	127.7	474	
TMP-5-5S	11/19/2018	40	193.2	454	
TMP-5-5S	11/19/2018	60	224.7	434	
TMP-5-5S	11/19/2018	80	250.0	414	
TMP-5-5S	11/19/2018	100	253.1	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	10/15/2018	20	178.7	474	
TMP-31	10/15/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	60	234.9	434	
TMP-31	10/15/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/15/2018	120	274.0	374	
TMP-31	10/22/2018	20	178.9	474	
TMP-31	10/22/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	60	234.6	434	
TMP-31	10/22/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/22/2018	120	273.6	374	
TMP-31	10/29/2018	20	179.0	474	
TMP-31	10/29/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/29/2018	60	234.8	434	
TMP-31	10/29/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/29/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	10/29/2018	120	274.3	374	
TMP-31	11/5/2018	20	178.6	474	
TMP-31	11/5/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/5/2018	60	234.6	434	
TMP-31	11/5/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/5/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/5/2018	120	273.8	374	
TMP-31	11/12/2018	20	179.2	474	
TMP-31	11/12/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/12/2018	60	234.8	434	
TMP-31	11/12/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/12/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/12/2018	120	273.9	374	
TMP-31	11/19/2018	20	180.1	474	
TMP-31	11/19/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	60	235.3	434	
TMP-31	11/19/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	120	274.0	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	10/22/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	60	237.5	444	
TMP-32	10/22/2018	80	251.9	424	
TMP-32	10/22/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/22/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	60	238.2	444	
TMP-32	10/29/2018	80	252.0	424	
TMP-32	10/29/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	10/29/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	60	236.4	444	
TMP-32	11/5/2018	80	251.4	424	
TMP-32	11/5/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/5/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	60	237.5	444	
TMP-32	11/12/2018	80	251.2	424	
TMP-32	11/12/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/12/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	60	237.8	444	
TMP-32	11/19/2018	80	251.4	424	
TMP-32	11/19/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	10/22/2018	20	162.5	473	
TMP-SPM1	10/22/2018	40	194.3	453	
TMP-SPM1	10/22/2018	60	197.6	433	
TMP-SPM1	10/22/2018	80	188.8	413	
TMP-SPM1	10/22/2018	100	179.7	393	
TMP-SPM1	10/22/2018	120	168.6	373	
TMP-SPM1	10/22/2018	140	158.5	353	
TMP-SPM1	10/22/2018	160	140.6	333	
TMP-SPM1	10/22/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/22/2018	200	107.7	293	
TMP-SPM1	10/22/2018	220	92.7	273	
TMP-SPM1	10/22/2018	240	89.0	253	
TMP-SPM1	10/29/2018	20	162.5	473	
TMP-SPM1	10/29/2018	40	194.6	453	
TMP-SPM1	10/29/2018	60	198.0	433	
TMP-SPM1	10/29/2018	80	189.2	413	
TMP-SPM1	10/29/2018	100	180.3	393	
TMP-SPM1	10/29/2018	120	169.3	373	
TMP-SPM1	10/29/2018	140	159.2	353	
TMP-SPM1	10/29/2018	160	141.3	333	
TMP-SPM1	10/29/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	10/29/2018	200	108.4	293	
TMP-SPM1	10/29/2018	220	91.3	273	
TMP-SPM1	10/29/2018	240	89.8	253	
TMP-SPM1	11/6/2018	20	162.0	473	
TMP-SPM1	11/6/2018	40	193.6	453	
TMP-SPM1	11/6/2018	60	197.1	433	
TMP-SPM1	11/6/2018	80	188.3	413	
TMP-SPM1	11/6/2018	100	179.1	393	
TMP-SPM1	11/6/2018	120	168.2	373	
TMP-SPM1	11/6/2018	140	158.0	353	
TMP-SPM1	11/6/2018	160	140.1	333	
TMP-SPM1	11/6/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/6/2018	200	107.5	293	
TMP-SPM1	11/6/2018	220	92.6	273	
TMP-SPM1	11/6/2018	240	89.2	253	
TMP-SPM1	11/12/2018	20	161.0	473	
TMP-SPM1	11/12/2018	40	192.9	453	
TMP-SPM1	11/12/2018	60	196.6	433	
TMP-SPM1	11/12/2018	80	187.9	413	
TMP-SPM1	11/12/2018	100	178.7	393	
TMP-SPM1	11/12/2018	120	167.8	373	
TMP-SPM1	11/12/2018	140	157.8	353	
TMP-SPM1	11/12/2018	160	140.0	333	
TMP-SPM1	11/12/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/12/2018	200	107.4	293	
TMP-SPM1	11/12/2018	220	92.4	273	
TMP-SPM1	11/12/2018	240	88.9	253	
TMP-SPM1	11/19/2018	20	162.1	473	
TMP-SPM1	11/19/2018	40	193.8	453	
TMP-SPM1	11/19/2018	60	197.4	433	
TMP-SPM1	11/19/2018	80	188.9	413	
TMP-SPM1	11/19/2018	100	179.6	393	
TMP-SPM1	11/19/2018	120	167.4	373	
TMP-SPM1	11/19/2018	140	158.6	353	
TMP-SPM1	11/19/2018	160	140.7	333	
TMP-SPM1	11/19/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/19/2018	200	108.2	293	
TMP-SPM1	11/19/2018	220	93.2	273	
TMP-SPM1	11/19/2018	240	89.8	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	10/22/2018	20	146.9	475	
TMP-SPM2	10/22/2018	40	179.6	455	
TMP-SPM2	10/22/2018	60	179.7	435	
TMP-SPM2	10/22/2018	80	186.2	415	
TMP-SPM2	10/22/2018	100	205.3	395	
TMP-SPM2	10/22/2018	120	197.6	375	
TMP-SPM2	10/22/2018	140	185.6	355	
TMP-SPM2	10/22/2018	160	160.3	335	
TMP-SPM2	10/22/2018	172	142.7	323	
TMP-SPM2	10/29/2018	20	148.1	475	
TMP-SPM2	10/29/2018	40	180.5	455	
TMP-SPM2	10/29/2018	60	180.5	435	
TMP-SPM2	10/29/2018	80	187.2	415	
TMP-SPM2	10/29/2018	100	206.2	395	
TMP-SPM2	10/29/2018	120	198.7	375	
TMP-SPM2	10/29/2018	140	186.9	355	
TMP-SPM2	10/29/2018	160	161.6	335	
TMP-SPM2	10/29/2018	172	144.0	323	
TMP-SPM2	11/6/2018	20	148.4	475	
TMP-SPM2	11/6/2018	40	180.6	455	
TMP-SPM2	11/6/2018	60	180.6	435	
TMP-SPM2	11/6/2018	80	187.5	415	
TMP-SPM2	11/6/2018	100	206.3	395	
TMP-SPM2	11/6/2018	120	198.8	375	
TMP-SPM2	11/6/2018	140	186.9	355	
TMP-SPM2	11/6/2018	160	161.3	335	
TMP-SPM2	11/6/2018	172	143.7	323	
TMP-SPM2	11/12/2018	20	148.0	475	
TMP-SPM2	11/12/2018	40	180.0	455	
TMP-SPM2	11/12/2018	60	180.1	435	
TMP-SPM2	11/12/2018	80	187.3	415	
TMP-SPM2	11/12/2018	100	206.1	395	
TMP-SPM2	11/12/2018	120	198.8	375	
TMP-SPM2	11/12/2018	140	186.9	355	
TMP-SPM2	11/12/2018	160	161.2	335	
TMP-SPM2	11/12/2018	172	143.5	323	
TMP-SPM2	11/19/2018	20	148.3	475	
TMP-SPM2	11/19/2018	40	180.2	455	
TMP-SPM2	11/19/2018	60	180.3	435	
TMP-SPM2	11/19/2018	80	187.8	415	
TMP-SPM2	11/19/2018	100	206.6	395	
TMP-SPM2	11/19/2018	120	199.4	375	
TMP-SPM2	11/19/2018	140	187.5	355	
TMP-SPM2	11/19/2018	160	161.8	335	
TMP-SPM2	11/19/2018	172	144.1	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	10/22/2018	20	118.6	478	
TMP-SPM3	10/22/2018	40	124.0	458	
TMP-SPM3	10/22/2018	60	118.6	438	
TMP-SPM3	10/22/2018	80	122.1	418	
TMP-SPM3	10/22/2018	85	122.9	413	
TMP-SPM3	10/29/2018	20	119.3	478	
TMP-SPM3	10/29/2018	40	124.6	458	
TMP-SPM3	10/29/2018	60	119.4	438	
TMP-SPM3	10/29/2018	80	123.1	418	
TMP-SPM3	10/29/2018	85	124.2	413	
TMP-SPM3	11/6/2018	20	120.3	478	
TMP-SPM3	11/6/2018	40	125.2	458	
TMP-SPM3	11/6/2018	60	119.8	438	
TMP-SPM3	11/6/2018	80	123.4	418	
TMP-SPM3	11/6/2018	85	124.2	413	
TMP-SPM3	11/12/2018	20	119.5	478	
TMP-SPM3	11/12/2018	40	124.6	458	
TMP-SPM3	11/12/2018	60	119.3	438	
TMP-SPM3	11/12/2018	80	123.1	418	
TMP-SPM3	11/12/2018	85	123.8	413	
TMP-SPM3	11/19/2018	20	120.7	478	
TMP-SPM3	11/19/2018	40	125.2	458	
TMP-SPM3	11/19/2018	60	119.8	438	
TMP-SPM3	11/19/2018	80	123.6	418	
TMP-SPM3	11/19/2018	85	124.4	413	