

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	11/19/2018	20	129.7	476	
TMP-5-9S	11/19/2018	40	202.0	456	
TMP-5-9S	11/19/2018	60	231.5	436	
TMP-5-9S	11/19/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/19/2018	100	261.4	396	
TMP-5-9S	11/26/2018	20	129.8	476	
TMP-5-9S	11/26/2018	40	202.0	456	
TMP-5-9S	11/26/2018	60	231.8	436	
TMP-5-9S	11/26/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	11/26/2018	100	261.7	396	
TMP-5-9S	12/3/2018	20	129.3	476	
TMP-5-9S	12/3/2018	40	201.7	456	
TMP-5-9S	12/3/2018	60	231.2	436	
TMP-5-9S	12/3/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/3/2018	100	261.3	396	
TMP-5-9S	12/10/2018	20	129.1	476	
TMP-5-9S	12/10/2018	40	201.0	456	
TMP-5-9S	12/10/2018	60	231.3	436	
TMP-5-9S	12/3/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/10/2018	100	262.1	396	
TMP-5-9S	12/17/2018	20	128.5	476	
TMP-5-9S	12/17/2018	40	200.1	456	
TMP-5-9S	12/17/2018	60	230.8	436	
TMP-5-9S	12/17/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	12/17/2018	100	261.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	11/19/2018	20	157.6	473	
TMP-19	11/19/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/19/2018	60	221.5	433	
TMP-19	11/19/2018	80	225.7	413	
TMP-19	11/19/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	11/26/2018	20	156.7	473	
TMP-19	11/26/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	11/26/2018	60	221.4	433	
TMP-19	11/26/2018	80	225.7	413	
TMP-19	11/26/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/3/2018	20	155.7	473	
TMP-19	12/3/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/3/2018	60	220.8	433	
TMP-19	12/3/2018	80	225.1	413	
TMP-19	12/3/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/10/2018	20	158.1	473	
TMP-19	12/10/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/10/2018	60	221.2	433	
TMP-19	12/10/2018	80	225.8	413	
TMP-19	12/10/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	12/17/2018	20	155.5	473	
TMP-19	12/17/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	12/17/2018	60	219.7	433	
TMP-19	12/17/2018	80	224.3	413	
TMP-19	12/17/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	11/19/2018	20	123.0	478	
TMP-20	11/19/2018	40	177.8	458	
TMP-20	11/19/2018	60	219.6	438	
TMP-20	11/19/2018	80	231.6	418	
TMP-20	11/19/2018	100	244.0	398	
TMP-20	11/19/2018	120	257.2	378	
TMP-20	11/19/2018	140	252.1	358	
TMP-20	11/26/2018	20	122.7	478	
TMP-20	11/26/2018	40	177.8	458	
TMP-20	11/26/2018	60	219.6	438	
TMP-20	11/26/2018	80	231.7	418	
TMP-20	11/26/2018	100	244.2	398	
TMP-20	11/26/2018	120	257.4	378	
TMP-20	11/26/2018	140	252.3	358	
TMP-20	12/3/2018	20	121.8	478	
TMP-20	12/3/2018	40	177.4	458	
TMP-20	12/3/2018	60	218.9	438	
TMP-20	12/3/2018	80	230.8	418	
TMP-20	12/3/2018	100	243.3	398	
TMP-20	12/3/2018	120	256.6	378	
TMP-20	12/3/2018	140	251.5	358	
TMP-20	12/10/2018	20	122.0	478	
TMP-20	12/10/2018	40	177.3	458	
TMP-20	12/10/2018	60	218.4	438	
TMP-20	12/10/2018	80	230.1	418	
TMP-20	12/10/2018	100	242.4	398	
TMP-20	12/10/2018	120	255.5	378	
TMP-20	12/10/2018	140	250.3	358	
TMP-20	12/17/2018	20	121.6	478	
TMP-20	12/17/2018	40	176.8	458	
TMP-20	12/17/2018	60	217.9	438	
TMP-20	12/17/2018	80	229.5	418	
TMP-20	12/17/2018	100	241.8	398	
TMP-20	12/17/2018	120	255.0	378	
TMP-20	12/17/2018	140	249.9	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	11/19/2018	20	122.1	475	
TMP-10-9N	11/19/2018	40	139.9	455	
TMP-10-9N	11/19/2018	60	151.2	435	
TMP-10-9N	11/19/2018	80	147.3	415	
TMP-10-9N	11/19/2018	100	155.3	395	
TMP-10-9N	11/26/2018	20	122.1	475	
TMP-10-9N	11/26/2018	40	139.3	455	
TMP-10-9N	11/26/2018	60	150.5	435	
TMP-10-9N	11/26/2018	80	146.5	415	
TMP-10-9N	11/26/2018	100	154.4	395	
TMP-10-9N	12/3/2018	20	121.3	475	
TMP-10-9N	12/3/2018	40	138.4	455	
TMP-10-9N	12/3/2018	60	149.5	435	
TMP-10-9N	12/3/2018	80	145.4	415	
TMP-10-9N	12/3/2018	100	153.4	395	
TMP-10-9N	12/10/2018	20	120.1	475	
TMP-10-9N	12/10/2018	40	136.8	455	
TMP-10-9N	12/10/2018	60	147.7	435	
TMP-10-9N	12/10/2018	80	143.8	415	
TMP-10-9N	12/10/2018	100	151.9	395	
TMP-10-9N	12/17/2018	20	118.8	475	
TMP-10-9N	12/17/2018	40	135.4	455	
TMP-10-9N	12/17/2018	60	146.2	435	
TMP-10-9N	12/17/2018	80	142.3	415	
TMP-10-9N	12/17/2018	100	150.2	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	11/19/2018	20	120.1	476	
TMP-10-9S	11/19/2018	40	170.4	456	
TMP-10-9S	11/19/2018	60	191.7	436	
TMP-10-9S	11/19/2018	80	194.9	416	
TMP-10-9S	11/19/2018	100	209.5	396	
TMP-10-9S	11/26/2018	20	120.0	476	
TMP-10-9S	11/26/2018	40	170.3	456	
TMP-10-9S	11/26/2018	60	191.3	436	
TMP-10-9S	11/26/2018	80	194.6	416	
TMP-10-9S	11/26/2018	100	209.3	396	
TMP-10-9S	12/3/2018	20	119.8	476	
TMP-10-9S	12/3/2018	40	169.5	456	
TMP-10-9S	12/3/2018	60	190.7	436	
TMP-10-9S	12/3/2018	80	194.2	416	
TMP-10-9S	12/3/2018	100	208.8	396	
TMP-10-9S	12/10/2018	20	118.8	476	
TMP-10-9S	12/10/2018	40	170.6	456	
TMP-10-9S	12/10/2018	60	190.3	436	
TMP-10-9S	12/10/2018	80	193.7	416	
TMP-10-9S	12/10/2018	100	208.5	396	
TMP-10-9S	12/17/2018	20	117.6	476	
TMP-10-9S	12/17/2018	40	169.3	456	
TMP-10-9S	12/17/2018	60	188.7	436	
TMP-10-9S	12/17/2018	80	192.1	416	
TMP-10-9S	12/17/2018	100	206.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	11/19/2018	20	107.4	478	
TMP-10-5N	11/19/2018	40	105.7	458	
TMP-10-5N	11/19/2018	60	107.8	438	
TMP-10-5N	11/19/2018	80	95.2	418	
TMP-10-5N	11/19/2018	100	88.1	398	
TMP-10-5N	11/26/2018	20	107.2	478	
TMP-10-5N	11/26/2018	40	105.6	458	
TMP-10-5N	11/26/2018	60	108.1	438	
TMP-10-5N	11/26/2018	80	96.6	418	
TMP-10-5N	11/26/2018	100	90.4	398	
TMP-10-5N	12/3/2018	20	106.7	478	
TMP-10-5N	12/3/2018	40	104.6	458	
TMP-10-5N	12/3/2018	60	106.7	438	
TMP-10-5N	12/3/2018	80	95.4	418	
TMP-10-5N	12/3/2018	100	89.0	398	
TMP-10-5N	12/10/2018	20	105.7	478	
TMP-10-5N	12/10/2018	40	103.3	458	
TMP-10-5N	12/10/2018	60	104.9	438	
TMP-10-5N	12/10/2018	80	92.9	418	
TMP-10-5N	12/10/2018	100	85.7	398	
TMP-10-5N	12/17/2018	20	104.4	478	
TMP-10-5N	12/17/2018	40	101.8	458	
TMP-10-5N	12/17/2018	60	104.0	438	
TMP-10-5N	12/17/2018	80	92.8	418	
TMP-10-5N	12/17/2018	100	86.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	11/19/2018	20	114.6	477	
TMP-10-5S	11/19/2018	40	147.0	457	
TMP-10-5S	11/19/2018	60	171.1	437	
TMP-10-5S	11/19/2018	80	180.4	417	
TMP-10-5S	11/19/2018	100	193.7	397	
TMP-10-5S	11/26/2018	20	114.3	477	
TMP-10-5S	11/26/2018	40	146.9	457	
TMP-10-5S	11/26/2018	60	170.7	437	
TMP-10-5S	11/26/2018	80	180.1	417	
TMP-10-5S	11/26/2018	100	193.5	397	
TMP-10-5S	12/3/2018	20	113.9	477	
TMP-10-5S	12/3/2018	40	146.5	457	
TMP-10-5S	12/3/2018	60	170.1	437	
TMP-10-5S	12/3/2018	80	179.4	417	
TMP-10-5S	12/3/2018	100	193.0	397	
TMP-10-5S	12/10/2018	20	112.9	477	
TMP-10-5S	12/10/2018	40	145.0	457	
TMP-10-5S	12/10/2018	60	168.6	437	
TMP-10-5S	12/10/2018	80	178.0	417	
TMP-10-5S	12/10/2018	100	191.7	397	
TMP-5-9N	12/17/2018	20	109.7	476	
TMP-5-9N	12/17/2018	40	148.6	456	
TMP-5-9N	12/17/2018	60	152.0	436	
TMP-5-9N	12/17/2018	80	248.9	416	
TMP-5-9N	12/17/2018	100	259.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	11/19/2018	20	111.8	476	
TMP-5-9N	11/19/2018	40	152.1	456	
TMP-5-9N	11/19/2018	60	154.9	436	
TMP-5-9N	11/19/2018	80	249.9	416	
TMP-5-9N	11/19/2018	100	259.9	396	
TMP-5-9N	11/26/2018	20	111.3	476	
TMP-5-9N	11/26/2018	40	151.4	456	
TMP-5-9N	11/26/2018	60	153.9	436	
TMP-5-9N	11/26/2018	80	249.7	416	
TMP-5-9N	11/26/2018	100	259.8	396	
TMP-5-9N	12/3/2018	20	110.9	476	
TMP-5-9N	12/3/2018	40	151.0	456	
TMP-5-9N	12/3/2018	60	153.2	436	
TMP-5-9N	12/3/2018	80	249.4	416	
TMP-5-9N	12/3/2018	100	259.5	396	
TMP-5-9N	12/10/2018	20	110.7	476	
TMP-5-9N	12/10/2018	40	150.3	456	
TMP-5-9N	12/10/2018	60	152.9	436	
TMP-5-9N	12/10/2018	80	249.6	416	
TMP-5-9N	12/10/2018	100	259.9	396	
TMP-5-9N	12/17/2018	20	109.7	476	
TMP-5-9N	12/17/2018	40	148.6	456	
TMP-5-9N	12/17/2018	60	152.0	436	
TMP-5-9N	12/17/2018	80	248.9	416	
TMP-5-9N	12/17/2018	100	259.1	396	



TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	11/19/2018	20	103.1	475	
TMP-5-5N	11/19/2018	40	96.4	455	
TMP-5-5N	11/19/2018	60	85.1	435	
TMP-5-5N	11/19/2018	80	248.0	415	
TMP-5-5N	11/19/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	11/26/2018	20	103.1	475	
TMP-5-5N	11/26/2018	40	98.0	455	
TMP-5-5N	11/26/2018	60	87.4	435	
TMP-5-5N	11/26/2018	80	248.0	415	
TMP-5-5N	11/26/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/3/2018	20	102.5	475	
TMP-5-5N	12/3/2018	40	96.8	455	
TMP-5-5N	12/3/2018	60	86.2	435	
TMP-5-5N	12/3/2018	80	247.8	415	
TMP-5-5N	12/3/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/10/2018	20	102.5	475	
TMP-5-5N	12/10/2018	40	94.3	455	
TMP-5-5N	12/10/2018	60	83.5	435	
TMP-5-5N	12/10/2018	80	248.7	415	
TMP-5-5N	12/10/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	12/17/2018	20	101.6	475	
TMP-5-5N	12/17/2018	40	95.2	455	
TMP-5-5N	12/17/2018	60	85.3	435	
TMP-5-5N	12/17/2018	80	247.5	415	
TMP-5-5N	12/17/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	11/19/2018	20	127.7	474	
TMP-5-5S	11/19/2018	40	193.2	454	
TMP-5-5S	11/19/2018	60	224.7	434	
TMP-5-5S	11/19/2018	80	250.0	414	
TMP-5-5S	11/19/2018	100	253.1	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	11/26/2018	20	127.8	474	
TMP-5-5S	11/26/2018	40	196.1	454	
TMP-5-5S	11/26/2018	60	224.6	434	
TMP-5-5S	11/26/2018	80	250.2	414	
TMP-5-5S	11/26/2018	100	253.2	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	12/3/2018	20	127.3	474	
TMP-5-5S	12/3/2018	40	196.1	454	
TMP-5-5S	12/3/2018	60	224.0	434	
TMP-5-5S	12/3/2018	80	249.7	414	
TMP-5-5S	12/3/2018	100	252.8	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	12/10/2018	20	126.7	474	
TMP-5-5S	12/10/2018	40	193.1	454	
TMP-5-5S	12/10/2018	60	223.1	434	
TMP-5-5S	12/10/2018	80	249.1	414	
TMP-5-5S	12/10/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	12/17/2018	20	125.8	474	
TMP-5-5S	12/17/2018	40	191.4	454	
TMP-5-5S	12/17/2018	60	222.2	434	
TMP-5-5S	12/17/2018	80	248.6	414	
TMP-5-5S	12/17/2018	100	251.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	11/19/2018	20	180.1	474	
TMP-31	11/19/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	60	235.3	434	
TMP-31	11/19/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/19/2018	120	274.0	374	
TMP-31	11/26/2018	20	177.5	474	
TMP-31	11/26/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/26/2018	60	235.3	434	
TMP-31	11/26/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/26/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	11/26/2018	120	274.0	374	
TMP-31	12/3/2018	20	176.7	474	
TMP-31	12/3/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/3/2018	60	235.0	434	
TMP-31	12/3/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/3/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/3/2018	120	273.8	374	
TMP-31	12/10/2018	20	178.5	474	
TMP-31	12/10/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/10/2018	60	235.7	434	
TMP-31	12/10/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/10/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/10/2018	120	275.1	374	
TMP-31	12/17/2018	20	177.8	474	
TMP-31	12/17/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/17/2018	60	234.9	434	
TMP-31	12/17/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/17/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	12/17/2018	120	274.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	11/19/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	60	237.8	444	
TMP-32	11/19/2018	80	251.4	424	
TMP-32	11/19/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/19/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	60	237.8	444	
TMP-32	11/26/2018	80	251.6	424	
TMP-32	11/26/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	11/26/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	60	237.0	444	
TMP-32	12/3/2018	80	251.0	424	
TMP-32	12/3/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/3/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	60	238.4	444	
TMP-32	12/10/2018	80	252.3	424	
TMP-32	12/10/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/10/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	60	236.5	444	
TMP-32	12/17/2018	80	252.1	424	
TMP-32	12/17/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	12/17/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	11/19/2018	20	162.1	473	
TMP-SPM1	11/19/2018	40	193.8	453	
TMP-SPM1	11/19/2018	60	197.4	433	
TMP-SPM1	11/19/2018	80	188.9	413	
TMP-SPM1	11/19/2018	100	179.6	393	
TMP-SPM1	11/19/2018	120	167.4	373	
TMP-SPM1	11/19/2018	140	158.6	353	
TMP-SPM1	11/19/2018	160	140.7	333	
TMP-SPM1	11/19/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/19/2018	200	108.2	293	
TMP-SPM1	11/19/2018	220	93.2	273	
TMP-SPM1	11/19/2018	240	89.8	253	
TMP-SPM1	11/26/2018	20	160.1	473	
TMP-SPM1	11/26/2018	40	192.4	453	
TMP-SPM1	11/26/2018	60	196.4	433	
TMP-SPM1	11/26/2018	80	188.0	413	
TMP-SPM1	11/26/2018	100	178.5	393	
TMP-SPM1	11/26/2018	120	167.8	373	
TMP-SPM1	11/26/2018	140	157.7	353	
TMP-SPM1	11/26/2018	160	139.8	333	
TMP-SPM1	11/26/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	11/26/2018	200	107.5	293	
TMP-SPM1	11/26/2018	220	91.3	273	
TMP-SPM1	11/26/2018	240	89.1	253	
TMP-SPM1	12/3/2018	20	159.8	473	
TMP-SPM1	12/3/2018	40	191.7	453	
TMP-SPM1	12/3/2018	60	195.9	433	
TMP-SPM1	12/3/2018	80	187.7	413	
TMP-SPM1	12/3/2018	100	178.1	393	
TMP-SPM1	12/3/2018	120	167.4	373	
TMP-SPM1	12/3/2018	140	157.3	353	
TMP-SPM1	12/3/2018	160	139.3	333	
TMP-SPM1	12/3/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/3/2018	200	107.0	293	
TMP-SPM1	12/3/2018	220	92.0	273	
TMP-SPM1	12/3/2018	240	88.6	253	
TMP-SPM1	12/10/2018	20	161.9	473	
TMP-SPM1	12/10/2018	40	193.9	453	
TMP-SPM1	12/10/2018	60	198.2	433	
TMP-SPM1	12/10/2018	80	190.2	413	
TMP-SPM1	12/10/2018	100	180.4	393	
TMP-SPM1	12/10/2018	120	169.7	373	
TMP-SPM1	12/10/2018	140	159.6	353	
TMP-SPM1	12/10/2018	160	141.6	333	
TMP-SPM1	12/10/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/10/2018	200	109.0	293	
TMP-SPM1	12/10/2018	220	93.9	273	
TMP-SPM1	12/10/2018	240	90.2	253	
TMP-SPM1	12/17/2018	20	160.7	473	
TMP-SPM1	12/17/2018	40	192.4	453	
TMP-SPM1	12/17/2018	60	196.7	433	
TMP-SPM1	12/17/2018	80	188.7	413	
TMP-SPM1	12/17/2018	100	178.9	393	
TMP-SPM1	12/17/2018	120	168.3	373	
TMP-SPM1	12/17/2018	140	158.2	353	
TMP-SPM1	12/17/2018	160	140.2	333	
TMP-SPM1	12/17/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	12/17/2018	200	107.7	293	
TMP-SPM1	12/17/2018	220	92.7	273	
TMP-SPM1	12/17/2018	240	89.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	11/19/2018	20	148.3	475	
TMP-SPM2	11/19/2018	40	180.2	455	
TMP-SPM2	11/19/2018	60	180.3	435	
TMP-SPM2	11/19/2018	80	187.8	415	
TMP-SPM2	11/19/2018	100	206.6	395	
TMP-SPM2	11/19/2018	120	199.4	375	
TMP-SPM2	11/19/2018	140	187.5	355	
TMP-SPM2	11/19/2018	160	161.8	335	
TMP-SPM2	11/19/2018	172	144.1	323	
TMP-SPM2	11/26/2018	20	147.4	475	
TMP-SPM2	11/26/2018	40	179.3	455	
TMP-SPM2	11/26/2018	60	179.4	435	
TMP-SPM2	11/26/2018	80	187.2	415	
TMP-SPM2	11/26/2018	100	206.0	395	
TMP-SPM2	11/26/2018	120	199.0	375	
TMP-SPM2	11/26/2018	140	187.3	355	
TMP-SPM2	11/26/2018	160	161.5	335	
TMP-SPM2	11/26/2018	172	143.7	323	
TMP-SPM2	12/3/2018	20	146.8	475	
TMP-SPM2	12/3/2018	40	178.7	455	
TMP-SPM2	12/3/2018	60	178.8	435	
TMP-SPM2	12/3/2018	80	186.9	415	
TMP-SPM2	12/3/2018	100	205.8	395	
TMP-SPM2	12/3/2018	120	198.7	375	
TMP-SPM2	12/3/2018	140	187.1	355	
TMP-SPM2	12/3/2018	160	161.2	335	
TMP-SPM2	12/3/2018	172	143.4	323	
TMP-SPM2	12/10/2018	20	147.1	475	
TMP-SPM2	12/10/2018	40	178.4	455	
TMP-SPM2	12/10/2018	60	178.7	435	
TMP-SPM2	12/10/2018	80	187.1	415	
TMP-SPM2	12/10/2018	100	206.1	395	
TMP-SPM2	12/10/2018	120	199.4	375	
TMP-SPM2	12/10/2018	140	187.9	355	
TMP-SPM2	12/10/2018	160	162.1	335	
TMP-SPM2	12/10/2018	172	144.5	323	
TMP-SPM2	12/17/2018	20	146.3	475	
TMP-SPM2	12/17/2018	40	177.6	455	
TMP-SPM2	12/17/2018	60	177.8	435	
TMP-SPM2	12/17/2018	80	186.4	415	
TMP-SPM2	12/17/2018	100	205.4	395	
TMP-SPM2	12/17/2018	120	198.8	375	
TMP-SPM2	12/17/2018	140	187.3	355	
TMP-SPM2	12/17/2018	160	161.2	335	
TMP-SPM2	12/17/2018	172	143.4	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	11/19/2018	20	120.7	478	
TMP-SPM3	11/19/2018	40	125.2	458	
TMP-SPM3	11/19/2018	60	119.8	438	
TMP-SPM3	11/19/2018	80	123.6	418	
TMP-SPM3	11/19/2018	85	124.4	413	
TMP-SPM3	11/26/2018	20	119.8	478	
TMP-SPM3	11/26/2018	40	124.4	458	
TMP-SPM3	11/26/2018	60	119.1	438	
TMP-SPM3	11/26/2018	80	123.0	418	
TMP-SPM3	11/26/2018	85	123.8	413	
TMP-SPM3	12/3/2018	20	119.5	478	
TMP-SPM3	12/3/2018	40	123.8	458	
TMP-SPM3	12/3/2018	60	118.5	438	
TMP-SPM3	12/3/2018	80	122.5	418	
TMP-SPM3	12/3/2018	85	123.3	413	
TMP-SPM3	12/10/2018	20	119.8	478	
TMP-SPM3	12/10/2018	40	123.2	458	
TMP-SPM3	12/10/2018	60	117.8	438	
TMP-SPM3	12/10/2018	80	121.9	418	
TMP-SPM3	12/10/2018	85	122.8	413	
TMP-SPM3	12/17/2018	20	119.4	478	
TMP-SPM3	12/17/2018	40	122.7	458	
TMP-SPM3	12/17/2018	60	117.3	438	
TMP-SPM3	12/17/2018	80	121.3	418	
TMP-SPM3	12/17/2018	85	122.2	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	11/19/2018	20	124.6	475	
TMP-SPM4	11/19/2018	40	146.4	455	
TMP-SPM4	11/19/2018	60	150.3	435	
TMP-SPM4	11/19/2018	80	151.4	415	
TMP-SPM4	11/19/2018	100	148.3	395	
TMP-SPM4	11/19/2018	120	140.7	375	
TMP-SPM4	11/19/2018	140	135.2	355	
TMP-SPM4	11/19/2018	160	128.4	335	
TMP-SPM4	11/19/2018	180	122.4	315	
TMP-SPM4	11/19/2018	200	113.4	295	
TMP-SPM4	11/19/2018	220	98.4	275	
TMP-SPM4	11/19/2018	240	91.3	255	
TMP-SPM4	11/26/2018	20	123.7	475	
TMP-SPM4	11/26/2018	40	146.0	455	
TMP-SPM4	11/26/2018	60	149.8	435	
TMP-SPM4	11/26/2018	80	151.0	415	
TMP-SPM4	11/26/2018	100	147.8	395	
TMP-SPM4	11/26/2018	120	140.3	375	
TMP-SPM4	11/26/2018	140	134.9	355	
TMP-SPM4	11/26/2018	160	128.2	335	
TMP-SPM4	11/26/2018	180	122.2	315	
TMP-SPM4	11/26/2018	200	113.2	295	
TMP-SPM4	11/26/2018	220	98.3	275	
TMP-SPM4	11/26/2018	240	91.2	255	
TMP-SPM4	12/3/2018	20	123.2	475	
TMP-SPM4	12/3/2018	40	145.5	455	
TMP-SPM4	12/3/2018	60	149.3	435	
TMP-SPM4	12/3/2018	80	150.5	415	
TMP-SPM4	12/3/2018	100	147.3	395	
TMP-SPM4	12/3/2018	120	139.9	375	
TMP-SPM4	12/3/2018	140	134.4	355	
TMP-SPM4	12/3/2018	160	127.7	335	
TMP-SPM4	12/3/2018	180	121.8	315	
TMP-SPM4	12/3/2018	200	112.9	295	
TMP-SPM4	12/3/2018	220	97.9	275	
TMP-SPM4	12/3/2018	240	90.9	255	
TMP-SPM4	12/10/2018	20	125.0	475	
TMP-SPM4	12/10/2018	40	147.1	455	
TMP-SPM4	12/10/2018	60	150.9	435	
TMP-SPM4	12/10/2018	80	152.1	415	
TMP-SPM4	12/10/2018	100	149.0	395	
TMP-SPM4	12/10/2018	120	141.6	375	
TMP-SPM4	12/10/2018	140	136.1	355	
TMP-SPM4	12/10/2018	160	129.2	335	
TMP-SPM4	12/10/2018	180	123.1	315	
TMP-SPM4	12/10/2018	200	113.9	295	
TMP-SPM4	12/10/2018	220	98.8	275	
TMP-SPM4	12/10/2018	240	91.6	255	
TMP-SPM4	12/17/2018	20	124.3	475	
TMP-SPM4	12/17/2018	40	146.2	455	
TMP-SPM4	12/17/2018	60	149.9	435	
TMP-SPM4	12/17/2018	80	151.1	415	
TMP-SPM4	12/17/2018	100	148.0	395	
TMP-SPM4	12/17/2018	120	140.6	375	
TMP-SPM4	12/17/2018	140	135.1	355	
TMP-SPM4	12/17/2018	160	128.3	335	
TMP-SPM4	12/17/2018	180	122.1	315	
TMP-SPM4	12/17/2018	200	113.1	295	
TMP-SPM4	12/17/2018	220	98.1	275	
TMP-SPM4	12/17/2018	240	90.8	255	