

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	5/21/2018	20	162.2	473	
TMP-19	5/21/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/21/2018	60	224.6	433	
TMP-19	5/21/2018	80	229.5	413	
TMP-19	5/21/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	5/29/2018	20	163.6	473	
TMP-19	5/29/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	5/29/2018	60	223.6	433	
TMP-19	5/29/2018	80	228.8	413	
TMP-19	5/29/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2018	20	165.0	473	
TMP-19	6/5/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/5/2018	60	223.9	433	
TMP-19	6/5/2018	80	228.6	413	
TMP-19	6/5/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/11/2018	20	165.6	473	
TMP-19	6/11/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/11/2018	60	224.0	433	
TMP-19	6/11/2018	80	228.8	413	
TMP-19	6/11/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/18/2018	20	163.0	473	
TMP-19	6/18/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/18/2018	60	223.4	433	
TMP-19	6/18/2018	80	228.3	413	
TMP-19	6/18/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	5/21/2018	20	124.8	478	
TMP-20	5/21/2018	40	184.5	458	
TMP-20	5/21/2018	60	226.4	438	
TMP-20	5/21/2018	80	238.3	418	
TMP-20	5/21/2018	100	250.2	398	
TMP-20	5/21/2018	120	262.0	378	
TMP-20	5/21/2018	140	258.1	358	
TMP-20	5/29/2018	20	124.9	478	
TMP-20	5/29/2018	40	184.5	458	
TMP-20	5/29/2018	60	226.5	438	
TMP-20	5/29/2018	80	238.2	418	
TMP-20	5/29/2018	100	249.9	398	
TMP-20	5/29/2018	120	261.7	378	
TMP-20	5/29/2018	140	257.9	358	
TMP-20	6/5/2018	20	123.5	478	
TMP-20	6/5/2018	40	184.4	458	
TMP-20	6/5/2018	60	225.4	438	
TMP-20	6/5/2018	80	237.1	418	
TMP-20	6/5/2018	100	248.9	398	
TMP-20	6/5/2018	120	260.9	378	
TMP-20	6/5/2018	140	257.0	358	
TMP-20	6/11/2018	20	123.5	478	
TMP-20	6/11/2018	40	184.8	458	
TMP-20	6/11/2018	60	225.3	438	
TMP-20	6/11/2018	80	237.0	418	
TMP-20	6/11/2018	100	248.9	398	
TMP-20	6/11/2018	120	260.9	378	
TMP-20	6/11/2018	140	257.0	358	
TMP-20	6/18/2018	20	122.6	478	
TMP-20	6/18/2018	40	183.7	458	
TMP-20	6/18/2018	60	224.6	438	
TMP-20	6/18/2018	80	236.4	418	
TMP-20	6/18/2018	100	248.3	398	
TMP-20	6/18/2018	120	260.3	378	
TMP-20	6/18/2018	140	256.3	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	5/21/2018	20	122.0	475	
TMP-10-9N	5/21/2018	40	141.0	455	
TMP-10-9N	5/21/2018	60	148.3	435	
TMP-10-9N	5/21/2018	80	146.1	415	
TMP-10-9N	5/21/2018	100	154.9	395	
TMP-10-9N	5/29/2018	20	122.6	475	
TMP-10-9N	5/29/2018	40	142.3	455	
TMP-10-9N	5/29/2018	60	149.6	435	
TMP-10-9N	5/29/2018	80	147.6	415	
TMP-10-9N	5/29/2018	100	156.4	395	
TMP-10-9N	6/5/2018	20	120.7	475	
TMP-10-9N	6/5/2018	40	140.5	455	
TMP-10-9N	6/5/2018	60	148.1	435	
TMP-10-9N	6/5/2018	80	146.1	415	
TMP-10-9N	6/5/2018	100	154.8	395	
TMP-10-9N	6/11/2018	20	120.3	475	
TMP-10-9N	6/11/2018	40	140.9	455	
TMP-10-9N	6/11/2018	60	148.5	435	
TMP-10-9N	6/11/2018	80	146.6	415	
TMP-10-9N	6/11/2018	100	155.1	395	
TMP-10-9N	6/18/2018	20	120.5	475	
TMP-10-9N	6/18/2018	40	141.5	455	
TMP-10-9N	6/18/2018	60	149.2	435	
TMP-10-9N	6/18/2018	80	147.4	415	
TMP-10-9N	6/18/2018	100	155.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	5/21/2018	20	121.0	476	
TMP-10-9S	5/21/2018	40	174.3	456	
TMP-10-9S	5/21/2018	60	194.2	436	
TMP-10-9S	5/21/2018	80	196.8	416	
TMP-10-9S	5/21/2018	100	211.7	396	
TMP-10-9S	5/29/2018	20	121.4	476	
TMP-10-9S	5/29/2018	40	174.1	456	
TMP-10-9S	5/29/2018	60	194.6	436	
TMP-10-9S	5/29/2018	80	197.3	416	
TMP-10-9S	5/29/2018	100	212.0	396	
TMP-10-9S	6/5/2018	20	119.6	476	
TMP-10-9S	6/5/2018	40	171.4	456	
TMP-10-9S	6/5/2018	60	192.9	436	
TMP-10-9S	6/5/2018	80	195.9	416	
TMP-10-9S	6/5/2018	100	210.8	396	
TMP-10-9S	6/11/2018	20	119.2	476	
TMP-10-9S	6/11/2018	40	169.5	456	
TMP-10-9S	6/11/2018	60	192.1	436	
TMP-10-9S	6/11/2018	80	195.4	416	
TMP-10-9S	6/11/2018	100	210.3	396	
TMP-10-9S	6/18/2018	20	118.9	476	
TMP-10-9S	6/18/2018	40	171.1	456	
TMP-10-9S	6/18/2018	60	192.4	436	
TMP-10-9S	6/18/2018	80	195.2	416	
TMP-10-9S	6/18/2018	100	209.9	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	5/21/2018	20	106.7	478	
TMP-10-5N	5/21/2018	40	112.2	458	
TMP-10-5N	5/21/2018	60	112.7	438	
TMP-10-5N	5/21/2018	80	104.0	418	
TMP-10-5N	5/21/2018	100	99.8	398	
TMP-10-5N	5/29/2018	20	103.9	478	
TMP-10-5N	5/29/2018	40	111.8	458	
TMP-10-5N	5/29/2018	60	112.6	438	
TMP-10-5N	5/29/2018	80	104.9	418	
TMP-10-5N	5/29/2018	100	101.2	398	
TMP-10-5N	6/5/2018	20	105.1	478	
TMP-10-5N	6/5/2018	40	113.4	458	
TMP-10-5N	6/5/2018	60	114.1	438	
TMP-10-5N	6/5/2018	80	105.3	418	
TMP-10-5N	6/5/2018	100	100.4	398	
TMP-10-5N	6/11/2018	20	104.4	478	
TMP-10-5N	6/11/2018	40	113.9	458	
TMP-10-5N	6/11/2018	60	115.0	438	
TMP-10-5N	6/11/2018	80	107.5	418	
TMP-10-5N	6/11/2018	100	103.8	398	
TMP-10-5N	6/18/2018	20	105.4	478	
TMP-10-5N	6/18/2018	40	114.9	458	
TMP-10-5N	6/18/2018	60	116.0	438	
TMP-10-5N	6/18/2018	80	108.2	418	
TMP-10-5N	6/18/2018	100	104.7	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	5/21/2018	20	113.0	477	
TMP-10-5S	5/21/2018	40	145.3	457	
TMP-10-5S	5/21/2018	60	170.7	437	
TMP-10-5S	5/21/2018	80	180.8	417	
TMP-10-5S	5/21/2018	100	194.5	397	
TMP-10-5S	5/29/2018	20	113.2	477	
TMP-10-5S	5/29/2018	40	145.7	457	
TMP-10-5S	5/29/2018	60	171.4	437	
TMP-10-5S	5/29/2018	80	181.4	417	
TMP-10-5S	5/29/2018	100	194.9	397	
TMP-10-5S	6/5/2018	20	112.1	477	
TMP-10-5S	6/5/2018	40	144.2	457	
TMP-10-5S	6/5/2018	60	169.8	437	
TMP-10-5S	6/5/2018	80	179.8	417	
TMP-10-5S	6/5/2018	100	193.2	397	
TMP-10-5S	6/11/2018	20	111.9	477	
TMP-10-5S	6/11/2018	40	144.5	457	
TMP-10-5S	6/11/2018	60	169.9	437	
TMP-10-5S	6/11/2018	80	179.7	417	
TMP-10-5S	6/11/2018	100	193.1	397	
TMP-10-5S	6/18/2018	20	111.4	477	
TMP-10-5S	6/18/2018	40	144.7	457	
TMP-10-5S	6/18/2018	60	169.7	437	
TMP-10-5S	6/18/2018	80	179.4	417	
TMP-10-5S	6/18/2018	100	192.8	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	5/21/2018	20	108.2	476	
TMP-5-9N	5/21/2018	40	148.2	456	
TMP-5-9N	5/21/2018	60	154.6	436	
TMP-5-9N	5/21/2018	80	250.6	416	
TMP-5-9N	5/21/2018	100	260.5	396	
TMP-5-9N	5/29/2018	20	108.8	476	
TMP-5-9N	5/29/2018	40	149.5	456	
TMP-5-9N	5/29/2018	60	155.8	436	
TMP-5-9N	5/29/2018	80	250.9	416	
TMP-5-9N	5/29/2018	100	260.7	396	
TMP-5-9N	6/5/2018	20	108.2	476	
TMP-5-9N	6/5/2018	40	149.3	456	
TMP-5-9N	6/5/2018	60	155.5	436	
TMP-5-9N	6/5/2018	80	249.6	416	
TMP-5-9N	6/5/2018	100	259.4	396	
TMP-5-9N	6/11/2018	20	107.9	476	
TMP-5-9N	6/11/2018	40	149.2	456	
TMP-5-9N	6/11/2018	60	155.8	436	
TMP-5-9N	6/11/2018	80	249.8	416	
TMP-5-9N	6/11/2018	100	259.6	396	
TMP-5-9N	6/18/2018	20	109.1	476	
TMP-5-9N	6/18/2018	40	151.4	456	
TMP-5-9N	6/18/2018	60	157.9	436	
TMP-5-9N	6/18/2018	80	250.4	416	
TMP-5-9N	6/18/2018	100	260.4	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	5/21/2018	20	129.8	476	
TMP-5-9S	5/21/2018	40	206	456	
TMP-5-9S	5/21/2018	60	232.1	436	
TMP-5-9S	5/21/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/21/2018	100	262.6	396	
TMP-5-9S	5/29/2018	20	130.5	476	
TMP-5-9S	5/29/2018	40	206.9	456	
TMP-5-9S	5/29/2018	60	232.9	436	
TMP-5-9S	5/29/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	5/29/2018	100	262.9	396	
TMP-5-9S	6/5/2018	20	128.5	476	
TMP-5-9S	6/5/2018	40	206.4	456	
TMP-5-9S	6/5/2018	60	231.4	436	
TMP-5-9S	6/5/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/5/2018	100	261.2	396	
TMP-5-9S	6/11/2018	20	127.9	476	
TMP-5-9S	6/11/2018	40	206.9	456	
TMP-5-9S	6/11/2018	60	231.5	436	
TMP-5-9S	6/11/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/11/2018	100	261.4	396	
TMP-5-9S	6/18/2018	20	128.0	476	
TMP-5-9S	6/18/2018	40	204.8	456	
TMP-5-9S	6/18/2018	60	231.0	436	
TMP-5-9S	6/18/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/18/2018	100	261.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	5/21/2018	20	104.1	475	
TMP-5-5N	5/21/2018	40	105.5	455	
TMP-5-5N	5/21/2018	60	99.5	435	
TMP-5-5N	5/21/2018	80	249.3	415	
TMP-5-5N	5/21/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	5/29/2018	20	102.7	475	
TMP-5-5N	5/29/2018	40	106.6	455	
TMP-5-5N	5/29/2018	60	100.6	435	
TMP-5-5N	5/29/2018	80	246.9	415	
TMP-5-5N	5/29/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/5/2018	20	103.7	475	
TMP-5-5N	6/5/2018	40	105.4	455	
TMP-5-5N	6/5/2018	60	99.1	435	
TMP-5-5N	6/5/2018	80	248.1	415	
TMP-5-5N	6/5/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/11/2018	20	104.4	475	
TMP-5-5N	6/11/2018	40	108.8	455	
TMP-5-5N	6/11/2018	60	103.1	435	
TMP-5-5N	6/11/2018	80	247.7	415	
TMP-5-5N	6/11/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/18/2018	20	105.8	475	
TMP-5-5N	6/18/2018	40	111.5	455	
TMP-5-5N	6/18/2018	60	104.1	435	
TMP-5-5N	6/18/2018	80	249.2	415	
TMP-5-5N	6/18/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	5/21/2018	20	127.8	474	
TMP-5-5S	5/21/2018	40	197.2	454	
TMP-5-5S	5/21/2018	60	225.6	434	
TMP-5-5S	5/21/2018	80	249.7	414	
TMP-5-5S	5/21/2018	100	252.8	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	5/29/2018	20	128.7	474	
TMP-5-5S	5/29/2018	40	199.1	454	
TMP-5-5S	5/29/2018	60	227.2	434	
TMP-5-5S	5/29/2018	80	250.9	414	
TMP-5-5S	5/29/2018	100	253.9	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	6/5/2018	20	127.7	474	
TMP-5-5S	6/5/2018	40	199.0	454	
TMP-5-5S	6/5/2018	60	225.8	434	
TMP-5-5S	6/5/2018	80	249.4	414	
TMP-5-5S	6/5/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	6/11/2018	20	127.1	474	
TMP-5-5S	6/11/2018	40	198.5	454	
TMP-5-5S	6/11/2018	60	225.3	434	
TMP-5-5S	6/11/2018	80	249.0	414	
TMP-5-5S	6/11/2018	100	252.2	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	6/18/2018	20	126.7	474	
TMP-5-5S	6/18/2018	40	199.2	454	
TMP-5-5S	6/18/2018	60	225.5	434	
TMP-5-5S	6/18/2018	80	249.4	414	
TMP-5-5S	6/18/2018	100	252.4	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	5/21/2018	20	193.3	474	
TMP-31	5/21/2018	40	223.7	454	
TMP-31	5/21/2018	60	236.0	434	
TMP-31	5/21/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/21/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/21/2018	120	274.5	374	
TMP-31	5/29/2018	20	194.4	474	
TMP-31	5/29/2018	40	224.5	454	
TMP-31	5/29/2018	60	236.5	434	
TMP-31	5/29/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/29/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	5/29/2018	120	274.7	374	
TMP-31	6/5/2018	20	194.6	474	
TMP-31	6/5/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/5/2018	60	235.9	434	
TMP-31	6/5/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/5/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/5/2018	120	273.9	374	
TMP-31	6/11/2018	20	193.9	474	
TMP-31	6/11/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	60	235.7	434	
TMP-31	6/11/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	120	273.7	374	
TMP-31	6/18/2018	20	195.1	474	
TMP-31	6/18/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	60	235.4	434	
TMP-31	6/18/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	120	273.6	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	5/21/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	60	237.6	444	
TMP-32	5/21/2018	80	252.4	424	
TMP-32	5/21/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/21/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	60	237.0	444	
TMP-32	5/29/2018	80	252.7	424	
TMP-32	5/29/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	5/29/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	60	236.1	444	
TMP-32	6/5/2018	80	251.8	424	
TMP-32	6/5/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/5/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	60	233.5	444	
TMP-32	6/11/2018	80	252.8	424	
TMP-32	6/11/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	60	234.3	444	
TMP-32	6/18/2018	80	252.6	424	
TMP-32	6/18/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	5/21/2018	20	161.9	473	
TMP-SPM1	5/21/2018	40	197.3	453	
TMP-SPM1	5/21/2018	60	198.2	433	
TMP-SPM1	5/21/2018	80	192.6	413	
TMP-SPM1	5/21/2018	100	180.4	393	
TMP-SPM1	5/21/2018	120	160.5	373	
TMP-SPM1	5/21/2018	140	158.0	353	
TMP-SPM1	5/21/2018	160	140.5	333	
TMP-SPM1	5/21/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/21/2018	200	106.6	293	
TMP-SPM1	5/21/2018	220	90.8	273	
TMP-SPM1	5/21/2018	240	87.8	253	
TMP-SPM1	5/29/2018	20	161.4	473	
TMP-SPM1	5/29/2018	40	197.1	453	
TMP-SPM1	5/29/2018	60	198.2	433	
TMP-SPM1	5/29/2018	80	192.4	413	
TMP-SPM1	5/29/2018	100	180.5	393	
TMP-SPM1	5/29/2018	120	160.7	373	
TMP-SPM1	5/29/2018	140	158.2	353	
TMP-SPM1	5/29/2018	160	140.6	333	
TMP-SPM1	5/29/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	5/29/2018	200	106.7	293	
TMP-SPM1	5/29/2018	220	91.2	273	
TMP-SPM1	5/29/2018	240	87.9	253	
TMP-SPM1	6/4/2018	20	162.4	473	
TMP-SPM1	6/4/2018	40	198.4	453	
TMP-SPM1	6/4/2018	60	199.7	433	
TMP-SPM1	6/4/2018	80	193.7	413	
TMP-SPM1	6/4/2018	100	182.0	393	
TMP-SPM1	6/4/2018	120	162.1	373	
TMP-SPM1	6/4/2018	140	159.9	353	
TMP-SPM1	6/4/2018	160	142.3	333	
TMP-SPM1	6/4/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/4/2018	200	108.4	293	
TMP-SPM1	6/4/2018	220	93.0	273	
TMP-SPM1	6/4/2018	240	89.7	253	
TMP-SPM1	6/11/2018	20	161.1	473	
TMP-SPM1	6/11/2018	40	196.7	453	
TMP-SPM1	6/11/2018	60	198.2	433	
TMP-SPM1	6/11/2018	80	192.4	413	
TMP-SPM1	6/11/2018	100	180.4	393	
TMP-SPM1	6/11/2018	120	164.3	373	
TMP-SPM1	6/11/2018	140	158.0	353	
TMP-SPM1	6/11/2018	160	140.4	333	
TMP-SPM1	6/11/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/11/2018	200	106.6	293	
TMP-SPM1	6/11/2018	220	91.1	273	
TMP-SPM1	6/11/2018	240	87.8	253	
TMP-SPM1	6/18/2018	20	162.1	473	
TMP-SPM1	6/18/2018	40	196.7	453	
TMP-SPM1	6/18/2018	60	198.3	433	
TMP-SPM1	6/18/2018	80	192.2	413	
TMP-SPM1	6/18/2018	100	180.7	393	
TMP-SPM1	6/18/2018	120	167.1	373	
TMP-SPM1	6/18/2018	140	158.7	353	
TMP-SPM1	6/18/2018	160	141.1	333	
TMP-SPM1	6/18/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/18/2018	200	107.3	293	
TMP-SPM1	6/18/2018	220	91.8	273	
TMP-SPM1	6/18/2018	240	88.4	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	5/21/2018	20	154.1	475	
TMP-SPM2	5/21/2018	40	187.1	455	
TMP-SPM2	5/21/2018	60	187.0	435	
TMP-SPM2	5/21/2018	80	186.1	415	
TMP-SPM2	5/21/2018	100	203.4	395	
TMP-SPM2	5/21/2018	120	194.3	375	
TMP-SPM2	5/21/2018	140	181.5	355	
TMP-SPM2	5/21/2018	160	158.2	335	
TMP-SPM2	5/21/2018	172	140.8	323	
TMP-SPM2	5/29/2018	20	152.2	475	
TMP-SPM2	5/29/2018	40	184.8	455	
TMP-SPM2	5/29/2018	60	184.7	435	
TMP-SPM2	5/29/2018	80	184.0	415	
TMP-SPM2	5/29/2018	100	201.6	395	
TMP-SPM2	5/29/2018	120	192.5	375	
TMP-SPM2	5/29/2018	140	179.8	355	
TMP-SPM2	5/29/2018	160	156.0	335	
TMP-SPM2	5/29/2018	172	138.2	323	
TMP-SPM2	6/4/2018	20	153.6	475	
TMP-SPM2	6/4/2018	40	186.0	455	
TMP-SPM2	6/4/2018	60	185.9	435	
TMP-SPM2	6/4/2018	80	185.5	415	
TMP-SPM2	6/4/2018	100	203.2	395	
TMP-SPM2	6/4/2018	120	194.0	375	
TMP-SPM2	6/4/2018	140	181.3	355	
TMP-SPM2	6/4/2018	160	157.8	335	
TMP-SPM2	6/4/2018	172	140.4	323	
TMP-SPM2	6/11/2018	20	153.3	475	
TMP-SPM2	6/11/2018	40	185.6	455	
TMP-SPM2	6/11/2018	60	185.6	435	
TMP-SPM2	6/11/2018	80	185.7	415	
TMP-SPM2	6/11/2018	100	203.5	395	
TMP-SPM2	6/11/2018	120	194.3	375	
TMP-SPM2	6/11/2018	140	181.5	355	
TMP-SPM2	6/11/2018	160	157.9	335	
TMP-SPM2	6/11/2018	172	140.3	323	
TMP-SPM2	6/18/2018	20	152.8	475	
TMP-SPM2	6/18/2018	40	185.2	455	
TMP-SPM2	6/18/2018	60	185.1	435	
TMP-SPM2	6/18/2018	80	185.2	415	
TMP-SPM2	6/18/2018	100	203.3	395	
TMP-SPM2	6/18/2018	120	193.9	375	
TMP-SPM2	6/18/2018	140	181.0	355	
TMP-SPM2	6/18/2018	160	157.1	335	
TMP-SPM2	6/18/2018	172	139.5	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	5/21/2018	20	125.6	478	
TMP-SPM3	5/21/2018	40	128.3	458	
TMP-SPM3	5/21/2018	60	124.3	438	
TMP-SPM3	5/21/2018	80	125.3	418	
TMP-SPM3	5/21/2018	85	125.7	413	
TMP-SPM3	5/29/2018	20	125.1	478	
TMP-SPM3	5/29/2018	40	128.0	458	
TMP-SPM3	5/29/2018	60	123.9	438	
TMP-SPM3	5/29/2018	80	125.0	418	
TMP-SPM3	5/29/2018	85	125.4	413	
TMP-SPM3	6/4/2018	20	124.9	478	
TMP-SPM3	6/4/2018	40	127.8	458	
TMP-SPM3	6/4/2018	60	123.7	438	
TMP-SPM3	6/4/2018	80	125.0	418	
TMP-SPM3	6/4/2018	85	125.6	413	
TMP-SPM3	6/11/2018	20	124.1	478	
TMP-SPM3	6/11/2018	40	127.5	458	
TMP-SPM3	6/11/2018	60	123.4	438	
TMP-SPM3	6/11/2018	80	124.7	418	
TMP-SPM3	6/11/2018	85	125.1	413	
TMP-SPM3	6/18/2018	20	122.5	478	
TMP-SPM3	6/18/2018	40	126.0	458	
TMP-SPM3	6/18/2018	60	121.7	438	
TMP-SPM3	6/18/2018	80	123.3	418	
TMP-SPM3	6/18/2018	85	123.9	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	5/21/2018	20	127.3	475	
TMP-SPM4	5/21/2018	40	149.5	455	
TMP-SPM4	5/21/2018	60	154.2	435	
TMP-SPM4	5/21/2018	80	156.1	415	
TMP-SPM4	5/21/2018	100	152.9	395	
TMP-SPM4	5/21/2018	120	144.3	375	
TMP-SPM4	5/21/2018	140	138.3	355	
TMP-SPM4	5/21/2018	160	131.0	335	
TMP-SPM4	5/21/2018	180	124.0	315	
TMP-SPM4	5/21/2018	200	113.5	295	
TMP-SPM4	5/21/2018	220	97.4	275	
TMP-SPM4	5/21/2018	240	90.2	255	
TMP-SPM4	5/29/2018	20	127.3	475	
TMP-SPM4	5/29/2018	40	149.4	455	
TMP-SPM4	5/29/2018	60	154.0	435	
TMP-SPM4	5/29/2018	80	155.8	415	
TMP-SPM4	5/29/2018	100	152.7	395	
TMP-SPM4	5/29/2018	120	144.1	375	
TMP-SPM4	5/29/2018	140	138.1	355	
TMP-SPM4	5/29/2018	160	130.9	335	
TMP-SPM4	5/29/2018	180	124.0	315	
TMP-SPM4	5/29/2018	200	113.5	295	
TMP-SPM4	5/29/2018	220	97.5	275	
TMP-SPM4	5/29/2018	240	90.3	255	
TMP-SPM4	6/4/2018	20	128.6	475	
TMP-SPM4	6/4/2018	40	150.9	455	
TMP-SPM4	6/4/2018	60	155.5	435	
TMP-SPM4	6/4/2018	80	157.2	415	
TMP-SPM4	6/4/2018	100	154.0	395	
TMP-SPM4	6/4/2018	120	145.5	375	
TMP-SPM4	6/4/2018	140	139.5	355	
TMP-SPM4	6/4/2018	160	132.4	335	
TMP-SPM4	6/4/2018	180	125.6	315	
TMP-SPM4	6/4/2018	200	115.2	295	
TMP-SPM4	6/4/2018	220	99.1	275	
TMP-SPM4	6/4/2018	240	91.8	255	
TMP-SPM4	6/11/2018	20	126.8	475	
TMP-SPM4	6/11/2018	40	148.9	455	
TMP-SPM4	6/11/2018	60	153.5	435	
TMP-SPM4	6/11/2018	80	155.3	415	
TMP-SPM4	6/11/2018	100	152.2	395	
TMP-SPM4	6/11/2018	120	143.6	375	
TMP-SPM4	6/11/2018	140	137.6	355	
TMP-SPM4	6/11/2018	160	130.5	335	
TMP-SPM4	6/11/2018	180	123.6	315	
TMP-SPM4	6/11/2018	200	113.3	295	
TMP-SPM4	6/11/2018	220	97.2	275	
TMP-SPM4	6/11/2018	240	90.0	255	
TMP-SPM4	6/18/2018	20	127.3	475	
TMP-SPM4	6/18/2018	40	149.5	455	
TMP-SPM4	6/18/2018	60	154.1	435	
TMP-SPM4	6/18/2018	80	155.8	415	
TMP-SPM4	6/18/2018	100	152.7	395	
TMP-SPM4	6/18/2018	120	144.3	375	
TMP-SPM4	6/18/2018	140	138.4	355	
TMP-SPM4	6/18/2018	160	131.3	335	
TMP-SPM4	6/18/2018	180	124.5	315	
TMP-SPM4	6/18/2018	200	114.3	295	
TMP-SPM4	6/18/2018	220	98.3	275	
TMP-SPM4	6/18/2018	240	91.0	255	