

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	6/11/2018	20	165.6	473	
TMP-19	6/11/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/11/2018	60	224.0	433	
TMP-19	6/11/2018	80	228.8	413	
TMP-19	6/11/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/18/2018	20	163.0	473	
TMP-19	6/18/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/18/2018	60	223.4	433	
TMP-19	6/18/2018	80	228.3	413	
TMP-19	6/18/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	6/25/2018	20	163.2	473	
TMP-19	6/25/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/25/2018	60	224.0	433	
TMP-19	6/25/2018	80	228.8	413	
TMP-19	6/25/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/2/2018	20	161.6	473	
TMP-19	7/2/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/2/2018	60	223.0	433	
TMP-19	7/2/2018	80	228.0	413	
TMP-19	7/2/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/9/2018	20	160.6	473	
TMP-19	7/9/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/9/2018	60	222.5	433	
TMP-19	7/9/2018	80	227.2	413	
TMP-19	7/9/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	6/11/2018	20	123.5	478	
TMP-20	6/11/2018	40	184.8	458	
TMP-20	6/11/2018	60	225.3	438	
TMP-20	6/11/2018	80	237.0	418	
TMP-20	6/11/2018	100	248.9	398	
TMP-20	6/11/2018	120	260.9	378	
TMP-20	6/11/2018	140	257.0	358	
TMP-20	6/18/2018	20	122.6	478	
TMP-20	6/18/2018	40	183.7	458	
TMP-20	6/18/2018	60	224.6	438	
TMP-20	6/18/2018	80	236.4	418	
TMP-20	6/18/2018	100	248.3	398	
TMP-20	6/18/2018	120	260.3	378	
TMP-20	6/18/2018	140	256.3	358	
TMP-20	6/25/2018	20	123.2	478	
TMP-20	6/25/2018	40	184.0	458	
TMP-20	6/25/2018	60	224.9	438	
TMP-20	6/25/2018	80	236.8	418	
TMP-20	6/25/2018	100	248.8	398	
TMP-20	6/25/2018	120	260.9	378	
TMP-20	6/25/2018	140	256.8	358	
TMP-20	7/2/2018	20	122.0	478	
TMP-20	7/2/2018	40	183.2	458	
TMP-20	7/2/2018	60	224.7	438	
TMP-20	7/2/2018	80	236.9	418	
TMP-20	7/2/2018	100	249.0	398	
TMP-20	7/2/2018	120	261.1	378	
TMP-20	7/2/2018	140	256.7	358	
TMP-20	7/9/2018	20	121.8	478	
TMP-20	7/9/2018	40	181.4	458	
TMP-20	7/9/2018	60	223.7	438	
TMP-20	7/9/2018	80	235.6	418	
TMP-20	7/9/2018	100	247.5	398	
TMP-20	7/9/2018	120	259.6	378	
TMP-20	7/9/2018	140	255.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	6/11/2018	20	120.3	475	
TMP-10-9N	6/11/2018	40	140.9	455	
TMP-10-9N	6/11/2018	60	148.5	435	
TMP-10-9N	6/11/2018	80	146.6	415	
TMP-10-9N	6/11/2018	100	155.1	395	
TMP-10-9N	6/18/2018	20	120.5	475	
TMP-10-9N	6/18/2018	40	141.5	455	
TMP-10-9N	6/18/2018	60	149.2	435	
TMP-10-9N	6/18/2018	80	147.4	415	
TMP-10-9N	6/18/2018	100	155.9	395	
TMP-10-9N	6/25/2018	20	122.1	475	
TMP-10-9N	6/25/2018	40	143.4	455	
TMP-10-9N	6/25/2018	60	151.4	435	
TMP-10-9N	6/25/2018	80	149.4	415	
TMP-10-9N	6/25/2018	100	157.8	395	
TMP-10-9N	7/2/2018	20	120.6	475	
TMP-10-9N	7/2/2018	40	141.9	455	
TMP-10-9N	7/2/2018	60	150.1	435	
TMP-10-9N	7/2/2018	80	148.2	415	
TMP-10-9N	7/2/2018	100	156.7	395	
TMP-10-9N	7/9/2018	20	119.9	475	
TMP-10-9N	7/9/2018	40	141.8	455	
TMP-10-9N	7/9/2018	60	150.1	435	
TMP-10-9N	7/9/2018	80	148.2	415	
TMP-10-9N	7/9/2018	100	156.9	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	6/11/2018	20	119.2	476	
TMP-10-9S	6/11/2018	40	169.5	456	
TMP-10-9S	6/11/2018	60	192.1	436	
TMP-10-9S	6/11/2018	80	195.4	416	
TMP-10-9S	6/11/2018	100	210.3	396	
TMP-10-9S	6/18/2018	20	118.9	476	
TMP-10-9S	6/18/2018	40	171.1	456	
TMP-10-9S	6/18/2018	60	192.4	436	
TMP-10-9S	6/18/2018	80	195.2	416	
TMP-10-9S	6/18/2018	100	209.9	396	
TMP-10-9S	6/25/2018	20	120.3	476	
TMP-10-9S	6/25/2018	40	173.4	456	
TMP-10-9S	6/25/2018	60	193.7	436	
TMP-10-9S	6/25/2018	80	196.3	416	
TMP-10-9S	6/25/2018	100	211.0	396	
TMP-10-9S	7/2/2018	20	119.2	476	
TMP-10-9S	7/2/2018	40	172.8	456	
TMP-10-9S	7/2/2018	60	192.8	436	
TMP-10-9S	7/2/2018	80	195.6	416	
TMP-10-9S	7/2/2018	100	210.1	396	
TMP-10-9S	7/9/2018	20	118.1	476	
TMP-10-9S	7/9/2018	40	171.1	456	
TMP-10-9S	7/9/2018	60	191.9	436	
TMP-10-9S	7/9/2018	80	194.9	416	
TMP-10-9S	7/9/2018	100	209.7	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	6/11/2018	20	104.4	478	
TMP-10-5N	6/11/2018	40	113.9	458	
TMP-10-5N	6/11/2018	60	115.0	438	
TMP-10-5N	6/11/2018	80	107.5	418	
TMP-10-5N	6/11/2018	100	103.8	398	
TMP-10-5N	6/18/2018	20	105.4	478	
TMP-10-5N	6/18/2018	40	114.9	458	
TMP-10-5N	6/18/2018	60	116.0	438	
TMP-10-5N	6/18/2018	80	108.2	418	
TMP-10-5N	6/18/2018	100	104.7	398	
TMP-10-5N	6/25/2018	20	106.8	478	
TMP-10-5N	6/25/2018	40	116.1	458	
TMP-10-5N	6/25/2018	60	117.0	438	
TMP-10-5N	6/25/2018	80	108.3	418	
TMP-10-5N	6/25/2018	100	104.2	398	
TMP-10-5N	7/2/2018	20	105.4	478	
TMP-10-5N	7/2/2018	40	115.7	458	
TMP-10-5N	7/2/2018	60	117.4	438	
TMP-10-5N	7/2/2018	80	109.8	418	
TMP-10-5N	7/2/2018	100	105.9	398	
TMP-10-5N	7/9/2018	20	105.2	478	
TMP-10-5N	7/9/2018	40	116.5	458	
TMP-10-5N	7/9/2018	60	118.3	438	
TMP-10-5N	7/9/2018	80	109.6	418	
TMP-10-5N	7/9/2018	100	105.3	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	6/11/2018	20	111.9	477	
TMP-10-5S	6/11/2018	40	144.5	457	
TMP-10-5S	6/11/2018	60	169.9	437	
TMP-10-5S	6/11/2018	80	179.7	417	
TMP-10-5S	6/11/2018	100	193.1	397	
TMP-10-5S	6/18/2018	20	111.4	477	
TMP-10-5S	6/18/2018	40	144.7	457	
TMP-10-5S	6/18/2018	60	169.7	437	
TMP-10-5S	6/18/2018	80	179.4	417	
TMP-10-5S	6/18/2018	100	192.8	397	
TMP-10-5S	6/25/2018	20	112.5	477	
TMP-10-5S	6/25/2018	40	146.2	457	
TMP-10-5S	6/25/2018	60	171.5	437	
TMP-10-5S	6/25/2018	80	181.0	417	
TMP-10-5S	6/25/2018	100	194.2	397	
TMP-10-5S	7/2/2018	20	111.5	477	
TMP-10-5S	7/2/2018	40	144.8	457	
TMP-10-5S	7/2/2018	60	170.4	437	
TMP-10-5S	7/2/2018	80	180.1	417	
TMP-10-5S	7/2/2018	100	193.2	397	
TMP-10-5S	7/9/2018	20	110.5	477	
TMP-10-5S	7/9/2018	40	143.7	457	
TMP-10-5S	7/9/2018	60	169.6	437	
TMP-10-5S	7/9/2018	80	179.2	417	
TMP-10-5S	7/9/2018	100	192.2	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	6/11/2018	20	107.9	476	
TMP-5-9N	6/11/2018	40	149.2	456	
TMP-5-9N	6/11/2018	60	155.8	436	
TMP-5-9N	6/11/2018	80	249.8	416	
TMP-5-9N	6/11/2018	100	259.6	396	
TMP-5-9N	6/18/2018	20	109.1	476	
TMP-5-9N	6/18/2018	40	151.4	456	
TMP-5-9N	6/18/2018	60	157.9	436	
TMP-5-9N	6/18/2018	80	250.4	416	
TMP-5-9N	6/18/2018	100	260.4	396	
TMP-5-9N	6/25/2018	20	109.0	476	
TMP-5-9N	6/25/2018	40	152.1	456	
TMP-5-9N	6/25/2018	60	158.6	436	
TMP-5-9N	6/25/2018	80	250.4	416	
TMP-5-9N	6/25/2018	100	260.3	396	
TMP-5-9N	7/2/2018	20	109.3	476	
TMP-5-9N	7/2/2018	40	152.5	456	
TMP-5-9N	7/2/2018	60	158.7	436	
TMP-5-9N	7/2/2018	80	250.2	416	
TMP-5-9N	7/2/2018	100	260.0	396	
TMP-5-9N	7/9/2018	20	108.1	476	
TMP-5-9N	7/9/2018	40	152.4	456	
TMP-5-9N	7/9/2018	60	158.8	436	
TMP-5-9N	7/9/2018	80	249.1	416	
TMP-5-9N	7/9/2018	100	259.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	6/11/2018	20	127.9	476	
TMP-5-9S	6/11/2018	40	206.9	456	
TMP-5-9S	6/11/2018	60	231.5	436	
TMP-5-9S	6/11/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/11/2018	100	261.4	396	
TMP-5-9S	6/18/2018	20	128.0	476	
TMP-5-9S	6/18/2018	40	204.8	456	
TMP-5-9S	6/18/2018	60	231.0	436	
TMP-5-9S	6/18/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/18/2018	100	261.0	396	
TMP-5-9S	6/25/2018	20	129.1	476	
TMP-5-9S	6/25/2018	40	206.8	456	
TMP-5-9S	6/25/2018	60	232.2	436	
TMP-5-9S	6/25/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/25/2018	100	262.2	396	
TMP-5-9S	7/2/2018	20	127.7	476	
TMP-5-9S	7/2/2018	40	205.5	456	
TMP-5-9S	7/2/2018	60	231.3	436	
TMP-5-9S	7/2/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/2/2018	100	261.4	396	
TMP-5-9S	7/9/2018	20	127.4	476	
TMP-5-9S	7/9/2018	40	204.7	456	
TMP-5-9S	7/9/2018	60	231.0	436	
TMP-5-9S	7/9/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/9/2018	100	261.0	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	6/11/2018	20	104.4	475	
TMP-5-5N	6/11/2018	40	108.8	455	
TMP-5-5N	6/11/2018	60	103.1	435	
TMP-5-5N	6/11/2018	80	247.7	415	
TMP-5-5N	6/11/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/18/2018	20	105.8	475	
TMP-5-5N	6/18/2018	40	111.5	455	
TMP-5-5N	6/18/2018	60	104.1	435	
TMP-5-5N	6/18/2018	80	249.2	415	
TMP-5-5N	6/18/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/25/2018	20	105.5	475	
TMP-5-5N	6/25/2018	40	109.8	455	
TMP-5-5N	6/25/2018	60	103.7	435	
TMP-5-5N	6/25/2018	80	249.0	415	
TMP-5-5N	6/25/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/2/2018	20	105.8	475	
TMP-5-5N	7/2/2018	40	111.8	455	
TMP-5-5N	7/2/2018	60	106.7	435	
TMP-5-5N	7/2/2018	80	249.0	415	
TMP-5-5N	7/2/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/9/2018	20	105.1	475	
TMP-5-5N	7/9/2018	40	109.9	455	
TMP-5-5N	7/9/2018	60	104.2	435	
TMP-5-5N	7/9/2018	80	247.8	415	
TMP-5-5N	7/9/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	6/11/2018	20	127.1	474	
TMP-5-5S	6/11/2018	40	198.5	454	
TMP-5-5S	6/11/2018	60	225.3	434	
TMP-5-5S	6/11/2018	80	249.0	414	
TMP-5-5S	6/11/2018	100	252.2	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	6/18/2018	20	126.7	474	
TMP-5-5S	6/18/2018	40	199.2	454	
TMP-5-5S	6/18/2018	60	225.5	434	
TMP-5-5S	6/18/2018	80	249.4	414	
TMP-5-5S	6/18/2018	100	252.4	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	6/25/2018	20	127.2	474	
TMP-5-5S	6/25/2018	40	199.9	454	
TMP-5-5S	6/25/2018	60	227.0	434	
TMP-5-5S	6/25/2018	80	250.5	414	
TMP-5-5S	6/25/2018	100	253.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/2/2018	20	125.7	474	
TMP-5-5S	7/2/2018	40	198.5	454	
TMP-5-5S	7/2/2018	60	225.8	434	
TMP-5-5S	7/2/2018	80	249.3	414	
TMP-5-5S	7/2/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/9/2018	20	125.8	474	
TMP-5-5S	7/9/2018	40	197.9	454	
TMP-5-5S	7/9/2018	60	226.1	434	
TMP-5-5S	7/9/2018	80	249.4	414	
TMP-5-5S	7/9/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	6/11/2018	20	193.9	474	
TMP-31	6/11/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	60	235.7	434	
TMP-31	6/11/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/11/2018	120	273.7	374	
TMP-31	6/18/2018	20	195.1	474	
TMP-31	6/18/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	60	235.4	434	
TMP-31	6/18/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/18/2018	120	273.6	374	
TMP-31	6/25/2018	20	194.8	474	
TMP-31	6/25/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	60	235.8	434	
TMP-31	6/25/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	120	274.3	374	
TMP-31	7/2/2018	20	194.8	474	
TMP-31	7/2/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	60	234.8	434	
TMP-31	7/2/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	120	273.4	374	
TMP-31	7/9/2018	20	195.2	474	
TMP-31	7/9/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	60	234.9	434	
TMP-31	7/9/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	120	273.5	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	6/11/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	60	233.5	444	
TMP-32	6/11/2018	80	252.8	424	
TMP-32	6/11/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/11/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	60	234.3	444	
TMP-32	6/18/2018	80	252.6	424	
TMP-32	6/18/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/18/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	60	234.8	444	
TMP-32	6/25/2018	80	252.5	424	
TMP-32	6/25/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	60	236.7	444	
TMP-32	7/2/2018	80	252.8	424	
TMP-32	7/2/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	60	236.2	444	
TMP-32	7/9/2018	80	252.4	424	
TMP-32	7/9/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	6/11/2018	20	161.1	473	
TMP-SPM1	6/11/2018	40	196.7	453	
TMP-SPM1	6/11/2018	60	198.2	433	
TMP-SPM1	6/11/2018	80	192.4	413	
TMP-SPM1	6/11/2018	100	180.4	393	
TMP-SPM1	6/11/2018	120	164.3	373	
TMP-SPM1	6/11/2018	140	158.0	353	
TMP-SPM1	6/11/2018	160	140.4	333	
TMP-SPM1	6/11/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/11/2018	200	106.6	293	
TMP-SPM1	6/11/2018	220	91.1	273	
TMP-SPM1	6/11/2018	240	87.8	253	
TMP-SPM1	6/18/2018	20	162.1	473	
TMP-SPM1	6/18/2018	40	196.7	453	
TMP-SPM1	6/18/2018	60	198.3	433	
TMP-SPM1	6/18/2018	80	192.2	413	
TMP-SPM1	6/18/2018	100	180.7	393	
TMP-SPM1	6/18/2018	120	167.1	373	
TMP-SPM1	6/18/2018	140	158.7	353	
TMP-SPM1	6/18/2018	160	141.1	333	
TMP-SPM1	6/18/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/18/2018	200	107.3	293	
TMP-SPM1	6/18/2018	220	91.8	273	
TMP-SPM1	6/18/2018	240	88.4	253	
TMP-SPM1	6/25/2018	20	161.1	473	
TMP-SPM1	6/25/2018	40	196.3	453	
TMP-SPM1	6/25/2018	60	197.7	433	
TMP-SPM1	6/25/2018	80	191.4	413	
TMP-SPM1	6/25/2018	100	179.9	393	
TMP-SPM1	6/25/2018	120	168.1	373	
TMP-SPM1	6/25/2018	140	157.7	353	
TMP-SPM1	6/25/2018	160	140.1	333	
TMP-SPM1	6/25/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/25/2018	200	106.3	293	
TMP-SPM1	6/25/2018	220	90.9	273	
TMP-SPM1	6/25/2018	240	87.5	253	
TMP-SPM1	7/2/2018	20	161.6	473	
TMP-SPM1	7/2/2018	40	197.0	453	
TMP-SPM1	7/2/2018	60	198.7	433	
TMP-SPM1	7/2/2018	80	192.3	413	
TMP-SPM1	7/2/2018	100	181.1	393	
TMP-SPM1	7/2/2018	120	169.5	373	
TMP-SPM1	7/2/2018	140	159.4	353	
TMP-SPM1	7/2/2018	160	141.9	333	
TMP-SPM1	7/2/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/2/2018	200	108.4	293	
TMP-SPM1	7/2/2018	220	93.0	273	
TMP-SPM1	7/2/2018	240	89.6	253	
TMP-SPM1	7/9/2018	20	161.2	473	
TMP-SPM1	7/9/2018	40	196.5	453	
TMP-SPM1	7/9/2018	60	198.3	433	
TMP-SPM1	7/9/2018	80	191.5	413	
TMP-SPM1	7/9/2018	100	180.6	393	
TMP-SPM1	7/9/2018	120	169.0	373	
TMP-SPM1	7/9/2018	140	158.8	353	
TMP-SPM1	7/9/2018	160	141.3	333	
TMP-SPM1	7/9/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/9/2018	200	107.7	293	
TMP-SPM1	7/9/2018	220	92.4	273	
TMP-SPM1	7/9/2018	240	89.3	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	6/11/2018	20	153.3	475	
TMP-SPM2	6/11/2018	40	185.6	455	
TMP-SPM2	6/11/2018	60	185.6	435	
TMP-SPM2	6/11/2018	80	185.7	415	
TMP-SPM2	6/11/2018	100	203.5	395	
TMP-SPM2	6/11/2018	120	194.3	375	
TMP-SPM2	6/11/2018	140	181.5	355	
TMP-SPM2	6/11/2018	160	157.9	335	
TMP-SPM2	6/11/2018	172	140.3	323	
TMP-SPM2	6/18/2018	20	152.8	475	
TMP-SPM2	6/18/2018	40	185.2	455	
TMP-SPM2	6/18/2018	60	185.1	435	
TMP-SPM2	6/18/2018	80	185.2	415	
TMP-SPM2	6/18/2018	100	203.3	395	
TMP-SPM2	6/18/2018	120	193.9	375	
TMP-SPM2	6/18/2018	140	181.0	355	
TMP-SPM2	6/18/2018	160	157.1	335	
TMP-SPM2	6/18/2018	172	139.5	323	
TMP-SPM2	6/25/2018	20	153.2	475	
TMP-SPM2	6/25/2018	40	185.8	455	
TMP-SPM2	6/25/2018	60	185.8	435	
TMP-SPM2	6/25/2018	80	186.4	415	
TMP-SPM2	6/25/2018	100	204.6	395	
TMP-SPM2	6/25/2018	120	195.2	375	
TMP-SPM2	6/25/2018	140	182.5	355	
TMP-SPM2	6/25/2018	160	158.7	335	
TMP-SPM2	6/25/2018	172	141.1	323	
TMP-SPM2	7/2/2018	20	152.1	475	
TMP-SPM2	7/2/2018	40	184.8	455	
TMP-SPM2	7/2/2018	60	184.8	435	
TMP-SPM2	7/2/2018	80	185.6	415	
TMP-SPM2	7/2/2018	100	204.0	395	
TMP-SPM2	7/2/2018	120	194.6	375	
TMP-SPM2	7/2/2018	140	182.0	355	
TMP-SPM2	7/2/2018	160	158.0	335	
TMP-SPM2	7/2/2018	172	140.4	323	
TMP-SPM2	7/9/2018	20	151.8	475	
TMP-SPM2	7/9/2018	40	184.6	455	
TMP-SPM2	7/9/2018	60	184.6	435	
TMP-SPM2	7/9/2018	80	185.7	415	
TMP-SPM2	7/9/2018	100	204.2	395	
TMP-SPM2	7/9/2018	120	194.7	375	
TMP-SPM2	7/9/2018	140	182.2	355	
TMP-SPM2	7/9/2018	160	158.3	335	
TMP-SPM2	7/9/2018	172	140.7	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	6/11/2018	20	124.1	478	
TMP-SPM3	6/11/2018	40	127.5	458	
TMP-SPM3	6/11/2018	60	123.4	438	
TMP-SPM3	6/11/2018	80	124.7	418	
TMP-SPM3	6/11/2018	85	125.1	413	
TMP-SPM3	6/18/2018	20	122.5	478	
TMP-SPM3	6/18/2018	40	126.0	458	
TMP-SPM3	6/18/2018	60	121.7	438	
TMP-SPM3	6/18/2018	80	123.3	418	
TMP-SPM3	6/18/2018	85	123.9	413	
TMP-SPM3	6/25/2018	20	123.2	478	
TMP-SPM3	6/25/2018	40	127.2	458	
TMP-SPM3	6/25/2018	60	123.0	438	
TMP-SPM3	6/25/2018	80	124.6	418	
TMP-SPM3	6/25/2018	85	125.1	413	
TMP-SPM3	7/2/2018	20	121.8	478	
TMP-SPM3	7/2/2018	40	125.9	458	
TMP-SPM3	7/2/2018	60	121.6	438	
TMP-SPM3	7/2/2018	80	123.3	418	
TMP-SPM3	7/2/2018	85	123.9	413	
TMP-SPM3	7/9/2018	20	120.8	478	
TMP-SPM3	7/9/2018	40	125.4	458	
TMP-SPM3	7/9/2018	60	121.3	438	
TMP-SPM3	7/9/2018	80	123.1	418	
TMP-SPM3	7/9/2018	85	123.8	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	6/11/2018	20	126.8	475	
TMP-SPM4	6/11/2018	40	148.9	455	
TMP-SPM4	6/11/2018	60	153.5	435	
TMP-SPM4	6/11/2018	80	155.3	415	
TMP-SPM4	6/11/2018	100	152.2	395	
TMP-SPM4	6/11/2018	120	143.6	375	
TMP-SPM4	6/11/2018	140	137.6	355	
TMP-SPM4	6/11/2018	160	130.5	335	
TMP-SPM4	6/11/2018	180	123.6	315	
TMP-SPM4	6/11/2018	200	113.3	295	
TMP-SPM4	6/11/2018	220	97.2	275	
TMP-SPM4	6/11/2018	240	90.0	255	
TMP-SPM4	6/18/2018	40	149.5	455	
TMP-SPM4	6/18/2018	60	154.1	435	
TMP-SPM4	6/18/2018	80	155.8	415	
TMP-SPM4	6/18/2018	100	152.7	395	
TMP-SPM4	6/18/2018	120	144.3	375	
TMP-SPM4	6/18/2018	140	138.4	355	
TMP-SPM4	6/18/2018	160	131.3	335	
TMP-SPM4	6/18/2018	180	124.5	315	
TMP-SPM4	6/18/2018	200	114.3	295	
TMP-SPM4	6/18/2018	220	98.3	275	
TMP-SPM4	6/18/2018	240	91.0	255	
TMP-SPM4	6/25/2018	20	126.5	475	
TMP-SPM4	6/25/2018	40	148.6	455	
TMP-SPM4	6/25/2018	60	153.2	435	
TMP-SPM4	6/25/2018	80	154.8	415	
TMP-SPM4	6/25/2018	100	151.7	395	
TMP-SPM4	6/25/2018	120	143.3	375	
TMP-SPM4	6/25/2018	140	137.3	355	
TMP-SPM4	6/25/2018	160	130.2	335	
TMP-SPM4	6/25/2018	180	123.4	315	
TMP-SPM4	6/25/2018	200	113.3	295	
TMP-SPM4	6/25/2018	220	97.4	275	
TMP-SPM4	6/25/2018	240	90.2	255	
TMP-SPM4	7/2/2018	20	127.4	475	
TMP-SPM4	7/2/2018	40	149.7	455	
TMP-SPM4	7/2/2018	60	154.3	435	
TMP-SPM4	7/2/2018	80	155.8	415	
TMP-SPM4	7/2/2018	100	152.8	395	
TMP-SPM4	7/2/2018	120	144.4	375	
TMP-SPM4	7/2/2018	140	138.4	355	
TMP-SPM4	7/2/2018	160	131.3	335	
TMP-SPM4	7/2/2018	180	124.6	315	
TMP-SPM4	7/2/2018	200	114.5	295	
TMP-SPM4	7/2/2018	220	98.6	275	
TMP-SPM4	7/2/2018	240	91.3	255	
TMP-SPM4	7/9/2018	20	127.0	475	
TMP-SPM4	7/9/2018	40	149.3	455	
TMP-SPM4	7/9/2018	60	153.9	435	
TMP-SPM4	7/9/2018	80	155.4	415	
TMP-SPM4	7/9/2018	100	152.4	395	
TMP-SPM4	7/9/2018	120	144.0	375	
TMP-SPM4	7/9/2018	140	138.2	355	
TMP-SPM4	7/9/2018	160	131.1	335	
TMP-SPM4	7/9/2018	180	124.5	315	
TMP-SPM4	7/9/2018	200	114.5	295	
TMP-SPM4	7/9/2018	220	98.7	275	
TMP-SPM4	7/9/2018	240	91.4	255	