

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-19	6/25/2018	20	163.2	473	
TMP-19	6/25/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	6/25/2018	60	224.0	433	
TMP-19	6/25/2018	80	228.8	413	
TMP-19	6/25/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/2/2018	20	161.6	473	
TMP-19	7/2/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/2/2018	60	223.0	433	
TMP-19	7/2/2018	80	228.0	413	
TMP-19	7/2/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/9/2018	20	160.6	473	
TMP-19	7/9/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/9/2018	60	222.5	433	
TMP-19	7/9/2018	80	227.2	413	
TMP-19	7/9/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/16/2018	20	159.9	473	
TMP-19	7/16/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/16/2018	60	222	433	
TMP-19	7/16/2018	80	226.8	413	
TMP-19	7/16/2018	140		353	[not reliable - connectivity test 06/12/2015]
TMP-19	7/23/2018	20	161.3	473	
TMP-19	7/23/2018	40		453	[not reliable - connectivity test 06/12/2015]
TMP-19	7/23/2018	60	222.7	433	
TMP-19	7/23/2018	80	227.4	413	
TMP-19	7/23/2018	140		353	[not reliable - connectivity test 06/12/2015]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-20	6/25/2018	20	123.2	478	
TMP-20	6/25/2018	40	184.0	458	
TMP-20	6/25/2018	60	224.9	438	
TMP-20	6/25/2018	80	236.8	418	
TMP-20	6/25/2018	100	248.8	398	
TMP-20	6/25/2018	120	260.9	378	
TMP-20	6/25/2018	140	256.8	358	
TMP-20	7/2/2018	20	122.0	478	
TMP-20	7/2/2018	40	183.2	458	
TMP-20	7/2/2018	60	224.7	438	
TMP-20	7/2/2018	80	236.9	418	
TMP-20	7/2/2018	100	249.0	398	
TMP-20	7/2/2018	120	261.1	378	
TMP-20	7/2/2018	140	256.7	358	
TMP-20	7/9/2018	20	121.8	478	
TMP-20	7/9/2018	40	181.4	458	
TMP-20	7/9/2018	60	223.7	438	
TMP-20	7/9/2018	80	235.6	418	
TMP-20	7/9/2018	100	247.5	398	
TMP-20	7/9/2018	120	259.6	378	
TMP-20	7/9/2018	140	255.5	358	
TMP-20	7/16/2018	20	121.1	478	
TMP-20	7/16/2018	40	181.5	458	
TMP-20	7/16/2018	60	223.5	438	
TMP-20	7/16/2018	80	235.4	418	
TMP-20	7/16/2018	100	247.3	398	
TMP-20	7/16/2018	120	259.4	378	
TMP-20	7/16/2018	140	255.1	358	
TMP-20	7/23/2018	20	122.0	478	
TMP-20	7/23/2018	40	182.0	458	
TMP-20	7/23/2018	60	223.5	438	
TMP-20	7/23/2018	80	235.6	418	
TMP-20	7/23/2018	100	247.6	398	
TMP-20	7/23/2018	120	259.9	378	
TMP-20	7/23/2018	140	255.5	358	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9N	6/25/2018	20	122.1	475	
TMP-10-9N	6/25/2018	40	143.4	455	
TMP-10-9N	6/25/2018	60	151.4	435	
TMP-10-9N	6/25/2018	80	149.4	415	
TMP-10-9N	6/25/2018	100	157.8	395	
TMP-10-9N	7/2/2018	20	120.6	475	
TMP-10-9N	7/2/2018	40	141.9	455	
TMP-10-9N	7/2/2018	60	150.1	435	
TMP-10-9N	7/2/2018	80	148.2	415	
TMP-10-9N	7/2/2018	100	156.7	395	
TMP-10-9N	7/9/2018	20	119.9	475	
TMP-10-9N	7/9/2018	40	141.8	455	
TMP-10-9N	7/9/2018	60	150.1	435	
TMP-10-9N	7/9/2018	80	148.2	415	
TMP-10-9N	7/9/2018	100	156.9	395	
TMP-10-9N	7/16/2018	20	118.9	475	
TMP-10-9N	7/16/2018	40	141.2	455	
TMP-10-9N	7/16/2018	60	150.0	435	
TMP-10-9N	7/16/2018	80	148.0	415	
TMP-10-9N	7/16/2018	100	156.7	395	
TMP-10-9N	7/23/2018	20	120.4	475	
TMP-10-9N	7/23/2018	40	142.2	455	
TMP-10-9N	7/23/2018	60	151.0	435	
TMP-10-9N	7/23/2018	80	148.8	415	
TMP-10-9N	7/23/2018	100	157.3	395	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-9S	6/25/2018	20	120.3	476	
TMP-10-9S	6/25/2018	40	173.4	456	
TMP-10-9S	6/25/2018	60	193.7	436	
TMP-10-9S	6/25/2018	80	196.3	416	
TMP-10-9S	6/25/2018	100	211.0	396	
TMP-10-9S	7/2/2018	20	119.2	476	
TMP-10-9S	7/2/2018	40	172.8	456	
TMP-10-9S	7/2/2018	60	192.8	436	
TMP-10-9S	7/2/2018	80	195.6	416	
TMP-10-9S	7/2/2018	100	210.1	396	
TMP-10-9S	7/9/2018	20	118.1	476	
TMP-10-9S	7/9/2018	40	171.1	456	
TMP-10-9S	7/9/2018	60	191.9	436	
TMP-10-9S	7/9/2018	80	194.9	416	
TMP-10-9S	7/9/2018	100	209.7	396	
TMP-10-9S	7/16/2018	20	118.3	476	
TMP-10-9S	7/16/2018	40	170.9	456	
TMP-10-9S	7/16/2018	60	191.9	436	
TMP-10-9S	7/16/2018	80	194.9	416	
TMP-10-9S	7/16/2018	100	209.5	396	
TMP-10-9S	7/23/2018	20	118.0	476	
TMP-10-9S	7/23/2018	40	169.3	456	
TMP-10-9S	7/23/2018	60	191.6	436	
TMP-10-9S	7/23/2018	80	194.7	416	
TMP-10-9S	7/23/2018	100	209.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5N	6/25/2018	20	106.8	478	
TMP-10-5N	6/25/2018	40	116.1	458	
TMP-10-5N	6/25/2018	60	117.0	438	
TMP-10-5N	6/25/2018	80	108.3	418	
TMP-10-5N	6/25/2018	100	104.2	398	
TMP-10-5N	7/2/2018	20	105.4	478	
TMP-10-5N	7/2/2018	40	115.7	458	
TMP-10-5N	7/2/2018	60	117.4	438	
TMP-10-5N	7/2/2018	80	109.8	418	
TMP-10-5N	7/2/2018	100	105.9	398	
TMP-10-5N	7/9/2018	20	105.2	478	
TMP-10-5N	7/9/2018	40	116.5	458	
TMP-10-5N	7/9/2018	60	118.3	438	
TMP-10-5N	7/9/2018	80	109.6	418	
TMP-10-5N	7/9/2018	100	105.3	398	
TMP-10-5N	7/16/2018	20	104.4	478	
TMP-10-5N	7/16/2018	40	115.3	458	
TMP-10-5N	7/16/2018	60	117.7	438	
TMP-10-5N	7/16/2018	80	109.3	418	
TMP-10-5N	7/16/2018	100	105.7	398	
TMP-10-5N	7/23/2018	20	105.1	478	
TMP-10-5N	7/23/2018	40	115.2	458	
TMP-10-5N	7/23/2018	60	117.6	438	
TMP-10-5N	7/23/2018	80	108.5	418	
TMP-10-5N	7/23/2018	100	104.2	398	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-10-5S	6/25/2018	20	112.5	477	
TMP-10-5S	6/25/2018	40	146.2	457	
TMP-10-5S	6/25/2018	60	171.5	437	
TMP-10-5S	6/25/2018	80	181.0	417	
TMP-10-5S	6/25/2018	100	194.2	397	
TMP-10-5S	7/2/2018	20	111.5	477	
TMP-10-5S	7/2/2018	40	144.8	457	
TMP-10-5S	7/2/2018	60	170.4	437	
TMP-10-5S	7/2/2018	80	180.1	417	
TMP-10-5S	7/2/2018	100	193.2	397	
TMP-10-5S	7/9/2018	20	110.5	477	
TMP-10-5S	7/9/2018	40	143.7	457	
TMP-10-5S	7/9/2018	60	169.6	437	
TMP-10-5S	7/9/2018	80	179.2	417	
TMP-10-5S	7/9/2018	100	192.2	397	
TMP-10-5S	7/16/2018	20	110.7	477	
TMP-10-5S	7/16/2018	40	143.7	457	
TMP-10-5S	7/16/2018	60	169.8	437	
TMP-10-5S	7/16/2018	80	179.4	417	
TMP-10-5S	7/16/2018	100	192.4	397	
TMP-10-5S	7/23/2018	20	111.2	477	
TMP-10-5S	7/23/2018	40	143.9	457	
TMP-10-5S	7/23/2018	60	170.1	437	
TMP-10-5S	7/23/2018	80	179.6	417	
TMP-10-5S	7/23/2018	100	192.4	397	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9N	6/25/2018	20	109.0	476	
TMP-5-9N	6/25/2018	40	152.1	456	
TMP-5-9N	6/25/2018	60	158.6	436	
TMP-5-9N	6/25/2018	80	250.4	416	
TMP-5-9N	6/25/2018	100	260.3	396	
TMP-5-9N	7/2/2018	20	109.3	476	
TMP-5-9N	7/2/2018	40	152.5	456	
TMP-5-9N	7/2/2018	60	158.7	436	
TMP-5-9N	7/2/2018	80	250.2	416	
TMP-5-9N	7/2/2018	100	260.0	396	
TMP-5-9N	7/9/2018	20	108.1	476	
TMP-5-9N	7/9/2018	40	152.4	456	
TMP-5-9N	7/9/2018	60	158.8	436	
TMP-5-9N	7/9/2018	80	249.1	416	
TMP-5-9N	7/9/2018	100	259.0	396	
TMP-5-9N	7/16/2018	20	108.7	476	
TMP-5-9N	7/16/2018	40	153.1	456	
TMP-5-9N	7/16/2018	60	159.0	436	
TMP-5-9N	7/16/2018	80	249.2	416	
TMP-5-9N	7/16/2018	100	259.1	396	
TMP-5-9N	7/23/2018	20	109.4	476	
TMP-5-9N	7/23/2018	40	153.7	456	
TMP-5-9N	7/23/2018	60	159.3	436	
TMP-5-9N	7/23/2018	80	249.3	416	
TMP-5-9N	7/23/2018	100	259.3	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-9S	6/25/2018	20	129.1	476	
TMP-5-9S	6/25/2018	40	206.8	456	
TMP-5-9S	6/25/2018	60	232.2	436	
TMP-5-9S	6/25/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	6/25/2018	100	262.2	396	
TMP-5-9S	7/2/2018	20	127.7	476	
TMP-5-9S	7/2/2018	40	205.5	456	
TMP-5-9S	7/2/2018	60	231.3	436	
TMP-5-9S	7/2/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/2/2018	100	261.4	396	
TMP-5-9S	7/9/2018	20	127.4	476	
TMP-5-9S	7/9/2018	40	204.7	456	
TMP-5-9S	7/9/2018	60	231.0	436	
TMP-5-9S	7/9/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/9/2018	100	261.0	396	
TMP-5-9S	7/16/2018	20	126.9	476	
TMP-5-9S	7/16/2018	40	205.3	456	
TMP-5-9S	7/16/2018	60	230.5	436	
TMP-5-9S	7/16/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/16/2018	100	260.9	396	
TMP-5-9S	7/23/2018	20	127.3	476	
TMP-5-9S	7/23/2018	40	204.6	456	
TMP-5-9S	7/23/2018	60	231.3	436	
TMP-5-9S	7/23/2018	80		416	No reliable reading able to be obtained since 8/29/16
TMP-5-9S	7/23/2018	100	261.1	396	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5N	6/18/2018	20	105.8	475	
TMP-5-5N	6/18/2018	40	111.5	455	
TMP-5-5N	6/18/2018	60	104.1	435	
TMP-5-5N	6/18/2018	80	249.2	415	
TMP-5-5N	6/18/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	6/25/2018	20	105.5	475	
TMP-5-5N	6/25/2018	40	109.8	455	
TMP-5-5N	6/25/2018	60	103.7	435	
TMP-5-5N	6/25/2018	80	249.0	415	
TMP-5-5N	6/25/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/2/2018	20	105.8	475	
TMP-5-5N	7/2/2018	40	111.8	455	
TMP-5-5N	7/2/2018	60	106.7	435	
TMP-5-5N	7/2/2018	80	249.0	415	
TMP-5-5N	7/2/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/9/2018	20	105.1	475	
TMP-5-5N	7/9/2018	40	109.9	455	
TMP-5-5N	7/9/2018	60	104.2	435	
TMP-5-5N	7/9/2018	80	247.8	415	
TMP-5-5N	7/9/2018	100		395	No reliable reading able to be obtained since 11/29/16
TMP-5-5N	7/23/2018	20	105.3	475	
TMP-5-5N	7/23/2018	40	109.6	455	
TMP-5-5N	7/23/2018	60	104.3	435	
TMP-5-5N	7/23/2018	80	248.1	415	
TMP-5-5N	7/16/2018	100		395	No reliable reading able to be obtained since 11/29/16

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-5-5S	6/25/2018	20	127.2	474	
TMP-5-5S	6/25/2018	40	199.9	454	
TMP-5-5S	6/25/2018	60	227.0	434	
TMP-5-5S	6/25/2018	80	250.5	414	
TMP-5-5S	6/25/2018	100	253.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/2/2018	20	125.7	474	
TMP-5-5S	7/2/2018	40	198.5	454	
TMP-5-5S	7/2/2018	60	225.8	434	
TMP-5-5S	7/2/2018	80	249.3	414	
TMP-5-5S	7/2/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/9/2018	20	125.8	474	
TMP-5-5S	7/9/2018	40	197.9	454	
TMP-5-5S	7/9/2018	60	226.1	434	
TMP-5-5S	7/9/2018	80	249.4	414	
TMP-5-5S	7/9/2018	100	252.5	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/16/2018	20	125.4	474	
TMP-5-5S	7/16/2018	40	198.2	454	
TMP-5-5S	7/16/2018	60	225.7	434	
TMP-5-5S	7/16/2018	80	249.2	414	
TMP-5-5S	7/16/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable
TMP-5-5S	7/23/2018	20	125.9	474	
TMP-5-5S	7/23/2018	40	199.6	454	
TMP-5-5S	7/23/2018	60	225.9	434	
TMP-5-5S	7/23/2018	80	249.5	414	
TMP-5-5N	7/23/2018	100	252.3	394	previously fluctuating resistivity/no temperature reading could be obtained, possibly unreliable

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-31	6/25/2018	20	194.8	474	
TMP-31	6/25/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	60	235.8	434	
TMP-31	6/25/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	6/25/2018	120	274.3	374	
TMP-31	7/2/2018	20	194.8	474	
TMP-31	7/2/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	60	234.8	434	
TMP-31	7/2/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/2/2018	120	273.4	374	
TMP-31	7/9/2018	20	195.2	474	
TMP-31	7/9/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	60	234.9	434	
TMP-31	7/9/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/9/2018	120	273.5	374	
TMP-31	7/16/2018	20	195.1	474	
TMP-31	7/16/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	60	234.3	434	
TMP-31	7/16/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/16/2018	120	273.0	374	
TMP-31	7/23/2018	20	185.5	474	
TMP-31	7/23/2018	40		454	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	60	235.0	434	
TMP-31	7/23/2018	80		414	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	100		394	fluctuating resistivity/no temperature reading could be obtained
TMP-31	7/23/2018	120	273.6	374	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-32	6/25/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	60	234.8	444	
TMP-32	6/25/2018	80	252.5	424	
TMP-32	6/25/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	6/25/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	60	236.7	444	
TMP-32	7/2/2018	80	252.8	424	
TMP-32	7/2/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/2/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	60	236.2	444	
TMP-32	7/9/2018	80	252.4	424	
TMP-32	7/9/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/9/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	60	236.8	444	
TMP-32	7/16/2018	80	252.7	424	
TMP-32	7/16/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/16/2018	200		304	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	20		484	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	40		464	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	60	236.4	444	
TMP-32	7/23/2018	80	253.0	424	
TMP-32	7/23/2018	100		404	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	120		384	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	140		364	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	160		344	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	180		324	[not reliable per connectivity test 04/14/2017]
TMP-32	7/23/2018	200		304	[not reliable per connectivity test 04/14/2017]

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM1	6/25/2018	20	161.1	473	
TMP-SPM1	6/25/2018	40	196.3	453	
TMP-SPM1	6/25/2018	60	197.7	433	
TMP-SPM1	6/25/2018	80	191.4	413	
TMP-SPM1	6/25/2018	100	179.9	393	
TMP-SPM1	6/25/2018	120	168.1	373	
TMP-SPM1	6/25/2018	140	157.7	353	
TMP-SPM1	6/25/2018	160	140.1	333	
TMP-SPM1	6/25/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	6/25/2018	200	106.3	293	
TMP-SPM1	6/25/2018	220	90.9	273	
TMP-SPM1	6/25/2018	240	87.5	253	
TMP-SPM1	7/2/2018	20	161.6	473	
TMP-SPM1	7/2/2018	40	197.0	453	
TMP-SPM1	7/2/2018	60	198.7	433	
TMP-SPM1	7/2/2018	80	192.3	413	
TMP-SPM1	7/2/2018	100	181.1	393	
TMP-SPM1	7/2/2018	120	169.5	373	
TMP-SPM1	7/2/2018	140	159.4	353	
TMP-SPM1	7/2/2018	160	141.9	333	
TMP-SPM1	7/2/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/2/2018	200	108.4	293	
TMP-SPM1	7/2/2018	220	93.0	273	
TMP-SPM1	7/2/2018	240	89.6	253	
TMP-SPM1	7/9/2018	20	161.2	473	
TMP-SPM1	7/9/2018	40	196.5	453	
TMP-SPM1	7/9/2018	60	198.3	433	
TMP-SPM1	7/9/2018	80	191.5	413	
TMP-SPM1	7/9/2018	100	180.6	393	
TMP-SPM1	7/9/2018	120	169.0	373	
TMP-SPM1	7/9/2018	140	158.8	353	
TMP-SPM1	7/9/2018	160	141.3	333	
TMP-SPM1	7/9/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/9/2018	200	107.7	293	
TMP-SPM1	7/9/2018	220	92.4	273	
TMP-SPM1	7/9/2018	240	89.3	253	
TMP-SPM1	7/16/2018	20	160.8	473	
TMP-SPM1	7/16/2018	40	196.6	453	
TMP-SPM1	7/16/2018	60	198.7	433	
TMP-SPM1	7/16/2018	80	191.7	413	
TMP-SPM1	7/16/2018	100	181.1	393	
TMP-SPM1	7/16/2018	120	169.6	373	
TMP-SPM1	7/16/2018	140	159.4	353	
TMP-SPM1	7/16/2018	160	141.8	333	
TMP-SPM1	7/16/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/16/2018	200	108.2	293	
TMP-SPM1	7/16/2018	220	92.7	273	
TMP-SPM1	7/16/2018	240	89.2	253	
TMP-SPM1	7/23/2018	20	160.7	473	
TMP-SPM1	7/23/2018	40	196.7	453	
TMP-SPM1	7/23/2018	60	198.6	433	
TMP-SPM1	7/23/2018	80	191.3	413	
TMP-SPM1	7/23/2018	100	180.9	393	
TMP-SPM1	7/23/2018	120	169.2	373	
TMP-SPM1	7/23/2018	140	159.1	353	
TMP-SPM1	7/23/2018	160	141.4	333	
TMP-SPM1	7/23/2018	180		313	fluctuating resistivity/no temperature reading could be obtained
TMP-SPM1	7/23/2018	200	107.9	293	
TMP-SPM1	7/23/2018	220	92.5	273	
TMP-SPM1	7/23/2018	240	89.1	253	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM2	6/25/2018	20	153.2	475	
TMP-SPM2	6/25/2018	40	185.8	455	
TMP-SPM2	6/25/2018	60	185.8	435	
TMP-SPM2	6/25/2018	80	186.4	415	
TMP-SPM2	6/25/2018	100	204.6	395	
TMP-SPM2	6/25/2018	120	195.2	375	
TMP-SPM2	6/25/2018	140	182.5	355	
TMP-SPM2	6/25/2018	160	158.7	335	
TMP-SPM2	6/25/2018	172	141.1	323	
TMP-SPM2	7/2/2018	20	152.1	475	
TMP-SPM2	7/2/2018	40	184.8	455	
TMP-SPM2	7/2/2018	60	184.8	435	
TMP-SPM2	7/2/2018	80	185.6	415	
TMP-SPM2	7/2/2018	100	204.0	395	
TMP-SPM2	7/2/2018	120	194.6	375	
TMP-SPM2	7/2/2018	140	182.0	355	
TMP-SPM2	7/2/2018	160	158.0	335	
TMP-SPM2	7/2/2018	172	140.4	323	
TMP-SPM2	7/9/2018	20	151.8	475	
TMP-SPM2	7/9/2018	40	184.6	455	
TMP-SPM2	7/9/2018	60	184.6	435	
TMP-SPM2	7/9/2018	80	185.7	415	
TMP-SPM2	7/9/2018	100	204.2	395	
TMP-SPM2	7/9/2018	120	194.7	375	
TMP-SPM2	7/9/2018	140	182.2	355	
TMP-SPM2	7/9/2018	160	158.3	335	
TMP-SPM2	7/9/2018	172	140.7	323	
TMP-SPM2	7/16/2018	20	149.9	475	
TMP-SPM2	7/16/2018	40	183.6	455	
TMP-SPM2	7/16/2018	60	183.2	435	
TMP-SPM2	7/16/2018	80	184.8	415	
TMP-SPM2	7/16/2018	100	203.3	395	
TMP-SPM2	7/16/2018	120	193.9	375	
TMP-SPM2	7/16/2018	140	181.3	355	
TMP-SPM2	7/16/2018	160	157.0	335	
TMP-SPM2	7/16/2018	172	139.2	323	
TMP-SPM2	7/23/2018	20	150.6	475	
TMP-SPM2	7/23/2018	40	183.8	455	
TMP-SPM2	7/23/2018	60	183.5	435	
TMP-SPM2	7/23/2018	80	185.5	415	
TMP-SPM2	7/23/2018	100	204.0	395	
TMP-SPM2	7/23/2018	120	194.7	375	
TMP-SPM2	7/23/2018	140	182.3	355	
TMP-SPM2	7/23/2018	160	158.0	335	
TMP-SPM2	7/23/2018	172	140.3	323	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM3	6/25/2018	20	123.2	478	
TMP-SPM3	6/25/2018	40	127.2	458	
TMP-SPM3	6/25/2018	60	123.0	438	
TMP-SPM3	6/25/2018	80	124.6	418	
TMP-SPM3	6/25/2018	85	125.1	413	
TMP-SPM3	7/2/2018	20	121.8	478	
TMP-SPM3	7/2/2018	40	125.9	458	
TMP-SPM3	7/2/2018	60	121.6	438	
TMP-SPM3	7/2/2018	80	123.3	418	
TMP-SPM3	7/2/2018	85	123.9	413	
TMP-SPM3	7/9/2018	20	120.8	478	
TMP-SPM3	7/9/2018	40	125.4	458	
TMP-SPM3	7/9/2018	60	121.3	438	
TMP-SPM3	7/9/2018	80	123.1	418	
TMP-SPM3	7/9/2018	85	123.8	413	
TMP-SPM3	7/16/2018	20	119.9	478	
TMP-SPM3	7/16/2018	40	124.8	458	
TMP-SPM3	7/16/2018	60	120.5	438	
TMP-SPM3	7/16/2018	80	122.4	418	
TMP-SPM3	7/16/2018	85	123.0	413	
TMP-SPM3	7/23/2018	20	120.5	478	
TMP-SPM3	7/23/2018	40	125.3	458	
TMP-SPM3	7/23/2018	60	121.0	438	
TMP-SPM3	7/23/2018	80	122.8	418	
TMP-SPM3	7/23/2018	85	123.5	413	

TMP_ID	READ_DATE	DEPTH	READING	ELEVATION	Comments
TMP-SPM4	6/25/2018	20	126.5	475	
TMP-SPM4	6/25/2018	40	148.6	455	
TMP-SPM4	6/25/2018	60	153.2	435	
TMP-SPM4	6/25/2018	80	154.8	415	
TMP-SPM4	6/25/2018	100	151.7	395	
TMP-SPM4	6/25/2018	120	143.3	375	
TMP-SPM4	6/25/2018	140	137.3	355	
TMP-SPM4	6/25/2018	160	130.2	335	
TMP-SPM4	6/25/2018	180	123.4	315	
TMP-SPM4	6/25/2018	200	113.3	295	
TMP-SPM4	6/25/2018	220	97.4	275	
TMP-SPM4	6/25/2018	240	90.2	255	
TMP-SPM4	7/2/2018	20	127.4	475	
TMP-SPM4	7/2/2018	40	149.7	455	
TMP-SPM4	7/2/2018	60	154.3	435	
TMP-SPM4	7/2/2018	80	155.8	415	
TMP-SPM4	7/2/2018	100	152.8	395	
TMP-SPM4	7/2/2018	120	144.4	375	
TMP-SPM4	7/2/2018	140	138.4	355	
TMP-SPM4	7/2/2018	160	131.3	335	
TMP-SPM4	7/2/2018	180	124.6	315	
TMP-SPM4	7/2/2018	200	114.5	295	
TMP-SPM4	7/2/2018	220	98.6	275	
TMP-SPM4	7/2/2018	240	91.3	255	
TMP-SPM4	7/9/2018	20	127.0	475	
TMP-SPM4	7/9/2018	40	149.3	455	
TMP-SPM4	7/9/2018	60	153.9	435	
TMP-SPM4	7/9/2018	80	155.4	415	
TMP-SPM4	7/9/2018	100	152.4	395	
TMP-SPM4	7/9/2018	120	144.0	375	
TMP-SPM4	7/9/2018	140	138.2	355	
TMP-SPM4	7/9/2018	160	131.1	335	
TMP-SPM4	7/9/2018	180	124.5	315	
TMP-SPM4	7/9/2018	200	114.5	295	
TMP-SPM4	7/9/2018	220	98.7	275	
TMP-SPM4	7/9/2018	240	91.4	255	
TMP-SPM4	7/16/2018	20	127.2	475	
TMP-SPM4	7/16/2018	40	149.5	455	
TMP-SPM4	7/16/2018	60	154.1	435	
TMP-SPM4	7/16/2018	80	155.6	415	
TMP-SPM4	7/16/2018	100	152.6	395	
TMP-SPM4	7/16/2018	120	144.3	375	
TMP-SPM4	7/16/2018	140	138.5	355	
TMP-SPM4	7/16/2018	160	131.4	335	
TMP-SPM4	7/16/2018	180	124.7	315	
TMP-SPM4	7/16/2018	200	114.7	295	
TMP-SPM4	7/16/2018	220	98.7	275	
TMP-SPM4	7/16/2018	240	91.3	255	
TMP-SPM4	7/23/2018	20	127.3	475	
TMP-SPM4	7/23/2018	40	149.5	455	
TMP-SPM4	7/23/2018	60	154.0	435	
TMP-SPM4	7/23/2018	80	155.4	415	
TMP-SPM4	7/23/2018	100	152.3	395	
TMP-SPM4	7/23/2018	120	144.1	375	
TMP-SPM4	7/23/2018	140	138.2	355	
TMP-SPM4	7/23/2018	160	131.1	335	
TMP-SPM4	7/23/2018	180	124.6	315	
TMP-SPM4	7/23/2018	200	114.8	295	
TMP-SPM4	7/23/2018	220	99.0	275	
TMP-SPM4	7/23/2018	240	91.7	255	