

STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES
MISSOURI CLEAN WATER COMMISSION



CONSTRUCTION PERMIT

The Missouri Department of Natural Resources hereby issues a permit to:

Associated Electric Cooperative, Inc.
Thomas Hill Energy Center
5693 Hwy F
Clifton Hill, MO 65244

for the construction of (described facilities):

See attached.

Permit Conditions:

See attached.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department).

As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

A representative of the Department may inspect the work covered by this permit during construction. Issuance of a permit to operate by the Department will be contingent on the work substantially adhering to the approved plans and specifications.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

April 22, 2022
Effective Date

April 21, 2024
Expiration Date


Chris Wieberg, Director, Water Protection Program

CONSTRUCTION PERMIT

I. CONSTRUCTION DESCRIPTION

This is a reissuance of CP0002144. The AECl-Thomas Hill Energy Center is required to change its existing process wastewater handling methods due to the federal Coal Combustion Residuals (CCR) Rule, 40 CFR 257, and the revised Steam Electric Generating Effluent Limit Guidelines, 40 CFR 423. AECl is proposing to modify the existing ash pond system to allow for the closure of Cells 001, 003 and 004.

This Construction Permit is intended to cover modifications to the existing earthen basin, Cell 002 West. The Cell is intended to be used for the treatment of non-CCR process water and stormwater flows. Cell 002 West is a former CCR impoundment previously closed by material removal. The construction site is adjacent to active CCR impoundments. The project includes, but is not limited to, the reconfiguration of flow routing to the pond and a new inlet channel, construction of a revised subgrade, installation of soil liner, geomembrane liner, and protective cover, roller compacted concrete, aggregate, new outlet structure connection to Cell 002 East, new emergency spillway, and new separation berms.

This project will also include general site work appropriate to the scope and purpose of the project and all necessary appurtenances to make a complete and usable wastewater treatment facility.

II. COST ANALYSIS FOR COMPLIANCE

Pursuant to Section 644.145, RSMo, when issuing permits under this chapter that incorporate a new requirement for discharges from publicly owned combined or separate sanitary or storm sewer systems or publicly owned treatment works, or when enforcing provisions of this chapter or the Federal Water Pollution Control Act, 33 U.S.C. 1251 et seq., pertaining to any portion of a publicly owned combined or separate sanitary or storm sewer system or [publicly owned] treatment works, the Department of Natural Resources shall make a "finding of affordability" on the costs to be incurred and the impact of any rate changes on ratepayers upon which to base such permits and decisions, to the extent allowable under this chapter and the Federal Water Pollution Control Act. This process is completed through a cost analysis for compliance. Permits that do not include new requirements may be deemed affordable.

The Department is not required to complete a cost analysis for compliance because the facility is not a combined or separate sanitary sewer system for a publically-owned treatment works.

III. CONSTRUCTION PERMIT CONDITIONS

The permittee is authorized to construct subject to the following conditions:

1. This construction permit does not authorize discharge.
2. All construction shall be consistent with plans and specifications signed and sealed by Steven F. Putrich, P.E. with Haley & Aldrich, Inc. and as described in this permit.
3. The Department must be contacted in writing prior to making any changes to the plans and specifications that would directly or indirectly have an impact on the capacity, flow, system layout, or reliability of the proposed wastewater treatment facilities or any design parameter that is addressed by 10 CSR 20-8, in accordance with 10 CSR 20-8.110(11).
4. State and federal law does not permit bypassing of raw wastewater, therefore steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the Department's Northeast Regional Office per 10 CSR 20-7.015(9)(G).
5. To accommodate the project schedule of Associated Electric Cooperative, Inc. this construction permit review only covers a portion of the proposed modifications to the earthen basin treatment system. A separate construction permit review shall be required prior to the commencement of additional construction on Cell 002 East in accordance with RSMo 644.051.
6. The wastewater treatment facility shall be located at least two hundred feet (200') from any dwelling or establishment and fifty feet (50') from the property line.
7. The wastewater treatment facility shall be located above the twenty-five (25)-year flood level.
8. The wastewater facility structures, electrical equipment, and mechanical equipment shall be protected from physical damage by not less than the one hundred- (100-) year flood elevation per 10 CSR 20-8.140(2)(B). The minimum distance between wastewater treatment facilities and all potable water sources shall be at least three hundred feet (300') per 10 CSR 20-8.140(2)(C)1.
9. In addition to the requirements for a construction permit, 10 CSR 20-6.200 requires land disturbance activities of 1 acre or more to obtain a Missouri state operating permit to discharge stormwater. The permit requires best management practices sufficient to control runoff and sedimentation to protect waters of the state. Land disturbance permits will only be obtained by means of the Department's ePermitting system available online at dnr.mo.gov/env/wpp/epermit/help.htm.

10. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the Department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of jurisdictional waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the Department's Water Protection Program at 573-751-1300 for more information.

11. All construction must adhere to applicable 10 CSR 20-8 (Chapter 8) requirements listed below.

- The minimum berm width shall be eight feet (8') to permit access of maintenance vehicles. 10 CSR 20-8.200 (4) (A) 2.
- Minimum freeboard shall be two feet (2'). 10 CSR 20-8.200 (4) (A) 3.
- An emergency spillway shall be provided. 10 CSR 20-8.200 (4) (A) 4.
- An emergency spillway must have the ability for a representative sample to be collected if a discharge occurs. 10 CSR 20-8.200 (4) (A) 4. C.
- Soil shall be compacted with the moisture content between two percent (2%) below and four percent (4%) above the optimum water content and compacted to at least ninety-five percent (95%) maximum dry density test method. 10 CSR 20-8.200 (4) (B).
- The lagoon shall be sealed to ensure that seepage loss is as low as possible and has a design permeability not exceeding 1.0×10^{-7} cm/sec. 10 CSR 20-8.200 (4) (C) 1.
- Unlined corrugated metal pipe shall not be used for influent lines due to corrosion problems. 10 CSR 20-8.200 (4) (D) 1.

12. Upon completion of construction:

- A. Associated Electric Cooperative, Inc. (AECI) will become the continuing authority for operation and maintenance of these facilities;
- B. Submit an electronic copy of the as built if the project was not constructed in accordance with previously submitted plans and specifications;
- C. Submit the enclosed form Statement of Work Completed to the Department in accordance with 10 CSR 20-6.010(5)(N)

IV. REVIEW SUMMARY

1. CONSTRUCTION PURPOSE

The AECI-Thomas Hill Energy Center is required to change their existing process wastewater handling methods due to the federal Coal Combustion Residuals (CCR) Rule, 40 CFR 257, and the revised Steam Electric Generating Effluent Limit Guidelines, 40 CFR 423. Modifications to the ash pond system are anticipated to (1) reduce the volume of sluice water discharge at the plant under the current CCR rule (2) cease discharge of current CCR and non-CCR process waters into the active CCR ponds and (3) for the closure of Cells 001, 003 and 004. To allow for the closure of the identified cells, existing Cells 002 West and 002 East will be reconfigured and utilized for the treatment and storage of non-CCR process water and stormwater flows. Additionally Outfall #001 will be relocated from Cell 004 to the southeast corner of Cell 002 East. At the request of AECI, this construction permit will only cover proposed modifications to Cell 002 West. A separate construction permit will be required for further modifications to Cell 002 East, including the proposed outfall relocation.

2. FACILITY DESCRIPTION

The Thomas Hill Energy Center is located at 5693 Highway F, Clifton Hill, in Randolph County, Missouri. The facility is a coal-fired power plant located on the southeastern shore of the Thomas Hill Reservoir and is engaged in the generating and selling of electricity. The facility's existing Missouri State Operating Permit became effective on January 1, 2018 and expires on June 30, 2021. The facility has a total of eighteen (18) active outfalls; several non-industrially exposed outfalls also exist.

3. COMPLIANCE PARAMETERS

The proposed project is required to meet the effluent limits as established in Operating Permit MO-0097675. The proposed construction will impact Outfall #001, which has a design average flow of 29 million gallons per day (MGD).

Upon completion of construction, the following effluent limitations will be applicable to Outfall #001:

| Parameter | Units | Maximum Daily Limit | Monthly Average Limit |
|------------------------------|-------|---------------------|-----------------------|
| Oil & Grease | mg/L | 20 | 15 |
| Total Suspended Solids - Net | mg/L | 100 | 30 |
| pH | SU | 6.5-9.0 | 6.5-9.0 |
| Copper, Total Recoverable | µg/L | 1,000 | 1,000 |
| Iron, Total Recoverable | µg/L | 1,000 | 1,000 |

- Monitoring requirements for additional parameters will also apply.

If the facility intends to construct a new discharging outfall from an earthen basin, a construction permit will be required per RSMo 644.051.

4. ANTIDegradation

The Department has reviewed the antidegradation report for this facility and determined the proposed project will not require an antidegradation review according to the *Missouri Antidegradation Rule and Implementation Procedure*. See **APPENDIX – ANTIDegradation Applicability Review**.

5. REVIEW of MAJOR TREATMENT DESIGN CRITERIA

- Cell 002 West – Cell 002 West will be divided into three (3) sequential sub-basins for maintenance and operation purposes. A lined, 135 ft inlet channel will be installed in the northwest corner of the Cell. Floating baffles will be used to direct flow and prevent dead zones. The depth from the top of the berms to the Cell floor will vary, with approximately 6 to 12 ft of standing water contained within the Cell at the normal operating elevation of 719 ft. The top of the berm is located at elevation 726 ft, resulting in approximately 7 feet of freeboard from the top of the berm to the normal operating level. The normal volume of water contained within the Cell is approximately 1.7 million cubic feet. Side slopes throughout the cell will vary. The berm width will be 20 ft. An outlet structure and a concrete spillway will connect Cell 002 West with adjacent Cell 002 East. The emergency spillway is located at elevation 725 ft, one (1) ft below the top of the berm. The maximum volume of water the cell may contain before overtopping occurs of the emergency spillway occurs is 4.1 million cubic feet.
 - The slopes and bottom of the Cell will be covered by a bottom liner system consisting of a 24” compacted soil liner (1×10^{-7} cm/sec), a 60 mil HDPE textured geomembrane liner, and a 24” protective soil layer.
 - Existing outlet structure connection to Cell 003 to be grouted and abandoned in place

6. OPERATING PERMIT

These construction activities do not require a modification to the operating permit under 10 CSR 20-6.010. It is expected that the facility owner will include a new facility description and process flow diagram in their next operating permit renewal application to reflect the changes to the wastewater handling at the facility.

V. NOTICE OF RIGHT TO APPEAL

If you were adversely affected by this decision, you may be entitled to an appeal before the Administrative Hearing Commission (AHC) pursuant to Section 621.250 RSMo. To appeal, you must file a petition with the AHC within 30 days after the date this decision was mailed or the date it was delivered, whichever date was earlier. If any such petition is sent by registered mail or certified mail, it will be deemed filed on the date it is mailed; if it is sent by any method other than registered mail or certified mail, it will be deemed filed on the date it is received by the AHC. Any appeal should be directed to:

Administrative Hearing Commission
U.S. Post Office Building, Third Floor
131 West High Street, P.O. Box 1557
Jefferson City, MO 65102-1557
Phone: 573-751-2422
Fax: 573-751-5018
Website: <https://ahc.mo.gov>

Leasue Meyers, EI
Engineering Section
leasue.meyers@dnr.mo.gov

John Rustige, P.E.
Engineering Section
john.rustige@dnr.mo.gov

APPENDIX – Antidegradation Applicability Review



May 1, 2020

Mr. Rob LeForce
AECI-Land and Water Resources
2814 S. Golden Avenue
P.O. Box 754
Springfield, MO 65801

Re: Antidegradation Applicability Review for AECI-Thomas Hill Energy Center,
MO-0097675, ACT#758, Randolph County

Dear Rob LeForce:

In accordance with the *Missouri Antidegradation Rule and Implementation Procedure*, your proposed discharge is not subject to an Antidegradation Review. The enclosed Antidegradation Applicability Review summarizes this determination based upon your review request received on April 3, 2020. You propose to modify the stormwater and industrial process water flows at the Thomas Hill Energy Center to comply with United States Environmental Protection Agency (USEPA) regulations related to coal combustion residuals (CCR) and effluent limitation guidelines. The proposed alternations to the discharge will not result in a new or expanded discharge of pollutants from the facility.

This determination does not supersede any requirements of the operating permit or enforcement actions. Nothing in this review removes any obligations to comply with county or other local ordinances or restrictions.

For your convenience, the Water Protection Program has developed a new Internet web page (<http://www.dnr.mo.gov/env/wpp/permits/antideg-implementation.htm>) where you may access information related to implementation of the antidegradation rule. The Internet web site includes links to forms, data sources, publications, as well as links to related Internet web sites.

You may proceed with submittal of an application for an operating permit modification, an engineering report, or a complete application for a construction permit. These submittals must reflect the design flow, facility description, and general treatment components of this WQAR or this preliminary determination may have to be revisited. 10 CSR 20-6.010 now requires all submittals to include an electronic copy along with a hard paper copy. Typically, this can be accomplished by enclosing a compact disc or other removable electronic media.

Following the department's public notice of a draft Missouri State Operating Permit, the department will review any public notice comments received. If significant comments are made, the project may require another public notice. If no comments are received or



Thomas Hill Energy
Page 2

comments are resolved without another public notice, this determination will be considered final. Following issuance of the construction permit and completion of the actual facility construction, the department will proceed with the issuance of the operating permit.

If you should have questions, please contact Ellen Modglin by telephone at (573) 751-7466, by e-mail at Ellen.Modglin@dnr.mo.gov, or by mail at the Missouri Department of Natural Resources, Water Protection Program, PO Box 176, Jefferson City, Missouri 65102-0176.

Sincerely,

WATER PROTECTION PROGRAM

A handwritten signature in black ink, appearing to read "John Rustige". The signature is fluid and cursive, with the first name "John" being more prominent than the last name "Rustige".

John Rustige, P.E.
Wastewater Engineering Unit Chief

JR:emt

Enclosure

c: Heather Peters, Water Protection Program



Missouri Department of Natural Resources
 Water Protection Program
 Water Pollution Control Branch
 Engineering Section

Antidegradation Applicability Review

FACILITY INFORMATION

FACILITY NAME: AECI-Thomas Hill Energy Center PERMIT #: MO-0121827
 COUNTY: Randolph UTM COORDINATES: X= 530801 / Y= 4376802
 12-DIGIT HUC: 10280203-0405 LEGAL DESCRIPTION: NW¼, NW¼, Sec. 30, T55N, R15W
 EDU*: Central Plains / Grand / Chariton ECOREGION: Central Irregular Plains
 *Ecological Drainage Unit

CHARACTERISTICS OF IMPACTED OUTFALL

| OUTFALL | DESIGN FLOW (MGD) | TREATMENT LEVEL | EFFLUENT TYPE | DISTANCE TO CLASSIFIED SEGMENT (MI) |
|---------|-------------------|-------------------------------------|--------------------|-------------------------------------|
| 001 | 29 | Settling, retention, neutralization | Process wastewater | ~0.1 |

RECEIVING WATERBODY INFORMATION

WATERBODY NAME: Middle Fork Little Chariton River (WBID 0691) CLASS: P

PROJECT INFORMATION

DESCRIPTION: The Thomas Hill Energy Center located in Clifton Hill, MO is owned and operated by Associated Electric Cooperative, Inc. (AECI). The facility is a coal-fired power plant located on the southeastern shore of the Thomas Hill Reservoir and is engaged in the generating and selling of electricity. The Plant is categorized by the Standard Industrial Classification (SIC) # 4911 and North American Industry Classification System (NAICS) # 221112. The facility's existing Missouri State Operating Permit became effective on January 1, 2018 and expires on June 30, 2021. The facility has a total of eighteen (18) active outfalls; several non-industrially exposed outfalls also exist.

PROPOSAL: According to a letter dated March 20, 2020, AECI is proposing to modify its current stormwater and industrial process water treatment and discharges at the Thomas Hill Energy Center. The modifications are required to comply with United States Environmental Protection Agency regulations related to coal combustion residuals and effluent limitation guidelines. The facility is proposing to replace Cell 001 with a concrete dewatering tank that will

primarily recirculate flows back to the plant. Additionally the facility is proposing to modify existing Cell 002 West and Cell 002 East, which will include the relocation of current Outfall 001 to the southeast corner of Cell 002 East. The relocated outfall will discharge into an existing stormwater ditch, which ultimately discharges to the Tributary to Little Chariton River immediately downstream of the current Outfall 001 location. All discharges will continue to the same receiving waterbody. Following the startup of Cell 002 East and Cell 002 West, Cell 003 and Cell 004 will be taken offline for closure of these impoundments.

Additional upstream modifications to the ash pond system will be made to improve the site's best management practices and enhance sediment removal procedures.

In summary, "modifications to the ash pond system are anticipated to (1) reduce the volume of sluice water discharge at the plant under current coal combustion residual rule (2) cease discharge of current CCR and non-CCR process waters into the active CCR ponds and (3) for closure of Cells 001, 003 and 004."

DISCUSSION: The proposed modifications to the Thomas Hill Energy Center are considered a reconfiguration of existing process flows. There will be no increase in design flow or discharge of new pollutants of concern associated with the proposed modifications. The current design flow and effluent limitations associated with discharges from Outfall 001 in the effective MSOP will be maintained.

DETERMINATION : The proposed upgrade will not require an antidegradation review according to *Missouri Antidegradation Rule and Implementation Procedure*. The proposed modifications will not result in a new or expanded discharge from the facility. Mass loading to the receiving waterbody, Middle Fork Little Chariton River, will be maintained.

Reviewer: Ellen Modglin, E.I.
Date: April 2020
Unit Chief: John Rustige, P.E.



MISSOURI DEPARTMENT OF NATURAL RESOURCES
WATER PROTECTION PROGRAM
**APPLICATION FOR CONSTRUCTION PERMIT –
WASTEWATER TREATMENT FACILITY**

FOR DEPARTMENT USE ONLY

| | |
|---------------|-----------|
| APP NO. | CP NO. |
| FEE RECEIVED | CHECK NO. |
| DATE RECEIVED | |

APPLICATION OVERVIEW

The Application for Construction Permit – Wastewater Treatment Facility form has been developed in a modular format and consists of Part A and B. **All applicants must complete Part A.** Part B should be completed for applicants who currently land-apply wastewater or propose land application for wastewater treatment. **Please read the accompanying instructions before completing this form. Submittal of an incomplete application may result in the application being returned.**

PART A – BASIC INFORMATION


1.0 APPLICATION INFORMATION (Note – If any of the questions in this section are answered NO, this application may be considered incomplete and returned.)

- 1.1 Is this a Federal/State funded project? ☐ YES ☒ N/A Funding Agency: _____ Project #: _____
- 1.2 Has the Missouri Department of Natural Resources approved the proposed project's antidegradation review?
☐ YES Date of Approval: _____ ☐ N/A
- 1.3 Has the department approved the proposed project's facility plan*?
☐ YES Date of Approval: _____ ☒ NO (If No, complete No. 1.4.)
- 1.4 [Complete only if answered No on No. 1.3.] Is a copy of the facility plan* for wastewater treatment facilities included with this application?
☒ YES ☐ NO ☐ Exempt because _____
- 1.5 Is a copy of the appropriate plans* and specifications* included with this application?
☒ YES Denote which form is submitted: ☒ Hard copy ☒ Electronic copy (See instructions.) ☐ NO
- 1.6 Is a summary of design* included with this application? ☒ YES ☐ NO
- 1.7 Has the appropriate operating permit application (A, B, or B2) been submitted to the department?
☒ YES Date of submittal: 4/3/2020
☒ Enclosed is the appropriate operating permit application and fee submittal. Denote which form: ☒ A ☐ B ☐ B2
☐ N/A: However, In the event the department believes that my operating permit requires revision to permit limitation such as changing equivalent to secondary limits to secondary limits or adding total residual chlorine limits, please share a draft copy prior to public notice? ☐ YES ☐ NO
- 1.8 Is the facility currently under enforcement with the department or the Environmental Protection Agency? ☐ YES ☒ NO
- 1.9 Is the appropriate fee or JetPay confirmation included with this application? ☒ YES ☐ NO
See Section 7.0

* Must be affixed with a Missouri registered professional engineer's seal, signature and date.

2.0 PROJECT INFORMATION

| | |
|--|---|
| 2.1 NAME OF PROJECT Thomas Hill Energy Center Pond Reconfiguration | 2.2 ESTIMATED PROJECT CONSTRUCTION COST \$ 29 MM |
| 2.3 PROJECT DESCRIPTION See attached pre-submittal documentation | |
| 2.4 SLUDGE HANDLING, USE AND DISPOSAL DESCRIPTION Ash will be dry handled and placed in onsite permitted landfill. | |
| 2.5 DESIGN INFORMATION A. Current population: <u>NA</u> ; Design population: <u>NA</u> B. Actual Flow: <u>6.7M</u> gpd; Design Average Flow: <u><6.7M</u> gpd; Actual Peak Daily Flow: <u>29M</u> gpd; Design Maximum Daily Flow: <u>29 M</u> gpd; Design Wet Weather Event: <u>29 M</u> | |
| 2.6 ADDITIONAL INFORMATION A. Is a topographic map attached? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO B. Is a process flow diagram attached? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | |

| | | | | |
|---|----------------------|---|---|--------------------|
| 3.0 WASTEWATER TREATMENT FACILITY | | | | |
| NAME Thomas Hill Energy Center | | TELEPHONE NUMBER WITH AREA CODE 660-261-4221 | E-MAIL ADDRESS rleforce@aeci.org | |
| ADDRESS (PHYSICAL) 5693 HWY. F | CITY Clifton Hill | STATE MO | ZIP CODE 65244 | COUNTY Randolph |
| Wastewater Treatment Facility: Mo- 0097675 (Outfall Of) | | | | |
| 3.1 Legal Description: NW <u> </u> ¼, NW <u> </u> ¼, <u> </u> ¼, Sec. 30 <u> </u> , T <u>55N</u> , R <u>15W</u> (Use additional pages if construction of more than one outfall is proposed.) | | | | |
| 3.2 UTM Coordinates Easting (X): <u>530801</u> Northing (Y): <u>4376802</u> For Universal Transverse Mercator (UTM), Zone 15 North referenced to North American Datum 1983 (NAD83) | | | | |
| 3.3 Name of receiving streams: <u>Middle Fork Little Chariton River</u> | | | | |
| 4.0 PROJECT OWNER | | | | |
| NAME Associated Electric Cooperative, Inc. | | TELEPHONE NUMBER WITH AREA CODE 417-881-1204 | E-MAIL ADDRESS rleforce@aeci.org | |
| ADDRESS 2814 So. Golden Ave. | CITY Springfield | STATE MO | ZIP CODE 65801 | |
| 5.0 CONTINUING AUTHORITY: A continuing authority is a company, business, entity or person(s) that will be operating the facility and/or ensuring compliance with the permit requirements. | | | | |
| NAME Ken Wilmot | | TELEPHONE NUMBER WITH AREA CODE 417-881-1204 | E-MAIL ADDRESS kwilmot@aeci.org | |
| ADDRESS 2814 So. Golden Ave. | CITY Springfield | STATE MO | ZIP CODE 65801 | |
| 5.1 A letter from the continuing authority, if different than the owner, is included with this application. <input type="checkbox"/> YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> N/A | | | | |
| 5.2 COMPLETE THE FOLLOWING IF THE CONTINUING AUTHORITY IS A MISSOURI PUBLIC SERVICE COMMISSION REGULATED ENTITY. | | | | |
| A. Is a copy of the certificate of convenience and necessity included with this application? <input type="checkbox"/> YES <input type="checkbox"/> NO | | | | |
| 5.3 COMPLETE THE FOLLOWING IF THE CONTINUING AUTHORITY IS A PROPERTY OWNERS ASSOCIATION. | | | | |
| A. Is a copy of the as-filed restrictions and covenants included with this application? <input type="checkbox"/> YES <input type="checkbox"/> NO | | | | |
| B. Is a copy of the as-filed warranty deed, quitclaim deed or other legal instrument which transfers ownership of the land for the wastewater treatment facility to the association included with this application? <input type="checkbox"/> YES <input type="checkbox"/> NO | | | | |
| C. Is a copy of the as-filed legal instrument (typically the plat) that provides the association with valid easements for all sewers included with this application? <input type="checkbox"/> YES <input type="checkbox"/> NO | | | | |
| D. Is a copy of the Missouri Secretary of State's nonprofit corporation certificate included with this application? <input type="checkbox"/> YES <input type="checkbox"/> NO | | | | |
| 6.0 ENGINEER | | | | |
| ENGINEER NAME / COMPANY NAME Steve Putrich/Haley & Aldrich | | TELEPHONE NUMBER WITH AREA CODE 216-706-1306 | E-MAIL ADDRESS sputrich@haleyaldrich.com | |
| ADDRESS 6500 Rockside Rd. Suite 200 | CITY Cleveland | STATE OH | ZIP CODE 44131 | |
| 7.0 APPLICATION FEE | | | | |
| <input type="checkbox"/> CHECK NUMBER <input type="checkbox"/> JETPAY CONFIRMATION NUMBER | | | | |
| 8.0 PROJECT OWNER: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | | | | |
| PROJECT OWNER SIGNATURE  DocuSigned by: A2D5437A24BC42C... | | | | |
| PRINTED NAME Ken Wilmot | | | DATE 4/3/2020 | |
| TITLE OR CORPORATE POSITION Senior Vice President & Chief Operations Officer | | TELEPHONE NUMBER WITH AREA CODE 417-881-1204 | E-MAIL ADDRESS kwilmot@aeci.org | |
| Mail completed copy to: MISSOURI DEPARTMENT OF NATURAL RESOURCES WATER PROTECTION PROGRAM P.O. BOX 176 JEFFERSON CITY, MO 65102-0176 | | | | |
| END OF PART A. | | | | |
| REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHETHER PART B NEEDS TO BE COMPLETE. | | | | |