#### STATE OF MISSOURI DEPARTMENT OF NATURAL RESOURCES

MISSOURI CLEAN WATER COMMISSION



# GENERAL PERMIT for SEWER EXTENSION CONSTRUCTION

The Missouri Department of Natural Resources hereby issues a permit to:

Construction Permit ID:	MOGSE0070			
Title of Project:	Savers Farm Subdivision Phase 6			
Owner:	Cape Land and Development			
Address:	2985 Boutin Drive			
	Cape Girardeau, MO 63701			

The project will also include general site work appropriate to the scope and purpose of the project and will include all the necessary appurtenances to make a complete and usable collection system. The construction of this project will be in the vicinity of the county below and discharge to Receiving Permit ID below:

County: Cape Girardeau Receiving Permit ID: MO0137839

for the construction of (described construction project):

Savers Farm Subdivision Phase 6-Construction of approximately 3056 lf of 8-inch PVC SDR-35 gravity sewer lines with approximately 12 manholes and 2 lampholes to serve a 133 PE and a design average flow of 13,320 gpd.

Project is in the vicinity of County Road 302 in Jackson, Cape Girardeau County and discharges to an existing system to be treated at Savers Farm Subdivision WWTF, MO-013783. Paul Carlson, Water Operations Managers, with Liberty Utilities provided an acceptance form dated July 10, 2020.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department) As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

August 10, 2020 Issue Date

August 09, 2022 Expiration Date

Hallian

Edward B. Galbraith, Director Division of Environmental Quality

his Writing

Chris Wieberg, Director Water Protection Program

## APPLICABILITY

- 1. This permit authorizes the construction of gravity sewer extensions, force mains, and lift stations. Storage basins, considered part of the collection system, are also included. Earthen basins are not included under this General Sewer Extension Construction permit.
- 2. A Sewer Extension Construction Permit may be required by the department due to compliance and enforcement actions.
- 3. This permit does not apply to:
  - A. Earthen storage basins;
  - B. Projects located within an Approved Sewer Program. These include the City of Blue Springs, City of Columbia, City of Kansas City, City of Jefferson City, City of Joplin, City of Lebanon, City of Springfield, City of St. Peters, Duckett Creek Sewer District, and Metropolitan St. Louis Sewer District;
  - C. Projects funded by the Department of Natural Resources;
  - D. Projects that substantially deviate from the Design Guides in 10 CSR 20-8; and
  - E. Exempt projects unless requested by the applicant or required by enforcement.

### **PREREQUISITES:**

- 1. The General Sewer Extension Construction Permit application, appropriate fee, and a schedule for construction with the date on which construction will begin and anticipated completion date.
- 2. The engineering report, as required, plans and specifications each signed and sealed by a professional engineer registered in the State of Missouri. A Summary of Design is an acceptable substitute for the engineering report required by this permit prerequisite.
- 3. The Design Certification form signed and sealed by a professional engineer registered in the State of Missouri certifying the design of the system was done in accordance with 10 CSR 20-6 and 10 CSR 20-8.
- 4. A statement from the continuing authority was received accepting the wastewater for treatment.
- 5. A statement from the continuing authority was received accepting the responsibility for operation, maintenance, and modernization of these facilities

### **PERMIT CONDITIONS:**

- 1. Contact the department's appropriate regional office 48 hours prior to starting construction. Contact information can be found at <u>http://dnr.mo.gov/regions/regions.htm</u>.
- 2. This permit authorizes the activities and scope of work detailed in the plans and specifications submitted with the request.
- 3. The construction must be in accordance with the design certification stating the plans and specifications comply with 10 CSR 20-6 and 10 CSR 20-8.

## **PERMIT CONDITIONS: (continued)**

- 4. State and Federal Law does not permit bypassing of raw wastewater, therefore steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the department's regional office per 10 CSR 20-7.015(9)(E)2.
- 5. Protection of drinking water supplies shall be in accordance with 10 CSR 20-8.120(10). "There shall be no physical connections between a public or private potable water supply system and a sewer, or appurtenance thereto which would permit the passage of any wastewater or polluted water into the potable supply. No water pipe shall pass through or come in contact with any part of a sewer manhole."
  - A. Sewers in relation to water works structures shall meet the requirements of 10 CSR 23-3.010 with respect to minimum distances from public water supply wells or other water supply sources and structures.
  - B. Sewer mains shall be laid at least ten feet (10') horizontally from any existing or proposed water main. The distances shall be measured edge-to-edge. In cases where it is not practical to maintain a ten foot (10') separation, the department may allow a deviation on a case-by-case basis, if supported by data from the design engineer. Such a deviation may allow installation of the sewer closer to a water main, provided that the water main is in a separate trench or on an undisturbed earth shelf located on either side of the sewer and at an elevation so the bottom of the water main is at least 18 inches above the top of the sewer. If it is impossible to obtain proper horizontal and vertical separation as described above for sewers, the sewer must be constructed of slip-on or mechanical joint pipe or continuously encased and be pressure tested to 150 pounds per square inch to assure water tightness.
  - C. Manholes shall be located with the top access at or above grade level.
  - D. Manholes should be located at least ten feet (10') horizontally from any existing or proposed water main.
  - E. Sewers crossing water mains shall be laid to provide a minimum vertical distance of 18 inches between the outside of the water main and the outside of the sewer. This shall be the case where the water main is either above or below the sewer. The crossing shall be arranged so that the sewer joints will be equidistant and as far as possible from the water main joints. Where a water main crosses under a sewer, adequate structural support shall be provided for the sewer to maintain line and grade. When it is impossible to obtain proper vertical separation as stipulated above, one of the following methods must be specified:
    - 1) The sewer shall be designed and constructed equal to the water pipe and shall be pressure tested to assure water tightness prior to backfilling; or
    - 2) Either the water main or sewer line may be continuously encased or enclosed in a watertight carrier pipe which extends ten feet (10') on both sides of the crossing, measured perpendicular to the water main. The carrier pipe shall be of materials approved by the department for use in water main construction.

## **PERMIT CONDITIONS: (continued)**

6. In addition to the requirements for a construction permit, 10 CSR 20-6.200 requires land disturbance activities of one acre or more to obtain a Missouri State Operating Permit to discharge stormwater. The permit requires Best Management Practices sufficient to control runoff and sedimentation to protect waters of the state. Land disturbance permits will only be obtained by means of the department's ePermitting system available online at www.dnr.mo.gov/env/wpp/epermit/help.htm.

See <u>www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm</u> for more information.

7. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of Jurisdictional Waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the department's Water Protection Program at (573) 751-1300 for more information.

See <u>www.dnr.mo.gov/env/wpp/401/</u> for more information.

- 8. If this project eliminates a wastewater treatment facility, then a full closure plan shall be submitted to the department's appropriate regional office for review and approval of any permitted wastewater treatment system being replaced. In accordance with 10 CSR 20-6.010(12), the closure plan must meet the requirements outlined in Standard Conditions Part III, Section I, of the Missouri State Operating Permit. Closure shall not commence until the submitted closure plan is approved by the department. Form J Request for Termination of a State Operating Permit, shall be submitted to the department's appropriate Regional Office for termination of any existing Missouri State Operating Permit, once closure is completed in accordance with the approved closure plan.
- 9. Submit a Statement of Work Completed Form to the department following completion of construction. Submit an electronic copy of the as built plans if the project was not constructed in accordance with previously submitted plans and specifications.

			ED	APP NO.	CP NO.
APPLICATION FO				FEE RECEIVED	CHECK NO.
C SEWER EATENSIC		JUL 20	2020	DATE RECEIVED	0 10781
		Water Protectic	n Program	1 1	-30-90
NOTE > PLEASE READ THE ACC			· · · · · · · · · · · · · · · · · · ·		
1.0 APPLICATION INFORMATION considered incomplete and returned.		uestions in this sec	tion are ans	wered NO, this app	lication may be
1.1 Is this a Federal/State funded pro	oject? 🗌 YES 🗹	N/A Funding Ag	ency:	F	Project #:
<ul> <li>1.2 Has the Department of Natural R</li> <li>YES Date of Approval:</li> </ul>		e proposed projecť N/A	s engineerir	ng report*?	
1.3 Is a copy of the appropriate plans	s* and specifications* i	included with this a	oplication?	🗹 YES 🗌 NO	
1.4 Is a summary of design* included	d with this application?	YES 🗌 N	0		
1.5 Is the appropriate fee or JetPay of See Section 7.0	confirmation included v	with this application	? 🗹 YES	□ NO	
* Must be affixed with a Missouri regis	stered professional en	gineer's seal, signa	ture and dat	te.	
2.0 PROJECT INFORMATION 2.1 NAME OF PROJECT					
Savers Farm Subdivision Phase 6					
ADDRESS	CITY		STATE	ZIP CODE	COUNTY
County Road 302	Jackson		MO	63755	Cape Girardeau
County Hoad 302					
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and</li> </ul>	2 lampholes, and all r	mains	31N , R tive sewer s	system   Other  complete and usab	(Describe below.) le sewer that is tributary
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and</li> </ul>	at apply): stations	mains	tive sewer s ances for a	system   Other  complete and usab	le sewer that is tributary
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> </ul>	at apply): g stations	mains Alterna necessary appurten nts will serve 36 res	tive sewer s ances for a	system   Other  complete and usab	le sewer that is tributary
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> </ul>	at apply): g stations	mains Alterna necessary appurten nts will serve 36 res on: 36 lots	tive sewer s ances for a idential lots	complete and usab in phase 6 of Save	le sewer that is tributary rs Farm Subdivision.
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> </ul>	at apply): g stations	mains Alterna necessary appurten nts will serve 36 res on: 36 lots	tive sewer s ances for a idential lots	complete and usab in phase 6 of Save	le sewer that is tributary rs Farm Subdivision.
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> </ul>	at apply): g stations  Force r 2 lampholes, and all r t system. Improvemen served by this extensi y this extension: Des	mains Alterna necessary appurten nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd	tive sewer s ances for a idential lots	complete and usab in phase 6 of Save	le sewer that is tributary rs Farm Subdivision.
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> </ul>	at apply): g stations  Force of 2 lampholes, and all r t system. Improvements served by this extension y this extension: Des Flow:	mains Alterna necessary appurten nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd	tive sewer s ances for a idential lots	complete and usab in phase 6 of Save	le sewer that is tributary rs Farm Subdivision.
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type: D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> </ul>	at apply): g stations	mains Alterna necessary appurten nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd	tive sewer s ances for a idential lots	complete and usab in phase 6 of Save	le sewer that is tributary rs Farm Subdivision.
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th</li></ul>	at apply): g stations Force of 2 lampholes, and all r t system. Improvement served by this extension y this extension: Des Flow: inches Capacity	mains Alterna necessary appurten nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm	tive sewer s ances for a idential lots	EMAIL ADDRESS	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th</li></ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvemen served by this extensi y this extension: Des Flow: inches Capacity	mains Alterna hecessary appurten hts will serve 36 res on: 36 lots ign Average Flow: 1 gpd 341 gpm PHONE NUMBER WITH AF 3) 385-3382	tive sewer s ances for a idential lots 3320 gpd	EMAIL ADDRESS	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping)</li> <li>2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatmenn</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvemen served by this extensi y this extension: Des Flow: inches Capacity TELE (573 Cape Girardea	mains Alterna hecessary appurten hts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382	tive sewer s ances for a idential lots 3320 gpd BEA CODE	EMAIL ADDRESS bowconstructions 2IP CODE 63701	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping)</li> <li>2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permitiant</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvemen served by this extensi y this extension: Des Flow: inches Capacity TELE (573 Cape Girardea ntinuing authority is a it requirements. A con	mains ☐ Alterna hecessary appurten hts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a	tive sewer s ances for a idential lots 3320 gpd 3320 gpd EEA CODE STATE MO	EMAIL ADDRESS bowconstruction ZIP CODE 63701 erson(s) that will be er, an entity or indiv	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permittee to</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvemen served by this extensi y this extension: Des Flow: inches Capacity Cape Girardea ntinuing authority is a it requirements. A con sample or operate and	mains Alterna necessary appurten- nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste	tive sewer s ances for a idential lots 3320 gpd 3320 gpd EEA CODE STATE MO , entity or ponot, howeve em for a defi	System       Other         complete and usabin phase 6 of Save         Design Peak Hou         Design Peak Hou         EMAIL ADDRESS         bowconstruction         ZIP CODE         63701         erson(s) that will be         er, an entity or indivined time period, su	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com operating the facility dual that is ich as a certified
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping)</li> <li>2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A conor ensuring compliance with the permittee to operator or analytical laboratory. To action</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvement served by this extensi y this extension: Des Flow: inches Capacity Cape Girardea ntinuing authority is a it requirements. A con sample or operate and ccess the regulatory re	mains Alterna necessary appurten- nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste equirement regardin	tive sewer s ances for a idential lots 3320 gpd 3320 gpd EEA CODE STATE MO , entity or ponot, howeve em for a defing continuing	System       Other         complete and usabin phase 6 of Save         Design Peak Hou         Design Peak Hou         EMAIL ADDRESS         bowconstruction         ZIP CODE         63701         erson(s) that will be         er, an entity or indivined time period, su         g authority, 10 CSR	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com operating the facility dual that is ich as a certified 20-6.010(2), please
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping)</li> <li>2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permittee to operator or analytical laboratory. To activisit https://s1.sos.mo.gov/cmsimages it appears on the Missouri Secretary or</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvement served by this extensi y this extension: Des Flow: inches Capacity Cape Girardea ntinuing authority is a it requirements. A con sample or operate and ccess the regulatory re s/adrules/csr/current/10 f State's (SoS's) webp	mains Alterna hecessary appurten- hts will serve 36 res on: 36 lots ign Average Flow: 1 gpd 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste equirement regardin Dcsr/10c20-6.pdf. A hage:	tive sewer s ances for a idential lots 3320 gpd 3320 gpd REA CODE STATE MO , entity or ponot, howeve em for a defin g continuing	System       Other         complete and usabin phase 6 of Save         Design Peak Hou         Design Peak Hou         EMAIL ADDRESS         bowconstruction         ZIP CODE         63701         erson(s) that will be         er, an entity or indivined time period, sugauthority, 10 CSR         authority's name m	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com @aol.com operating the facility idual that is ich as a certified 20-6.010(2), please ust be listed exactly as
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all the Gravity sewers Pumping Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3.056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permittee to operator or analytical laboratory. To activist https://s1.sos.mo.gov/cmsimages it appears on the Missouri Secretary on thttps://bsd.sos.mo.gov/BusinessEntity government, or otherwise not required</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvement served by this extensi y this extension: Des Flow: inches Capacity Cape Girardea ntinuing authority is a it requirements. A con sample or operate and ccess the regulatory re s/adrules/csr/current/10 f State's (SoS's) webp //BESearch.aspx?Sear I to register with the So	mains ☐ Alterna necessary appurten- nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste equirement regardin Dcsr/10c20-6.pdf. A rage: rchType=0, unless t bS.	tive sewer s ances for a idential lots 3320 gpd 3320 gpd 3320 gpd REA CODE STATE MO , entity or ponot, howeve em for a defin g continuing he continuir	System       Other         complete and usabin phase 6 of Save         Design Peak Hou         Design Peak Hou         EMAIL ADDRESS         bowconstruction         ZIP CODE         63701         erson(s) that will be         er, an entity or indivined time period, sugauthority, 10 CSR         authority's name ming authority is an in	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com @aol.com operating the facility idual that is ich as a certified 20-6.010(2), please ust be listed exactly as
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all the Gravity sewers Pumping Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3.056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permittee to operator or analytical laboratory. To activist https://s1.sos.mo.gov/cmsimages it appears on the Missouri Secretary of https://bsd.sos.mo.gov/BusinessEntity government, or otherwise not required NAME</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvement served by this extensi y this extension: Des Flow: inches Capacity TELE (573 Cape Girardea ntinuing authority is a it requirements. A con sample or operate and ccess the regulatory re s/adrules/csr/current/10 f State's (SoS's) webp //BESearch.aspx?Sear to register with the So	mains ☐ Alterna hecessary appurten- hts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste equirement regardin Dcsr/10c20-6.pdf. A rage: rchType=0, unless t DS. PHONE NUMBER WITH AR	tive sewer s ances for a idential lots 3320 gpd 3320 gpd 3320 gpd REA CODE STATE MO , entity or ponot, howeve em for a defin g continuing he continuir	System       Other         complete and usabin phase 6 of Save         Design Peak Hou         Design Peak Hou         EMAIL ADDRESS         bowconstruction         ZIP CODE         63701         erson(s) that will be         er, an entity or indivined time period, suggiauthority, 10 CSR         authority is an in         Image: EMAIL ADDRESS	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com @aol.com operating the facility idual that is ich as a certified 20-6.010(2), please ust be listed exactly as dividual(s),
<ul> <li>2.2 Legal Description: 1/4,</li> <li>2.3 Project Components (check all th Gravity sewers Pumping 2.4 PROJECT DESCRIPTION</li> <li>3,056 If of 8" sewer, 12 manholes and to the existing collection and treatment</li> <li>2.5 DESIGN INFORMATION</li> <li>A. Population or number of lots to be</li> <li>B. Estimated flow to be contributed by</li> <li>C. Industrial Wastes: Type:</li> <li>D. Receiving Sewer: Size: 8</li> <li>3.0 PROJECT OWNER</li> <li>NAME</li> <li>Cape Land &amp; Development</li> <li>ADDRESS</li> <li>2985 Boutin Drive</li> <li>4.0 CONTINUING AUTHORITY: A color ensuring compliance with the permittee to</li> </ul>	2 lampholes, and all r 2 lampholes, and all r t system. Improvement served by this extensi y this extension: Des Flow: inches Capacity TELE (573 Cape Girardea ntinuing authority is a it requirements. A con sample or operate and ccess the regulatory re s/adrules/csr/current/10 f State's (SoS's) webp //BESearch.aspx?Sear to register with the So	mains ☐ Alterna necessary appurten- nts will serve 36 res on: 36 lots ign Average Flow: 1 gpd : 341 gpm PHONE NUMBER WITH AR 3) 385-3382 au company, business tinuing authority is a d maintain the syste equirement regardin Dcsr/10c20-6.pdf. A rage: rchType=0, unless t bS.	tive sewer s ances for a idential lots 3320 gpd 3320 gpd 3320 gpd REA CODE STATE MO , entity or ponot, howeve em for a defin g continuing he continuir	Complete and usab in phase 6 of Save Design Peak Hou EMAIL ADDRESS bowconstruction ZIP CODE 63701 erson(s) that will be er, an entity or indiv ined time period, su g authority, 10 CSR authority is an in	le sewer that is tributary rs Farm Subdivision. rly Flow: 2220 gph @aol.com @aol.com operating the facility idual that is ich as a certified 20-6.010(2), please ust be listed exactly as dividual(s),

	monato D					
5.0 ENGINEER	2 DUANNES	9/ 13/3/11/1				
ENGINEER NAME / COMPANY NAME Marc Mahnke, PE / Strickland Engineering		TELEPHONE NUMBER WITH A	REA CODE	EMAIL ADDRESS mmahnke@stricklandengineering.com		
ADDRESS 113 W. Main Street	CITY Jackso	STATE MO		ZIP CODE 63755		
6.0 RECEIVING WASTEWAT	TER TREATMENT FAC			(1)		
NAME		TELEPHONE NUMBER WITH A	TELEPHONE NUMBER WITH AREA CODE EMAIL ADDRESS			
Savers Farm Subdivision WWTP		(417) 229-8018		paul.carlson@libertyutilities.com		
MISSOURI STATE OPERATING PERMIT # MO-0137839		REMAINING CAPACITY (GPD) 40,000				
6.1 Has the receiving treatment facility agreed to accept the additional wastewater flow? VES NO						
6.2 A letter from the receiving YES NO		facility, if different than th	e continuing	g authority, is included with this application.		
7.0 Application Fee				A PART AND A PART AND A PART		
Check Number						
supervision in accordance wit submitted. Based on my inqui gathering the information, the aware that there are significant knowing violations.	th a system designed to iry of the person or person information submitted in	assure that qualified persons who manage the sys is, to the best of my know	sonnel prop tem, or thos ledge and b	ents were prepared under my direction or erly gather and evaluate the information se persons directly responsible for pelief, true, accurate, and complete. I am ssibility of fine and imprisonment for		
PROJECT OWNER SIGNATURE	Un					
Brandon Williams				DATE 7-14-20		
TITLE OR COPORATE POSITION		TELEPHONE NUMBER WITH A	REA CODE	EMAIL ADDRESS		
Owner		(573) 385-3382		bowconstruction@aol.com		
Mail completed copy to:	MISSOURI DEPAF WATER PROTEC P.O. BOX 176 JEFFERSON CITY		ESOURCE	S		
MO 780-1632 (10-19)				Page 2 of 2		