STATE OF MISSOURI DEPARTMENT OF NATURAL RESOURCES

MISSOURI CLEAN WATER COMMISSION



GENERAL PERMIT for SEWER EXTENSION CONSTRUCTION

The Missouri Department of Natural Resources hereby issues a permit to:

Construction Permit ID: MOGSE0432

Title of Project: Timber Trace Phase 5

Owner: Timely Disbursements Inc

Address: 1141 Wood Summit

Ellisville, MO 63021

The project will also include general site work appropriate to the scope and purpose of the project and will include all the necessary appurtenances to make a complete and usable collection system. The construction of this project will be in the vicinity of the county below and discharge to Receiving Permit ID below:

County: St. Charles Receiving Permit ID: MO0093599

for the construction of (described construction project):

Timber Trace Phase 5-Construction of 7,426 lf of 8-inch PVC, 210 feet of 10 in PVC, 241 ft of 8 in DIP, 99 ft of 10 in DIP, 25 ft of 12 in DIP, 72 ft of 66 in RCP gravity sewer with 66 manholes, 895 lf of 2-inch HDPE force mains, duplex lift station with each pump capable of operating at 53.2 gpm at 126 feet of TDH, and a portable generator to serve 355 PE and a design average flow of 35,520 gpd.

This project utilizes City of Wentzville standard specifications approved on August 22, 2017.

Project is near Bobcat Ct and Great Oaks Blvd in Wentzville, St. Charles County and discharges to Wentzville WRC, MO-0093599. Matt Wohlberg, Director of Engineering, with the City of Wentzville provided an acceptance letter dated September 14, 2022.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department) As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

00 . 1.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

November 14, 2022	Chie Wubug	_
Issue Date	Chris Wieberg, Director Water Protection Program	

November 13, 2024

Expiration Date

APPLICABILITY

- 1. This permit authorizes the construction of gravity sewer extensions, force mains, and lift stations. Non-earthen flow equalization storage basins at lift stations and inline storage, which flows back into the lift station or collection system, are also included.
- 2. A site specific sewer extension construction permit may be required by the Department due to compliance and enforcement actions.
- 3. Projects located within an Approved Sewer Program as noted in the operating permit of the receiving wastewater treatment facility are not required to obtain a construction permit from the Department of Natural Resources (Department).
- 4. This permit does not apply to:
 - A. Earthen storage basins;
 - B. Exempt projects unless requested by the applicant or required by enforcement.

PREREQUISITES:

- 1. The General Sewer Extension Construction Permit application, appropriate fee, and documentation in accordance with 10 CSR 20-6.010(5)(G).
- 2. The plans and specifications each signed and sealed by a professional engineer registered in the State of Missouri in accordance with 10 CSR 20-8 and 10 CSR 20-6.010.
- 3. The Design Certification form or Engineering Report or Summary of Design signed and sealed by a professional engineer registered in the State of Missouri certifying the design of the system was prepared in accordance with 10 CSR 20-6 and 10 CSR 20-8.
- 4. A statement from the continuing authority, as defined in 10 CSR 20-6.010, accepting the wastewater for treatment and indicating the permitted treatment facility has the available capacity.
- 5. A statement from the continuing authority, as defined in 10 CSR 20-6.010, accepting the responsibility for operation and maintenance of these facilities.

PERMIT CONDITIONS:

- 1. This permit authorizes the activities and scope of work detailed in the plans and specifications submitted with the request.
- 2. The construction must be in accordance with the final plans and specifications approved by the Department.
- 3. State and Federal Law does not permit bypassing of raw wastewater; therefore steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the Department's regional office per 10 CSR 20-7.015(9)(E)2., or through the Online Bypass/SSO Reporting system found at https://dnr.mo.gov/eservices.htm under Water Protection.

PERMIT CONDITIONS: (continued)

- 4. Protection of drinking water supplies must meet the requirements of 10 CSR 23-3.010.
 - A. There shall be no physical connections between a public or private potable water supply system and a sewer, or appurtenance thereto, which would permit the passage of any wastewater or polluted water into the potable supply.
 - B. Sewers shall be laid at least fifty feet (50') in a horizontal direction from any existing or proposed public water supply well or other water supply sources or structures.
- 5. Manholes shall be located with the top access at or above grade level.
- 6. In addition to the requirements for a construction permit, see 10 CSR 20-6.200 for land disturbance requirements to obtain a Missouri State Operating Permit to discharge stormwater. The permit requires Best Management Practices sufficient to control runoff and sedimentation to protect waters of the state. Land disturbance permits will only be obtained by means of the Department's ePermitting system available online at_www.dnr.mo.gov/env/wpp/epermit/help.htm.

See <u>www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm</u> for more information.

7. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the Department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of Jurisdictional Waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the Department's Water Protection Program at 573-751-1300 for more information.

See www.dnr.mo.gov/env/wpp/401/ for more information.

- 8. If this project eliminates a wastewater treatment facility under the jurisdiction of the Department, then a full closure plan shall be submitted with a Facility Closure Request Form, Form MO 780-2512 to the Department's appropriate regional office for review and approval. In accordance with 10 CSR 20-6.010(12), the closure plan must meet the requirements outlined in Standard Conditions Part III, of the Missouri State Operating Permit. Closure shall not commence until the submitted closure plan is approved by the Department.
- 9. If this project is part of a project to resolve an enforcement action or is receiving funding from the Department, submit a statement of work complete following the completion of construction

⊕

MISSOURI DEPARTMENT OF NATURAL RESOURCES WATER PROTECTION PROGRAM

APPLICATION FOR CONSTRUCTION PERMIT – SEWER EXTENSION

APP NO.	CP NO.
EE RECEIVED	CHECK NO.

I.U APPLICATION INFO	DRMATION (Note -	- If any of t	he guastions i	tois ex ti	00 250 D	Ti IG THIS FO	s appecon may be
considered incomplete a	nd returned.)		no quiscuons (1113 3 5.11	on are in	swared NO Ins	s applicon may be
1.1 Is this a Federal/Stat	te funded project?	YES	X N/A Fur	ndin į A je	enc :		Project #:
1.2 Has the Department ☐ YES Date of Appro	of Natura, Resorc	ces approve				in report*?	rioject #.
1.3 Is a copy of the appro	opriate plans and	specificatio	ons* includedit	th this an	nlication?	X YES □	NO
1.4 Is a summary of desi						М 153 П	NO
1.5 Is the appropriate fee See Section 7.0						□ NO	
	dispouri registered			4 2			
Must be affixed with a M2.0 PROJECT INFORMA	TION	professiona	al engineers sea	al, signatu	are and da	ite.	
1 NAME OF DOOLEGY	per Trace Phas	se 5					
Peine road		CITY	entzville		STATE	ZIF CODE	COUNTY
.2 Legal Description:	1/4,	1/4,			МО	63385	St. Charl
- Logar Description,	/4,	74,	1/4, Sec. 11	1 . T	17N , R	1E, USSur	rvey 413
.3 Project Components ((check all that apply	y):					,
Gravity sewers	N Pumping station		rce mains	Alternativ	ve sewer s	system 🗆 Otl	her (Describe below.)
6 Manholes 95 of 2" Force Main Lift Station - ADF = 1	9,595 GPD, PDF	= 86,218				*	
16 Manholes 1895 of 2" Force Main 1 Lift Station - ADF = 1 1 DESIGNINFORMATION 1 Population or number of 1 Estimated flow to be co	9,595 GPD, PDF of lots to be served ontributed by this ex	= 86,218 by this extension:	GPD ension: 50 sing Design Average	le family	, 595 gpd	Design Pea	Hourly Flow: 3,592
16 Manholes 1895 of 2" Force Main 1 Lift Station - ADF = 1 1 DESIGN INFORMATION 1 Population or number of 1 Estimated flow to be co- 1 Industrial Wastes: Ty	9,595 GPD, PDF of lots to be served ontributed by this ex ype:	= 86,218 by this exte	GPD ension: 50 sing Design Average	lle family Flow:19,	595 gpd	Design Pea	Hourly Flow: 3,592 ç
16 Manholes 1895 of 2" Force Main 1 Lift Station - ADF = 1 1 DESIGN INFORMATION 1 Population or number of 1 Estimated flow to be co- 1 Industrial Wastes: Ty	9,595 GPD, PDF of lots to be served ontributed by this ex	= 86,218 by this extension: [GPD ension: 50 sing Design Average	Flow: 19,	595 gpd	Design Pea	Hourly Flow: 3,592 g
16 Manholes 1895 of 2" Force Main Lift Station - ADF = 1 DESIGN INFORMATION Population or number of Estimated flow to be con Industrial Wastes: Ty Receiving Sewer: Si D PROJECT OWNER	9,595 GPD, PDF of lots to be served ontributed by this ex ype:	= 86,218 by this extension: [GPD ension: 50 sing Design Average	Flow: 19,	, 595 gpd	Design Pea . I	Hourly Flow: 3,592 g
16 Manholes 1895 of 2" Force Main Lift Station - ADF = 1 DESIGN INFORMATION Population or number of Estimated flow to be con Industrial Wastes: Ty Receiving Sewer: Si D PROJECT OWNER ME Timely Disbut	9,595 GPD, PDF of lots to be served ontributed by this ex ype:	by this extension: [Flow Capa	GPD ension: 50 sing Design Average	Flow: 19,	595 gpd	EMAIL ADDRESS	
Receiving Sewer: Si O PROJECT OWNER Timely Disbut DRESS 1141 Wood Si	9,595 GPD, PDF of lots to be served ontributed by this expective: 8 inches ursements, Incummit	by this extension: [Flow Capa	GPD ension: 50 sing Design Average gpd city: 543 gpn TELEPHONE NUMBER 314-486-7	Flow: 19,5	595 gpd	EMAIL ADDRESS jWk1141 ZIP CODE 63	@gmail.com
46 Manholes 395 of 2" Force Main 1 Lift Station - ADF = 1 5 DESIGN INFORMATION 1 Population or number of 2 Estimated flow to be co 2 Industrial Wastes: Ty 3 Receiving Sewer: Si 4 PROJECT OWNER Timely Disbut 5 DESIGN INFORMATION 6 PROJECT OWNER Timely Disbut 6 CONTINUING AUTHOR 6 PROJECT OWNER Timely Disbut 7 CONTINUING AUTHOR 6 PROJECT OWNER Timely Disbut 7 CONTINUING AUTHOR 6 PROJECT OWNER Timely Disbut 7 CONTINUING AUTHOR 7 CONTINUING AUTHOR 8 PROJECT OWNER Timely Disbut 9 CONTINUING AUTHOR 9 PROJECT OWNER Timely Disbut 9 CONTINUING AUTHOR 9 PROJECT OWNER Timely Disbut 9 P	9,595 GPD, PDF of lots to be served ontributed by this expective. Itize: 8 inches UNITY: A continuing high the permit require ermittee to sample actory. To access the consimages/adrules secretary of State's inessEntity/BESear	by this extension: [Flow Capa Ellis authority is ements. A cor operate e regulator s/csr/curren (SoS's) we reh.aspx?Ster with the	GPD ension: 50 sing Design Average gpd city: 543 gpn TELEPHONE NUMBER 314-486-7 EVIIIe s a company, but continuing author and maintain the y requirement re th/10csr/10c20-6 ebpage: earchType=0, up s SoS.	r Flow: 19,4 m	CODE STATE MO entity or pett, however for a definition on tinuing and continuing are continuing continuin	EMAIL ADDRESS jWk1141 ZIP CODE 63 erson(s) that will r, an entity or in ned time period authority, 10 Couthority's name	@gmail.com 021 I be operating the facilidividual that is, such as a certified SR 20-6.010(2), please must be listed exact
46 Manholes 395 of 2" Force Main 1 Lift Station - ADF = 1 5 DESIGN INFORMATION Population or number of Estimated flow to be co Industrial Wastes: Ty Receiving Sewer: Si 0 PROJECT OWNER Timely Disbu	9,595 GPD, PDF of lots to be served ontributed by this ex ype: ize: 8 inches ursements, Inc ummit RITY: A continuing th the permit require ermittee to sample consimages/adrules Secretary of State's inessEntity/BESear ot required to regist	by this extension: [Flow Capa Ellis authority is ements. A cor operate e regulator s/csr/curren (SoS's) we reh.aspx?Ster with the	GPD ension: 50 sing Design Average gpd city: 543 gpn TELEPHONE NUMBER 314-486-7 Eville s a company, but continuing author and maintain th y requirement re nt/10csr/10c20-6 ebpage:	m R WITH AREA 660 Susiness, e prity is no ne system egarding of 3.pdf. A co	CODE STATE MO entity or pett, however for a definition on tinuing and continuing are continuing continuin	EMAIL ADDRESS jwk1141 ZIP CODE 63 erson(s) that will r, an entity or in ned time period authority, 10 C authority's name g authority is an	@gmail.com 021 I be operating the facilidividual that is, such as a certified SR 20-6.010(2), please must be listed exact

MANY STATE OF A STATE OF THE PROPERTY OF A STATE OF				
Civil & Environmental Co		TELEPHONE NUMBER		EMAIL ADDRESS
Civil & Environmental Co		c. 314-656-4	591	kschoenike@cecinc.com
3000 Little Hills Expressway,	Suite 102	St. Charles	MO	ZIP CODE 63301
0.0 RECEIVING WASTEWATER	TREATMENT FA	ACILITY		
AME		TELEPHONE NUMBER \	VITH AREA CODE	EMAIL ADDRESS
ISSOURI STATE OPERATING PERMIT #		REMAINING CAPACITY	(GPD)	
.1 Has the receiving treatment fa	cility agreed to a	ccept the additional wa	stewater flow?	X YES □ NO
.2 A letter from the receiving was ☐ YES ☐ NO ☒ N/A	tewater treatmen	t facility, if different tha	n the continuing	authority, is included with this application
.0 Application Fee				
☐Check Number		Г]JetPay Confirma	tion Number
ubmitted. Based on my inquiry of athering the information, the infor	the person or permation submitted	to assure that qualified rsons who manage the	personnel proper system, or those	its were prepared under my direction or ly gather and evaluate the information persons directly responsible for ief, true, accurate, and complete. I am ibility of fine and imprisonment for
gues W				DATE - 1
J'oh.	n WK	264		9/26/2026
TLE OR COPORATE POSITION TRESSERVE	n W/s	TELEPHONE NUMBER W 314-48	THAREA CODE	9/26/2026 EMAIL ADDRESS JWK1145 209 MMS, 1

INS'. RUC'. IONS FOR COMPLETING PPLICATION FOR CONSTRUCTION PERMIT - SEWER EXTENSION

All blanks must be lilled in v.her the application is submitted to the Missouri Department or Natural Lesources. This i cludes the required si parte re.

In accordance with Missouri State law RSMo 644.951.3.(2), sewer extension projects installing up to a total of 1,000 linear feet of ravity sewer or fo e main with less than two pump stations a e exempt from obtaining a construction pe mit. Since these projects a e exempt a construction permit vill not be issued for this activity and completion of this form is not required.

Note: Use the form Application for Construction F rmit - Walt water Treatment Facility, MO 130-2139, if any "astev ater treatment component(s) are to be constructed.

A land disturbance permit is required if construction will result in the disturbance of one or more acres of land. A land disturbance permit is available through the department's ePermitting system at dnr.mo.gov/env/wpp/epe. ___help.htm. A permit fee in accordance with 10 CSR 20-6.011(2)(E) is required.

After receiving a complete application, the department enters the application information into the Missouri Clean Water Information System. You may search for the status of a construction permit online at https://apps5.mo.gov/mocwis_public/applicationInprocessSearch.do.

- Check appropriate box. If the project is funded with federal or state monies, supply the funding agency name and 1.1 project number.
- 1.2 Check appropriate box and provide the date of department approval. The department has developed a fact sheet to aid in the development of an approvable engineering report. This document is available online at dnr.mo.gov/pubs/pub2415.htm. Engineering report exemptions are listed in 10 CSR 20-6.010(4)(B). Per 10 CSR 20-8.110(2), engineering reports must be approved by the department prior to the submittal of plans and specifications and a construction permit application. The department has developed a fact sheet to aid in the development of an approvable engineering report, Engineering Report Guidance for Colle tion Systems, Fig. 55-e PU32415.
- Check appropriate box. Provide a copy of the appropriate plans and specifications for department review when 1.3 applying for a construction permit per 10 CSR 20-8.110 and 10 CSR 20-6.010. A Missouri registered professional engineering seal, signature and date is required on each sheet of the plans and the cover of the technical specifications. An electronic copy of the construction permit application and the information listed below in Portable Document Format (PDF) searchable format or department approved equivalent per 10 CSR 20-6.010(5) (G), along with one paper copy for projects not seeking department funding or two paper copies for projects seeking department funding under 10 CSR 20-4.
- Check appropriate box. A summary of design shall accompany the plans and specifications when applying for a 1.4 construction permit per 10 CSR 20-8.110. The department has developed a fact sheet to aid in the development of an acceptable summary of design , Summary of Design Guidance, Fact Sheet--PUt 241/.
- 1.5 Check the appropriate box. Include fee with application per 10 CSR 20-6.011(2) and Wastewater Treatment Facility Permit Fees -- PUB2564.
- Note: The department returns incomplete construction permit applications and related engineering documents and the application forfeits the fees. See 10 CSR 20-6.011(5)(A). The applicant forfeits the fees when the applicant withdraws construction applications. See 10 CSR 20-6.011(5)(B).2.1. Provide the project name and location by street name or address.
- Provide the project legal description. The department's mapping system is available online at dnr.mo.gov/gis/. 2.2
- 2.3 Check all of the applicable boxes. The department considers anything other than a gravity sewer system to be an alternative sewer system. Examples of these systems are grinder pump pressure sewers, septic tank effluent pump, or STEP, sewers, septic tank effluent gravity, or STEG, sewers or small diameter gravity sewers.
- Briefly describe the project by providing the following information: 2.4
 - A. Total number of manholes.
 - B. Size of sewers and the total linear feet of each size.
 - C. Number of lift stations and design average flow and peak hourly flow capacities of each lift station.
 - D. Size and length of force mains.
 - E. Alternative sewer size and length, plus the number of components (e.g. septic tanks, grinder pumps, etc.)
- Provide the project design information and when required in the units specified. 2.5 A. Provide the population or number of lots to be served by the proposed sewer extension.

- B. Provide the estimated design flow information in accordance with 10 CSR 20-8.110(4)(C)4.A. Design average f.ow - The design average flow is the average of the daily volumes to be received for a continuous 12 month period expressed as a volume per unit time. However, the design average flow for facilities having critical seasonal high hydraulic loading periods (e.g., recreational areas, campuses and industrial facilities) shall be based on the daily average flow during the seasonal period. Design peak hourly flow - The design peak hourly flow is the largest volume of flow to be received during a one hour period expressed as a volume per unit time.
- C. Provide the type and flow in gallons per day of industrial wastes received by the propose sewer extension.
- D. Provide the receiving sewer size in inches and capacity in gallons per minute.
- Complete Project Owner information. Include the legal name and address. 3.0
- Continuing Authority A continuing authority is a company, business, entity or person(s) that will be operating the 4.0 facility or ensuring compliance with the permit requirements. A continuing authority is not, however, an entity or individual that is contractually hired by the permittee to sample or operate and maintain the system for a defined time period, such as a certified operator or analytical laboratory. To access the regulatory requirement regarding continuing authority, 10 CSR 20-6.010(2), please visit http://s1.sos.mo.gov/cmsimages/adrules/csr/current/10csr/10c20-6.pdf. A continuing authority's name must be listed exactly as it appears on the Missouri Secretary of State's (SoS's) webpage: https://bsd.sos.mo.gov/BusinessEntity/BESearch.aspx?SearchType=0, unless the continuing authority is an individual(s), government, or otherwise not required to register with the SoS. If same as the Project Owner, write "Same as above".
- Check appropriate box. Include a letter signed by the continuing authority (if not same as the project owner) 4.1 stating they will "accept, operate and maintain" the sewer extension. The continuing authority may also complete the Continuing Authority and Receiving Wastewater Treatment Facility Acceptance form in lieu of a letter. If the continuing authority will not accept and agree to operate and maintain the sewer extension, this application will be considered incomplete.
- 5.0 Complete Engineer contact information.
- Complete Receiving Wastewater Treatment Facility information. Include the Missouri State Operating Permit 6.0 number and the available remaining capacity in gallons per day, or gpd.
- Check appropriate box. The receiving wastewater treatment facility must be notified and agree to the proposed 6.1 sewer extension and additional flow, prior to submitting a construction permit to the department. If the receiving wastewater treatment facility will not accept the wastewater, this application will be considered incomplete.
- Check appropriate box. Include a letter from the receiving wastewater treatment facility (if not same as the 6.2 continuing authority) acknowledging and accepting the additional flow from the proposed sewer extension.
- 7.0 Check the appropriate box and include check or confirmation number. Applicants can pay fees online by credit card or eCheck through a system called JetPay.
 - Per Section 37.001, RSMo, a transaction fee will be included. The transaction fee is paid to the third party vendor JetPay, not the Department of Natural Resources.
 - Be sure to select the correct fee type and corresponding URL to ensure your payment is applied appropriately. If you are unsure what type of fee to pay, please contact the Water Protection Program's Budget, Fees, and Grants Management Unit by phone at 573-522-1485 for assistance.
 - Upon successful completion of your payment, JetPay provides a payment confirmation. Submit this form with a copy of the payment confirmation if requesting a new permit or a permit modification. For permit renewals of active permits, the Department will invoice fees annually in a separate request.
 - If you are unable to make your payment online, but want to pay with credit card, you may email your name, phone number, and invoice number, if applicable, to WPPFEES@dnr.mo.gov. The Budget, rees, and Grants Management Unit will contact you to assist with the credit card payment. Please do not include your credit card information ir t..e email.
 - Applicants can find fee rates in 10 CSR 20-6.011 and Wastewater Treatment Facility Permit Fees-P__2564 (https://dnr.mo.gov/pubs/pub2564.htm).

WP 04 Construction Permits: https://magic.collectorso.utions.com/magic-ui/payments/mo-natural-resources/592/ 8.0 The owner of the construction project must sign the application.

Mail the completed form and applicable fee to the department.

If there are any questions concerning this form, please contact the Department of Natural Resources, Water Protection Program at 800-361-4827 or 573-751-1300 or visit dnr.mo.gov/env/wpp/permits/ww-construction-permitting.htm.

SEWER EXTENSION DESIGN CERTIFICATION

Answer all questions yes, no, or N/A. Answer N/A only if the question is clearly not applicable to the design or the proposed sewer extension **OR** if a deviation was preliously allowed by the Department in the approval of standard specifications or Standard Detail Sheets.

	REGULATION		YES	NO	N/A
1	8.110(9)(B)	Are detailed plans showing tributary area, boundaries, pertinent elevations, topography, existing and proposed facilities provided?	x		
2	8.110(3)(A)	Is the design flow based on actual flow data for an existing system?	х	Im	$\vdash \sqcap$
3	8.110(3)(B)	Are average design flows, peak hourly flows, and I&I contributions for new systems calculated.	х		
4	8.120(2)	Does the sewer exclude water from roofs, streets, groundwater from foundation drains, and combined wastewater?	x		
5	8.120(3)(C)	Is ASTM C969-17 leakage test specified to ensure water tight joint seals and appropriate exfiltration and infiltration rates?	х		
6	8.120(4)(A)	Are manholes located at all changes in grade, size or alignment, and all intersections?	х		
7	8.120(3)(A)1	Are all sewer pipes constructed with a slope to obtain mean velocities of not less than 2 feet per second?	x		
8	8.120(3)(A)2	Is the pipe covered with at least 36" of soil or sufficiently insulated to prevent freezing?	х		
9	8.120(3)(A)	Is the pipe installation, embedment, and backfill designed to prevent damage to the pipe and its joints?	х		
10	8.120(3)(B)	Is deflection testing specified to ensure no pipe exceeds a deflection of 5% of the inside diameter?	x	П	П
11	8.120(4)(C)	Are manholes at least 42 inches in diameter with a clear opening of 22 inches on sewer line larger than 8"?	x		
2	8.120(4)(C)	Where cleanouts are used at the end of a lateral instead of a manhole, are they a minimum diameter of 8 inches or larger and equal to the diameter for pipes < 8"?	x		
3	8.120(4)(E)	Are the manholes specified to be watertight, constructed, installed in accordance with the manufacturer's recommendations and procedures?	х		П
4	8.120(4)(F)	Do the specifications include a requirement for inspection and testing for manholes?	x		
5	8.120(5)(B)	Are sewers and manholes located at least 50 feet horizontally from any existing or proposed water supply well, sources, structures?	x		
6	8.120(5)(A)	Is the sewer free from physical connections to a potable water supply system with no water pipes coming in contact with a sewer manhole?	х	П	

10	.0 PRESSURE	SEWERS, GRINDER PUM , STEP AND STEG SEWER CHECKLIST			
	REGULATIO	N	YES	NO	N/A
17		is the state of the state of the per day?	х		1,77
18	8.125(5)(A)2.	Is the diameter of the pressure sewer main pipe at least 1.5"?	X	+H	+
19	8.125(5)B	Are appurtenances compatible with the piping system?	X	+H	+
20	8.125(5)(C)	Do service line pipes have a minimum diameter of 1.25 in.?		$+$ \dashv	+=
21	Α	Do simplex grinder pump stations service only a single equivalent dwelling unit (EDU)? i.e. 1 residence – 1 grinder pump station.	X		
22	8.125(5)(D)1. B	Are multiple unit pump stations owned, operated, maintained by an approved continuing authority?	x		
23	8.125(5)(D)3	Is there at least 70 gallons of storage in the grinder pump unit?	X	\perp \vdash	$+$ \vdash
24	8.125(5)(D)4	Do grinder pump stations have shutoff valves, check valves, and anti- siphon valves (where siphoning could occur) that are accessible from the ground surface?	X		
25	8.125(5)(D)7 8.130(3)(B)2	Are units serviceable and replaceable under wet conditions without electrical hazard and electrical equipment suitable for hazardous locations (National Electrical Code, Class I, Group D, Division 1 location)?	x		
26 27	8.125(5)(D)8 8.125(6)(F)6	Are provisions in place to avoid interruption of service due to mechanical or power failure by providing standby power, storage capacity or interconnection with another disposal system?	x		
	8.125(6)(D) 8.180(2)	Does each EDU have at least one septic tank with a minimum of 1,000 gallon capacity with 20% of tank volume dedicated to freeboard and ventilation?	x		
28	8.125(6)(F)	Are pump vaults designed with duplex pumps for STEP sewer systems with design flow of 1,500 gallons per day or greater?	X	П	$ \Box $
29	8.125(7)(A) 8.125(7)(C)	Is the minimum STEG sewerservice line at least 4" in diameter?	x		
11.0	PUMP STATIO	N CHECKLIST			
	REGULATION		YES	NO	N/A
30	8.130(2)(A) 8.140(2)(B)	Is the pump station designed to withstand the 100-year flood?	x		П
31	8.130(3)(A)	Is the dry well completely separate from the wet well and is a suitable and safe means of access provided to each?	x		
2	8.130(3)(B)	If the design flow is 1,500 gpd or more, are at least 2 pumps or pneumatic ejectors provided?	x	П	
3	8.130(3)(D)	Are valves located outside wet well unless integral to a pump or its housing?	X		
4	8.130(3)(F) 8.140(8)(J)	Do wet and dry wells have separate ventilation systems?	х		
5	8.130(3)(G)	Does all potable water brought to the pump station comply with 8.140 (7) D?	x		
6	8.130(6)	Is an alarm system provided with uninterrupted power?	х		
7	8.130(7)(A)	Is there 2 hours retention of the peak hourly flow for a design flow > 100,000 gpd or 4 hrs retention of the peak hourly flow for a design flow < 100,000 gpd?	x		
3	8.130(7)(B)	Is there an independent utility substation provided for emergency power that is capable of starting and operating the pump station at its rated capacity?	x		
)	8.130(8)(A)	Is the force main velocity of ≥ 2 ft/s maintained?	х		
)	8.130	Are there complete operation instructions for the pumping stations provided that include emergency procedures, maintenance schedules, special tools and spare parts that may be necessary?	X		

	REGULATION	PUMP AND SUBMERSIBLE PUMP STATION CHECKLIST	YES	TNO	TALLA
41	8.130(4)	Are the suction lift pumps of the self priming or vacuum priming type?	X	NO	N/A
42	8.130(4)(A)	Is the combined total of dynamic suction lift at the "pump off" elevation and required net positive suction head at design operating conditions less than or equal to twenty-two feet (22')?	X		
43	8.130(4)(B)	Are there dual vacuum pumps capable of removing air from the suction lift pump?	X		
44	8.130(5)(A)	Are submersible pumps readily removable and replaceable without personel entering, or disconnecting any pipe in the wet well?	x	П	П
13.0	CERTIFICATIO				
For a	ny question answ	sored "NO" provide augles the David			
		vered "NO" provide explanation. Provide any useful comments on design f	or review	engine	er:
		vered NO provide explanation. Provide any useful comments on design f	or review	engine	er:
		SE OF MISS	or review	engine	er:
	ouri Professional	Engineer's Seal: KARL A. SCHOENIKE MUMBER PE-200405009	or review	engine	er:
Misso Name Stree	ouri Professional	Engineer's Seal: KARL A. SCHOENIKE MUMBER PE-2003015039	or review	engine	er: