

STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES
MISSOURI CLEAN WATER COMMISSION



GENERAL PERMIT for SEWER EXTENSION CONSTRUCTION

The Missouri Department of Natural Resources hereby issues a permit to:

Construction Permit ID: MOGSE0568
Title of Project: Memory Lane Dairy
Owner: Memory Lane Dairy
Address: 42 Rose Petal Ln
FORDLAND, MO 65652

The project will also include general site work appropriate to the scope and purpose of the project and will include all the necessary appurtenances to make a complete and usable collection system. The construction of this project will be in the vicinity of the county below and discharge to Receiving Permit ID below:

County: Receiving Permit ID:

for the construction of (described construction project):

Memory Lane Dairy-Construction of approximately 3,500 lf of 2-inch PR160 PVC force mains with cleanouts and air release valves, 1 duplex lift stations with each pump capable of operating at 34 gpm at 75.5 feet of TDH, and a portable generator to serve a design average flow of 3,000 gpd and peak hourly flow of 4,000 gpd. Between the wet well and the concrete equalization basin, there is emergency storage volume of 12,000 gallons. Receiving sewer at Fordland is 8 inches.

Project is in the vicinity of Rose Petal Lane and Hwy 60 in Fordland, Webster County and discharges to an existing system to be treated at Fordland WWTF, MO-0099813. Donald Burks, Mayor of Fordland, provided an acceptance letter dated April 27, 2022.

Construction of such proposed facilities shall be in accordance with the provisions of the Missouri Clean Water Law, Chapter 644, RSMo, and regulation promulgated thereunder, or this permit may be revoked by the Department of Natural Resources (Department). As the Department does not examine structural features of design or the efficiency of mechanical equipment, the issuance of this permit does not include approval of these features.

This permit applies only to the construction of water pollution control components; it does not apply to other environmentally regulated areas.

July 17, 2023

Issue Date

John Hoke, Director
Water Protection Program

January 02, 2025

Expiration Date

APPLICABILITY

1. This permit authorizes the construction of gravity sewer extensions, force mains, and lift stations. Non-earthen flow equalization storage basins at lift stations and inline storage, which flows back into the lift station or collection system, are also included.
2. A site specific sewer extension construction permit may be required by the Department due to compliance and enforcement actions.
3. Projects located within an Approved Sewer Program as noted in the operating permit of the receiving wastewater treatment facility are not required to obtain a construction permit from the Department of Natural Resources (Department).
4. This permit does not apply to:
 - A. Earthen storage basins;
 - B. Exempt projects unless requested by the applicant or required by enforcement.

PREREQUISITES:

1. The General Sewer Extension Construction Permit application, appropriate fee, and documentation in accordance with 10 CSR 20-6.010(5)(G).
2. The plans and specifications each signed and sealed by a professional engineer registered in the State of Missouri in accordance with 10 CSR 20-8 and 10 CSR 20-6.010.
3. The Design Certification form or Engineering Report or Summary of Design signed and sealed by a professional engineer registered in the State of Missouri certifying the design of the system was prepared in accordance with 10 CSR 20-6 and 10 CSR 20-8.
4. A statement from the continuing authority, as defined in 10 CSR 20-6.010, accepting the wastewater for treatment and indicating the permitted treatment facility has the available capacity.
5. A statement from the continuing authority, as defined in 10 CSR 20-6.010, accepting the responsibility for operation and maintenance of these facilities.

PERMIT CONDITIONS:

1. This permit authorizes the activities and scope of work detailed in the plans and specifications submitted with the request.
2. The construction must be in accordance with the final plans and specifications approved by the Department.
3. State and Federal Law does not permit bypassing of raw wastewater; therefore steps must be taken to ensure that raw wastewater does not discharge during construction. If a sanitary sewer overflow or bypass occurs, report the appropriate information to the Department's regional office per 10 CSR 20-7.015(9)(E)2., or through the Online Bypass/SSO Reporting system found at <https://dnr.mo.gov/eservices.htm> under Water Protection.

PERMIT CONDITIONS: (continued)

4. Protection of drinking water supplies must meet the requirements of 10 CSR 23-3.010 .
 - A. There shall be no physical connections between a public or private potable water supply system and a sewer, or appurtenance thereto, which would permit the passage of any wastewater or polluted water into the potable supply.
 - B. Sewers shall be laid at least fifty feet (50') in a horizontal direction from any existing or proposed public water supply well or other water supply sources or structures.
5. Manholes shall be located with the top access at or above grade level.
6. In addition to the requirements for a construction permit, see 10 CSR 20-6.200 for land disturbance requirements to obtain a Missouri State Operating Permit to discharge stormwater. The permit requires Best Management Practices sufficient to control runoff and sedimentation to protect waters of the state. Land disturbance permits will only be obtained by means of the Department's ePermitting system available online at www.dnr.mo.gov/env/wpp/epermit/help.htm.

See www.dnr.mo.gov/env/wpp/stormwater/sw-land-disturb-permits.htm for more information.

7. A United States (U.S.) Army Corps of Engineers (COE) permit (404) and a Water Quality Certification (401) issued by the Department or permit waiver may be required for the activities described in this permit. This permit is not valid until these requirements are satisfied. If construction activity will disturb any land below the ordinary high water mark of Jurisdictional Waters of the U.S. then a 404/401 will be required. Since the COE makes determinations on what is jurisdictional, you must contact the COE to determine permitting requirements. You may call the Department's Water Protection Program at 573-751-1300 for more information.

See www.dnr.mo.gov/env/wpp/401/ for more information.

8. If this project eliminates a wastewater treatment facility under the jurisdiction of the Department, then a full closure plan shall be submitted with a Facility Closure Request Form, Form – MO 780-2512 to the Department's appropriate regional office for review and approval. In accordance with 10 CSR 20-6.010(12), the closure plan must meet the requirements outlined in Standard Conditions Part III, of the Missouri State Operating Permit. Closure shall not commence until the submitted closure plan is approved by the Department.
9. If this project is part of a project to resolve an enforcement action or is receiving funding from the Department, submit a statement of work complete following the completion of construction



MISSOURI DEPARTMENT OF NATURAL RESOURCES
 WATER PROTECTION PROGRAM
APPLICATION FOR CONSTRUCTION PERMIT
SEWER EXTENSION

RECEIVED
 MAY 31 2023
 Water Protection Program

| FOR DEPARTMENT USE ONLY | |
|--------------------------|-----------------------|
| APP NO. | CP NO. |
| FEE RECEIVED \$ 300 | CHECK NO. 20043882 |
| DATE RECEIVED 5/31/23 | SA |

NOTE ▶ PLEASE READ THE ACCOMPANYING INSTRUCTIONS BEFORE COMPLETING THIS FORM

1.0 APPLICATION INFORMATION (Note - If any of the questions in this section are answered NO, this application may be considered incomplete and returned.)

- 1.1 Is this a Federal/State funded project? YES N/A Funding Agency: _____ Project #: _____
 - 1.2 Has the Department of Natural Resources approved the proposed project's engineering report*?
 YES Date of Approval: 6/23/2021 NO N/A
 - 1.3 Is a copy of the appropriate plans* and specifications* included with this application? YES NO
 - 1.4 Is a summary of design* included with this application? YES NO
 - 1.5 Is the appropriate fee or JetPay confirmation included with this application? YES NO
 See Section 7.0
- * Must be affixed with a Missouri registered professional engineer's seal, signature and date.

2.0 PROJECT INFORMATION

2.1 NAME OF PROJECT
 Memory Lane Dairy Connection to City of Fordland - Wastewater

| ADDRESS | CITY | STATE | ZIP CODE | COUNTY |
|--------------------|----------|-------|----------|---------|
| 42 Rose Petal Lane | Fordland | MO | 65652 | Webster |

2.2 Legal Description: W ¼, SE ¼, SW ¼, Sec. 33 . T 29N . R 18W

- 2.3 Project Components (check all that apply):**
 Gravity sewers Pumping stations Force mains Alternative sewer system Other (Describe below.)

2.4 PROJECT DESCRIPTION
 This project will include the installation of a dual, submersible pump lift station on the Memory Lane Dairy property, installation of a buried 5,000 gallon equalization basin upstream of the lift station, and the installation of approximately 3,500 ft of small diameter wastewater force main. This project will also include the proper lagoon closure of the unpermitted lagoon on the Memory Lane Dairy property.

- 2.5 DESIGN INFORMATION**
- A. Population or number of lots to be served by this extension: 1
 - B. Estimated flow to be contributed by this extension: Design Average Flow: 3,000 gpd Design Peak Hourly Flow: 3,600 gph
 - C. Industrial Wastes: Type: Cleaning Flow: 3,000 gpd
 - D. Receiving Sewer: Size: 8 inches Capacity: 100 gpm

3.0 PROJECT OWNER

| NAME | TELEPHONE NUMBER WITH AREA CODE | EMAIL ADDRESS |
|--|---------------------------------|-------------------------|
| Memory Lane Dairy, a division of Hilland Dairy | 417-328-8719 | gellis@hillanddairy.com |


| ADDRESS | CITY | STATE | ZIP CODE |
|--------------------|----------|-------|----------|
| 42 Rose Petal Lane | Fordland | MO | 65652 |

4.0 CONTINUING AUTHORITY: A continuing authority is a company, business, entity or person(s) that will be operating the facility or ensuring compliance with the permit requirements. A continuing authority is not, however, an entity or individual that is contractually hired by the permittee to sample or operate and maintain the system for a defined time period, such as a certified operator or analytical laboratory. To access the regulatory requirement regarding continuing authority, 10 CSR 20-6.010(2), please visit <https://s1.sos.mo.gov/cmsimages/adrules/csr/current/10csr/10c20-6.pdf>. A continuing authority's name must be listed exactly as it appears on the Missouri Secretary of State's (SoS's) webpage: <https://bsd.sos.mo.gov/BusinessEntity/BESearch.aspx?SearchType=0>, unless the continuing authority is an individual(s), government, or otherwise not required to register with the SoS.

| NAME | TELEPHONE NUMBER WITH AREA CODE | EMAIL ADDRESS |
|------------------|---------------------------------|------------------------|
| City of Fordland | 417-767-2829 | city078@centurytel.net |

| ADDRESS | CITY | STATE | ZIP CODE |
|------------------|----------|-------|----------|
| 296 Burks Street | Fordland | MO | 65652 |

- 4.1 A letter from the continuing authority or the Continuing Authority and Receiving Wastewater Treatment Facility Acceptance form, if different than the owner, is included with this application. YES NO N/A

| | | | |
|--|---|---|---|
| 5.0 ENGINEER | | | |
| ENGINEER NAME / COMPANY NAME Gary Davis / Bartlett & West | | TELEPHONE NUMBER WITH AREA CODE 573-659-6731 | EMAIL ADDRESS gary.davis@bartwest.com |
| ADDRESS 601 Monroe Street, Suite 201 | CITY Jefferson City | STATE MO | ZIP CODE 65109 |
| 6.0 RECEIVING WASTEWATER TREATMENT FACILITY | | | |
| NAME Fordland Wastewater Treatment Facility | | TELEPHONE NUMBER WITH AREA CODE 417-767-1399 | EMAIL ADDRESS fordlandwater@centurytel.net |
| MISSOURI STATE OPERATING PERMIT # MO-0099813 | | REMAINING CAPACITY (GPD) 13,000 | |
| 6.1 Has the receiving treatment facility agreed to accept the additional wastewater flow? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | | | |
| 6.2 A letter from the receiving wastewater treatment facility, if different than the continuing authority, is included with this application. <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO <input type="checkbox"/> N/A | | | |
| 7.0 Application Fee | | | |
| <input type="checkbox"/> Check Number | | <input checked="" type="checkbox"/> JetPay Confirmation Number 20043882 | |
| 8.0 PROJECT OWNER: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | | | |
| PROJECT OWNER SIGNATURE  | | | |
| PRINTED NAME George Ellis | | DATE 5/25/23 | |
| TITLE OR CORPORATE POSITION Memory Lane Dairy Manager | TELEPHONE NUMBER WITH AREA CODE 417-328-8719 | EMAIL ADDRESS gellis@hilanddairy.com | |
| Mail completed copy to: MISSOURI DEPARTMENT OF NATURAL RESOURCES WATER PROTECTION PROGRAM P.O. BOX 176 JEFFERSON CITY, MO 65102-0176 | | | |

SEWER EXTENSION DESIGN CERTIFICATION

Answer all questions yes, no, or N/A. Answer N/A only if the question is clearly not applicable to the design of the proposed sewer extension **OR** if a deviation was previously allowed by the Department in the approval of Standard specifications or Standard Detail Sheets.

| 9.0 SEWER EXTENSION CHECKLIST | | | | | |
|-------------------------------|--------------|--|-------------------------------------|--------------------------|-------------------------------------|
| | REGULATION | | YES | NO | N/A |
| 1 | 8.110(9)(B) | Are detailed plans showing tributary area, boundaries, pertinent elevations, topography, existing and proposed facilities provided? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2 | 8.110(3)(A) | Is the design flow based on actual flow data for an existing system? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3 | 8.110(3)(B) | Are average design flows, peak hourly flows, and I&I contributions for new systems calculated. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4 | 8.120(2) | Does the sewer exclude water from roofs, streets, groundwater from foundation drains, and combined wastewater? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5 | 8.120(3)(C) | Is ASTM C969-17 leakage test specified to ensure water tight joint seals and appropriate exfiltration and infiltration rates? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6 | 8.120(4)(A) | Are manholes located at all changes in grade, size or alignment, and all intersections? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7 | 8.120(3)(A)1 | Are all sewer pipes constructed with a slope to obtain mean velocities of not less than 2 feet per second? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8 | 8.120(3)(A)2 | Is the pipe covered with at least 36" of soil or sufficiently insulated to prevent freezing? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9 | 8.120(3)(A) | Is the pipe installation, embedment, and backfill designed to prevent damage to the pipe and its joints? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 10 | 8.120(3)(B) | Is deflection testing specified to ensure no pipe exceeds a deflection of 5% of the inside diameter? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 11 | 8.120(4)(C) | Are manholes at least 42 inches in diameter with a clear opening of 22 inches on sewer line larger than 8"? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 12 | 8.120(4)(C) | Where cleanouts are used at the end of a lateral instead of a manhole, are they a minimum diameter of 8 inches or larger and equal to the diameter for pipes < 8"? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 13 | 8.120(4)(E) | Are the manholes specified to be watertight, constructed, installed in accordance with the manufacturer's recommendations and procedures? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 14 | 8.120(4)(F) | Do the specifications include a requirement for inspection and testing for manholes? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 15 | 8.120(5)(B) | Are sewers and manholes located at least 50 feet horizontally from any existing or proposed water supply well, sources, structures? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 16 | 8.120(5)(A) | Is the sewer free from physical connections to a potable water supply system with no water pipes coming in contact with a sewer manhole? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

| 10.0 PRESSURE SEWERS, GRINDER PUMP, STEP AND STEG SEWER CHECKLIST | | | | | |
|--|------------------------------|---|-------------------------------------|--------------------------|-------------------------------------|
| | REGULATION | | YES | NO | N/A |
| 17 | 8.125(5)(A)1. | Does the cleaning velocity of ≥ 2 ft/s happen at least once per day? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 18 | 8.125(5)(A)2. | Is the diameter of the pressure sewer main pipe at least 1.5"? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 19 | 8.125(5)B | Are appurtenances compatible with the piping system? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 20 | 8.125(5)(C) | Do service line pipes have a minimum diameter of 1.25 in.? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 21 | 8.125(5)(D)1. A | Do simplex grinder pump stations service only a single equivalent dwelling unit (EDU)? i.e. 1 residence – 1 grinder pump station. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 22 | 8.125(5)(D)1. B | Are multiple unit pump stations owned, operated, maintained by an approved continuing authority? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 23 | 8.125(5)(D)3 | Is there at least 70 gallons of storage in the grinder pump unit? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 24 | 8.125(5)(D)4 | Do grinder pump stations have shutoff valves, check valves, and anti-siphon valves (where siphoning could occur) that are accessible from the ground surface? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 25 | 8.125(5)(D)7 8.130(3)(B)2 | Are units serviceable and replaceable under wet conditions without electrical hazard and electrical equipment suitable for hazardous locations (National Electrical Code, Class I, Group D, Division 1 location)? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 26 | 8.125(5)(D)8 8.125(6)(F)6 | Are provisions in place to avoid interruption of service due to mechanical or power failure by providing standby power, storage capacity or interconnection with another disposal system? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 27 | 8.125(6)(D) 8.180(2) | Does each EDU have at least one septic tank with a minimum of 1,000 gallon capacity with 20% of tank volume dedicated to freeboard and ventilation? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 28 | 8.125(6)(F) | Are pump vaults designed with duplex pumps for STEP sewer systems with design flow of 1,500 gallons per day or greater? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 29 | 8.125(7)(A) 8.125(7)(C) | Is the minimum STEG sewerservice line at least 4" in diameter? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 11.0 PUMP STATION CHECKLIST | | | | | |
| | REGULATION | | YES | NO | N/A |
| 30 | 8.130(2)(A) 8.140(2)(B) | Is the pump station designed to withstand the 100-year flood? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 31 | 8.130(3)(A) | Is the dry well completely separate from the wet well and is a suitable and safe means of access provided to each? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 32 | 8.130(3)(B) | If the design flow is 1,500 gpd or more, are at least 2 pumps or pneumatic ejectors provided? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 33 | 8.130(3)(D) | Are valves located outside wet well unless integral to a pump or its housing? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 34 | 8.130(3)(F) 8.140(8)(J) | Do wet and dry wells have separate ventilation systems? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 35 | 8.130(3)(G) | Does all potable water brought to the pump station comply with 8.140 (7) D? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 36 | 8.130(6) | Is an alarm system provided with uninterrupted power? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 37 | 8.130(7)(A) | Is there 2 hours retention of the peak hourly flow for a design flow > 100,000 gpd or 4 hrs retention of the peak hourly flow for a design flow < 100,000 gpd? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 38 | 8.130(7)(B) | Is there an independent utility substation provided for emergency power that is capable of starting and operating the pump station at its rated capacity? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 39 | 8.130(8)(A) | Is the force main velocity of ≥ 2 ft/s maintained? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 40 | 8.130 | Are there complete operation instructions for the pumping stations provided that include emergency procedures, maintenance schedules, special tools and spare parts that may be necessary? | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

12.0 SUCTION LIFT PUMP AND SUBMERSIBLE PUMP STATION CHECKLIST

| | REGULATION | | YES | NO | N/A |
|----|-------------|--|--------------------------|--------------------------|-------------------------------------|
| 41 | 8.130(4) | Are the suction lift pumps of the self priming or vacuum priming type? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 42 | 8.130(4)(A) | Is the combined total of dynamic suction lift at the "pump off" elevation and required net positive suction head at design operating conditions less than or equal to twenty-two feet (22')? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 43 | 8.130(4)(B) | Are there dual vacuum pumps capable of removing air from the suction lift pump? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 44 | 8.130(5)(A) | Are submersible pumps readily removable and replaceable without personel entering, or disconnecting any pipe in the wet well? | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> |


13.0 CERTIFICATION STATEMENT

I hereby certify that the design plans and specifications for this project, to the best of my knowledge, conform to the requirements listed above. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

I hereby certify that this plan, specification, and/or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the state of Missouri.

For any question answered "NO" provide explanation. Provide any useful comments on design for review engineer:

Missouri Professional Engineer's Seal:



5/31/23

Gary W Davis

Name: Gary W Davls
 Street Address: 601 Monroe Street, Sulte 201
 City: Jefferson City State: MO ZIP Code: 65101

Phone Number: 573-634-6731

Email: gary.davis@bartwest.com